

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 5/11/2010 Revision date: 13/05/2019 Supersedes: 22/12/2015 Version: 7.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : CHAMPION PRO RACING 10W60  
Product code : 27118  
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

WOLF OIL CORPORATION N.V.  
Georges Gilliotstraat, 52  
2620 Hemiksem - België  
T 0032 (0)3 870 00 00 - F 0032 (0)3 870 00 99  
[info@wolfoil.com](mailto:info@wolfoil.com)

#### 1.4. Emergency telephone number

Emergency number : +32 14 58 45 45 (NL/EN/FR/DE)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains Calcium long chain alkarylsulphonate(722503-68-6). May produce an allergic reaction.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                                                                                   | Product identifier                                                                                       | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------|
| Baseoil - unspecified                                                                  | (CAS-No.) 64742-54-7<br>(EC-No.) 265-157-1<br>(EC Index-No.) 649-467-00-8<br>(REACH-no) 01-2119484627-25 | 44,1     | Not classified                                                  |
| Baseoil - unspecified                                                                  | (CAS-No.) 64742-54-7<br>(EC-No.) 265-157-1<br>(EC Index-No.) 649-467-00-8<br>(REACH-no) 01-2119484627-25 | 15 - 35  | Asp. Tox. 1, H304                                               |
| Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased                     | (CAS-No.) 68784-26-9<br>(EC-No.) 272-234-3<br>(REACH-no) 01-2119524004-56                                | 1 - 2,49 | Aquatic Chronic 4, H413                                         |
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | (CAS-No.) 68784-31-6<br>(EC-No.) 272-238-5<br>(REACH-no) 01-2119657973-23                                | 1 - 2,49 | Eye Dam. 1, H318<br>Aquatic Chronic 2, H411                     |

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                         |                                                                            |            |                                                                                                                              |
|-----------------------------------------|----------------------------------------------------------------------------|------------|------------------------------------------------------------------------------------------------------------------------------|
| Bis(nonylphenyl)amine                   | (CAS-No.) 36878-20-3<br>(EC-No.) 253-249-4<br>(REACH-no) 01-2119488911-28  | 1 - 2,49   | Aquatic Chronic 4, H413                                                                                                      |
| Calcium long chain alkarylsulphonate    | (CAS-No.) 722503-68-6                                                      | 0,1 - 0,99 | Skin Sens. 1, H317                                                                                                           |
| Dodecylphenol, mixed isomers (branched) | (CAS-No.) 121158-58-5<br>(EC-No.) 310-154-3<br>(REACH-no) 01-2119513207-49 | 0,1 - 0,24 | Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Repr. 1B, H360F<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 (M=10) |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |                                                                                 |
|---------------------------------------|---------------------------------------------------------------------------------|
| First-aid measures after inhalation   | : Not expected to require first aid measures.                                   |
| First-aid measures after skin contact | : Wash skin with mild soap and water.                                           |
| First-aid measures after eye contact  | : In case of eye contact, immediately rinse with clean water for 10-15 minutes. |
| First-aid measures after ingestion    | : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |                                                                                                        |
|-------------------------------------|--------------------------------------------------------------------------------------------------------|
| Symptoms/effects after inhalation   | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.  |
| Symptoms/effects after skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use.        |
| Symptoms/effects after eye contact  | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| Symptoms/effects after ingestion    | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.   |

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Suitable extinguishing media   | : Water fog. Foam. Powder. Dry chemical product. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.               |

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

|                                |                                                                                                 |
|--------------------------------|-------------------------------------------------------------------------------------------------|
| Precautionary measures fire    | : Exercise caution when fighting any chemical fire.                                             |
| Firefighting instructions      | : Use water spray or fog for cooling exposed containers.                                        |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|-------------------------------------------------|

##### 6.1.2. For emergency responders

|                      |                                                 |
|----------------------|-------------------------------------------------|
| Protective equipment | : Wear suitable protective clothing and gloves. |
|----------------------|-------------------------------------------------|

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

|                         |                                                                                       |
|-------------------------|---------------------------------------------------------------------------------------|
| For containment         | : Impound and recover large spill by mixing it with inert granular solids.            |
| Methods for cleaning up | : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr. |
| Other information       | : Spill area may be slippery. Use suitable disposal containers.                       |

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

|                               |                                                                                                         |
|-------------------------------|---------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required. |
| Handling temperature          | : < 40 °C                                                                                               |

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C

Storage area : Store in dry, cool, well-ventilated area.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Additional information : 5 mg/m<sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

### 8.2. Exposure controls

#### Personal protective equipment:

Safety glasses. Gloves.

#### Hand protection:

Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                            |                                                               |
|--------------------------------------------|---------------------------------------------------------------|
| Physical state                             | : Liquid                                                      |
| Appearance                                 | : Oily liquid.                                                |
| Colour                                     | : Yellow-brown.                                               |
| Odour                                      | : Characteristic.                                             |
| Odour threshold                            | : No data available                                           |
| pH                                         | : No data available                                           |
| Relative evaporation rate (butylacetate=1) | : No data available                                           |
| Melting point                              | : No data available                                           |
| Freezing point                             | : No data available                                           |
| Boiling point                              | : No data available                                           |
| Flash point                                | : > 220 °C @ ASTM D92                                         |
| Auto-ignition temperature                  | : No data available                                           |
| Decomposition temperature                  | : No data available                                           |
| Flammability (solid, gas)                  | : No data available                                           |
| Vapour pressure                            | : No data available                                           |
| Relative vapour density at 20 °C           | : No data available                                           |
| Relative density                           | : No data available                                           |
| Density                                    | : 866 kg/m <sup>3</sup> @15°C                                 |
| Solubility                                 | : Slightly soluble, the product remains on the water surface. |
| Log Pow                                    | : No data available                                           |
| Viscosity, kinematic                       | : 164 mm <sup>2</sup> /s @ 40°C                               |
| Viscosity, dynamic                         | : No data available                                           |
| Explosive properties                       | : No data available                                           |
| Oxidising properties                       | : No data available                                           |
| Explosive limits                           | : No data available                                           |

### 9.2. Other information

No additional information available

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

None under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal conditions.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

Strong oxidizers. acids. Bases.

#### 10.6. Hazardous decomposition products

None under normal conditions.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### Bis(nonylphenyl)amine (36878-20-3)

LD50 oral rat > 5000 mg/kg OECD 401

LD50 dermal rat > 2000 mg/kg OECD 402

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

#### CHAMPION PRO RACING 10W60

Viscosity, kinematic 164 mm<sup>2</sup>/s @ 40°C

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : This product contains one or more components that have a branched alkylphenol impurity, which is very toxic for aquatic organisms (mentioned in chapter 3). The components containing this impurity, are tested and are not toxic for aquatic organisms. This is why the data from chapter 3 concerning the alkylphenol impurity cannot be used for the classification of the product regarding the aquatic toxicity.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

#### Bis(nonylphenyl)amine (36878-20-3)

LC50 fish 1 > 100 mg/l OECD 203 (Danio rerio @96h)

EC50 Daphnia 1 > 100 mg/l OECD 202 (Daphnia magna)

EC50 72h algae (1) > 100 mg/l OECD 201 (Desmodesmus subspicatus)

#### 12.2. Persistence and degradability

#### CHAMPION PRO RACING 10W60

Persistence and degradability Not soluble in water, so only minimally biodegradable.

#### Bis(nonylphenyl)amine (36878-20-3)

Persistence and degradability Not readily biodegradable.

Biodegradation 1 % @28d

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Dodecylphenol, mixed isomers (branched) (121158-58-5)

|                |                      |
|----------------|----------------------|
| Biodegradation | 25 % Sturm-test @28d |
|----------------|----------------------|

### 12.3. Bioaccumulative potential

#### Bis(nonylphenyl)amine (36878-20-3)

|         |       |
|---------|-------|
| Log Pow | > 7,6 |
|---------|-------|

|                           |                             |
|---------------------------|-----------------------------|
| Bioaccumulative potential | Potential to bioaccumulate. |
|---------------------------|-----------------------------|

### Dodecylphenol, mixed isomers (branched) (121158-58-5)

|                                     |          |
|-------------------------------------|----------|
| Bioconcentration factor (BCF REACH) | 2,9 @27d |
|-------------------------------------|----------|

|         |           |
|---------|-----------|
| Log Kow | 7,1 @0,1d |
|---------|-----------|

### 12.4. Mobility in soil

#### Bis(nonylphenyl)amine (36878-20-3)

|                |                        |
|----------------|------------------------|
| Ecology - soil | Adsorbs into the soil. |
|----------------|------------------------|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

|               |                  |
|---------------|------------------|
| UN-No. (ADR)  | : Not applicable |
| UN-No. (IMDG) | : Not applicable |
| UN-No. (IATA) | : Not applicable |
| UN-No. (ADN)  | : Not applicable |
| UN-No. (RID)  | : Not applicable |

### 14.2. UN proper shipping name

|                             |                  |
|-----------------------------|------------------|
| Proper Shipping Name (ADR)  | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN)  | : Not applicable |
| Proper Shipping Name (RID)  | : Not applicable |

### 14.3. Transport hazard class(es)

#### ADR

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (ADR) | : Not applicable |
|----------------------------------|------------------|

#### IMDG

|                                   |                  |
|-----------------------------------|------------------|
| Transport hazard class(es) (IMDG) | : Not applicable |
|-----------------------------------|------------------|

#### IATA

|                                   |                  |
|-----------------------------------|------------------|
| Transport hazard class(es) (IATA) | : Not applicable |
|-----------------------------------|------------------|

#### ADN

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (ADN) | : Not applicable |
|----------------------------------|------------------|

#### RID

|                                  |                  |
|----------------------------------|------------------|
| Transport hazard class(es) (RID) | : Not applicable |
|----------------------------------|------------------|

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

|                               |      |
|-------------------------------|------|
| Dangerous for the environment | : No |
|-------------------------------|------|

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

#### 15.1.2. National regulations

##### Germany

Reference to AwSV : Water hazard class (WGK) nwg, Non-hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Baseoil - unspecified, Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased, Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, Dodecylphenol, mixed isomers (branched), Baseoil - unspecified are listed

SZW-lijst van mutagene stoffen : Baseoil - unspecified, Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased, Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts, Dodecylphenol, mixed isomers (branched), Baseoil - unspecified are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Dodecylphenol, mixed isomers (branched) is listed

##### Denmark

Danish National Regulations : The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

### Abbreviations and acronyms:

|  |                                                                  |
|--|------------------------------------------------------------------|
|  | ACGIH: American Conference of Governmental Industrial Hygienists |
|  | TWA: Time Weighted Average                                       |
|  | TLV: Threshold Limit Value                                       |

# CHAMPION PRO RACING 10W60

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|  |                                                                                                                      |
|--|----------------------------------------------------------------------------------------------------------------------|
|  | ASTM: American Society for Testing and Materials                                                                     |
|  | ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route                       |
|  | RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail                                    |
|  | ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin |
|  | IMDG: International Maritime Dangerous Goods                                                                         |
|  | ICAO: International Civil Aviation Organization                                                                      |
|  | IATA: International Air Transport Association                                                                        |
|  | STEL: Short Term Exposure Limit                                                                                      |
|  | LD50: median Lethal Dose for 50% of subjects                                                                         |
|  | ATE: acute toxicity estimate                                                                                         |
|  | LC50: median Lethal Concentration for 50% of subjects                                                                |
|  | EC50: concentration producing 50% effect                                                                             |

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

| Full text of H- and EUH-statements: |                                                                                               |
|-------------------------------------|-----------------------------------------------------------------------------------------------|
| Aquatic Acute 1                     | Hazardous to the aquatic environment — Acute Hazard, Category 1                               |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment — Chronic Hazard, Category 1                             |
| Aquatic Chronic 2                   | Hazardous to the aquatic environment — Chronic Hazard, Category 2                             |
| Aquatic Chronic 4                   | Hazardous to the aquatic environment — Chronic Hazard, Category 4                             |
| Asp. Tox. 1                         | Aspiration hazard, Category 1                                                                 |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                                                 |
| Repr. 1B                            | Reproductive toxicity, Category 1B                                                            |
| Skin Corr. 1C                       | Skin corrosion/irritation, Category 1C                                                        |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                                                |
| H304                                | May be fatal if swallowed and enters airways.                                                 |
| H314                                | Causes severe skin burns and eye damage.                                                      |
| H317                                | May cause an allergic skin reaction.                                                          |
| H318                                | Causes serious eye damage.                                                                    |
| H360F                               | May damage fertility.                                                                         |
| H400                                | Very toxic to aquatic life.                                                                   |
| H410                                | Very toxic to aquatic life with long lasting effects.                                         |
| H411                                | Toxic to aquatic life with long lasting effects.                                              |
| H413                                | May cause long lasting harmful effects to aquatic life.                                       |
| EUH208                              | Contains Calcium long chain alkarylsulphonate(722503-68-6). May produce an allergic reaction. |

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*