according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1

# COOLANT BlueLine



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade name/designation:

Coolant *BlueLine* **Article No.:** 88.19.001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: engine coolant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

**TRUCKTEC Automotive GmbH** 

Katharina-Loth-Str. 2 66386 St. Ingbert

Germany

**Telephone:** +49 6894 9269-0 **Telefax:** +49 6894 9269-90 **Website:** www.trucktec.de

E-mail (competent person): info@trucktec.de

1.4. Emergency telephone number

International emergency number: Telephone: +49 (0) 8165 / 9591-0

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Acute toxicity (oral) (Acute Tox. 4)	H302 Harmful if swallowed.	
Specific target organ toxicity — repeated exposure (Kidney) 2	H373 May cause damage to organs (Kidney) through prolonged or repeated exposure.	

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

# Globally Harmonized System, EU (GHS) Pictograms:





GHS07, GHS08 Signal word: Warning

Hazard statement	
H302	Harmful if swallowed.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure

Precautionary Statements (Prevention):		
P260 Do not breathe dust/gas/mist/vapours.		
P270	Do not eat, drink or smoke when using this product.	
P264	Wash with plenty of water and soap thoroughly after handling.	

www.trucktec.de EN Seite 1/10

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Feb-2017 Print date: 10-Feb-2017

Version: 1

## **COOLANT** Blue**Line**



Precautionary Statements (Response):		
P314 Get medical advice/attention if you feel unwell.		
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
P330	Rinse mouth.	

Precautionary statements Disposal	
P501	Dispose of contents/container to hazardous or special waste collection point.

## According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: ETHANE-1,2-DIOL/ETHYLENEGLYCOL

#### 2.3. Other hazards

## According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

## **SECTION 3: Composition / information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

#### **Chemical nature**

ethanediol; ethylene glycol inhibitors

This product contains (a) substance(s) included on the candidate list according to article 59 (1,10) of regulation EC No. 1907/2006 (,REACH') in a concentration equal or above 0.1% w/w: disodium tetraborate pentahydrate; borax pentahydrate

## **Hazardous ingredients (GHS)**

according to Regulation (EC) No. 1272/2008

ethanediol; ethylene glycol

Content (W/W): > 90 % AcuteTox. 4 (oral)
CAS Number: 107-21-1 STOT RE (Kidney) 2
EC-Number: 203-473-3 H302, H373

**REACH** registration number:

01-2119456816-28

INDEX-Number: 603-027-00-1

2-ethylhexanoic acid, sodium salt

Content (W/W): > 2% - < 3% Repr. 2 (unborn child)

CAS Number: 19766-89-3 H361d

EC-Number: 243-283-8

disodium tetraborate pentahydrate; borax pentahydrate

REACH registration number: H319, H360FD

01-2119490790-32

#### **Specific concentration limit:**

Repr. 1B: >= 6.5 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

www.trucktec.de EN Seite 2/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1





## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

#### On skin contact:

Wash thoroughly with soap and water.

## On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Administer 50 ml of pure ethanol in a drinkable concentration.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media:

water spray, dry powder, alcohol-resistant foam, carbon dioxide

## 5.2. Special hazards arising from the substance or mixture

## **Harmful vapours**

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

## 5.3. Advice for fire-fighters

## **Special protective equipment:**

Wear a self-contained breathing apparatus.

## **Further information:**

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

## **SECTION 6: Accidental release measures**

High risk of slipping due to leakage/spillage of product.

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

## 6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

## 6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

www.trucktec.de EN Seite 3/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1



## **COOLANT** Blue**Line**

## 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Shut containers immediately after taking product because product takes up the humidity of air.

## Protection against fire and explosion:

No special precautions necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Storage in galvanized containers is not recommended.

## 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Components with occupational exposure limits

107-21-1: ethanediol; ethylene glycol

TWA value 52 mg/m<sup>3</sup>; 20 ppm (OEL (EU))

indicative

STEL value 104 mg/m<sup>3</sup>; 40 ppm (OEL (EU))

indicative

Skin Designation (OEL (EU))

The substance can be absorbed through the skin.

1330-43-4: disodium tetraborate, anhydrous; boric acid, disodium salt

## 8.2. Exposure controls

## Personal protective equipment

## **Respiratory protection:**

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic compounds and solid and liquid particles (f.e. EN 14387Type A-P2)

#### Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types.

## **Eye protection:**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

## General safety and hygiene measures

No eating, drinking, smoking or tobacco use at the place of work.

## **Environmental exposure controls**

For information regarding environmental exposure controls, see Section 6.

www.trucktec.de EN Seite 4/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1

# COOLANT BlueLine

# TRUCKTEC automotive

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid Odour: product specific Colour: blue-green

Odour threshold: No applicable information available.

Safety relevant basis data

Parameter		
pH value	7.1 - 7.3	
solidification temperature	<-18 °C	
Boiling point	>= 165 °C	
Flash point	> 126.5 °C	
Evaporation rate	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability	not flammable	
Lower explosion limit	4.9 %(V) (20 °C)	(air)
Upper explosion limit	14.6 %(V) (20 °C)	(air)
Ignition temperature	> 440 °C	(DIN 51794)
Vapour pressure	0.2 hPa (20 °C)	
Density	1.122 g/cm³ (20 °C)	(DIN 51757)
Solubility in water	soluble, The product has not been tested. The statement has been derived from the properties of the individual components.	
Solubility (qualitative) solvent(s):	polar solvents soluble	
Partitioning coefficient n-octanol/water (log Kow):	Study scientifically not justified.	
Self ignition	not self-igniting	
Thermal decomposition	No decomposition if correctly stored and handled	
Viscosity, kinematic	20 - 30 mm²/s (20 °C)	(DIN 51562)
Explosion hazard	not explosive	
Fire promoting properties	not fire-propagating	

## 9.2. Other information

## Miscibility with water:

miscible in all proportions

## **Hygroscopy:**

hygroscopic

## **Other Information:**

If necessary, information on other physical and chemical parameters is indicated in this section.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

www.trucktec.de EN Seite 5/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1





## 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### 10.4. Conditions to avoid

No conditions to avoid anticipated.

## 10.5. Incompatible materials

Substances to avoid: strong oxidizing agents

## 10.6. Hazardous decomposition products

Hazardous combustion products: No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity:**

## Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of low toxicity after short-term skin contact.

## Experimental/calculated data:

LD (human) (oral): approx. 1,600 mg/kg LD50 rabbit (dermal): > 2,000 mg/kg Literature data.

## Irritation:

#### Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant Serious eye damage/irritation rabbit: non-irritant

#### Respiratory/Skin sensitization

## Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies. Human data do not fully exclude a skin sensitizing potential.

## Germ cell mutagenicity:

No data available.

## Carcinogenicity:

No data available.

## Reproductive toxicity:

No data available.

## **Developmental toxicity:**

Information on: ethanediol; ethylene glycol

## **Assessment of teratogenicity:**

In animal studies the substance caused malformations when given at high doses.

## Specific target organ toxicity (single exposure):

No data available.

## Repeated dose toxicity and Specific target organ toxicity (repeated exposure):

Information on: ethanediol; ethylene glycol

## Assessment of repeated dose toxicity:

The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses.

## **Aspiration hazard:**

No data available.

www.trucktec.de EN Seite 6/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1



# COOLANT BlueLine

## Other relevant toxicity information:

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

## **Toxicity to fish:**

LC50 (96 h) > 100 mg/l, Leuciscus idus

## **Aquatic invertebrates:**

EC50 (48 h) > 100 mg/l, Daphnia magna

## **Aquatic plants:**

EC50 (72 h) > 100 mg/l, algae

## Microorganisms/Effect on activated sludge:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

#### 12.2. Persistence and degradability

Elimination information: >70 % DOC reduction (28 d) (OECD 301 A (new version)) Readily biodegradable.

#### 12.3. Bioaccumulative potential

Accumulation in organisms is not to be expected.

## 12.4. Mobility in soil

## Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface. Adsorption in soil: Adsorption to solid soil phase is not expected.

## 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

## 12.7. Additional information

## Other ecotoxicological advice:

Do not release untreated into natural waters.

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different waste-code assignments.

## Waste key:

16 01 14<sup>m</sup> antifreeze fluids containing dangerous substances

www.trucktec.de EN Seite 7/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1



# COOLANT BlueLine

## Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## **SECTION 14: Transport information**

## **Land Transport**

**ADR** 

	Not classified as a dangerous good under transport regulations
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	None known

## **RID**

	Not classified as a dangerous good under transport regulations
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	None known

## **Inland waterway transport**

ADN

	Not classified as a dangerous good under transport regulations
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	None known

## **RID**

	Not classified as a dangerous good under transport regulations
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	None known

## Sea transport

**IMDG** 

www.trucktec.de EN Seite 8/10

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 09-Feb-2017 **Print date:** 10-Feb-2017

Version: 1





	Not classified as a dangerous good under transport regulations
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	None known

## Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	Not applicable
Packing group	Not applicable
Environmental hazards	Not applicable
Special precautions for user	None known

## 14.1. UN-No.

See corresponding entries for "UN number" for the respective regulations in the tables above.

## 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

## 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

## 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

## 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
ShipType:
Not evaluated
Not evaluated
Not evaluated
Not evaluated
Not evaluated

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **Prohibitions, Restrictions and Authorizations**

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

www.trucktec.de EN Seite 9/10

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 09-Feb-2017 Print date: 10-Feb-2017

Version: 1

# COOLANT BlueLine



## 15.2. Chemical Safety Assessment

Chemical Safety Assessment not yet performed due to registration timelines

## **SECTION 16: Other information**

Assessment of the hazard classes according to UN GHS criteria (most recent version)
Acute Tox. 4 (oral)

STOT RE (Kidney) 2

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3	
AcuteTox.	Acute toxicity
STOT RE	Specific target organ toxicity — repeated exposure
Repr.	Reproductive toxicity
Eye Dam./Irrit.	Serious eye damage/eye irritation
H302	Harmful if swallowed.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.
H361d	Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.

## 16.7. Additional information

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

www.trucktec.de EN Seite 10/10