

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 EVOLUTION 500 TURBO D 15W-40

**SDS no.** 081997

1

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

**Product description** 

Product name Product code

**Product type** 

identification

Other means of

: EVOLUTION 500 TURBO D 15W-40

: 081997

: Not available.

: Liquid.

: Not available.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Engine oil	
Uses advised against	

Not applicable.

### **1.3 Details of the supplier of the safety data sheet**

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71

rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 10 Upper Bank Street (19th floor) Canary Wharf, London E14 5BF UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033 rm.gb-msds@totalenergies.com

H.S.E

# 1.4 Emergency telephone number

## National advisory body/Poison Centre

Telephone number	: National Poisons Information Service (NPIS): 111
<u>Supplier</u>	
Telephone number	: Emergency telephone: +44 1235 239670
Hours of operation	:
Information limitations	: <b>E</b> dit the content of sentence <gb -="" information="" limitations="" number="" supplier="" telephone=""> to define this output</gb>



SDS no. 081997

:

SECTION 2: Hazards identification			
2.1 Classification of the subs	stance or mixture		
Product definition : Mixture			
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]		
The product is not classified a	as hazardous according to UK CLP Regulation SI 2019/720 as amended.		
Ingredients of unknown ecotoxicity	: Contains 4.2% of components with unknown hazards to the aquatic environment		
See Section 11 for more deta	iled information on health effects and symptoms.		
2.2 Label elements			
Signal word	: No signal word.		
Hazard statements	: No known significant effects or critical hazards.		
Precautionary statements			
Prevention	: Not applicable.		
Response	: Not applicable.		
Storage	: Not applicable.		
Disposal	: Not applicable.		
Supplemental label elements	<ul> <li>Contains Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated and Calcium long chain alkaryl sulfonate. May produce an allergic reaction.</li> <li>Safety data sheet available on request.</li> </ul>		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.		
2.3 Other hazards			
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %. This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.		
Other hazards which do not result in classification	: Hazard of slipping on spilt product.		

# **SECTION 3: Composition/information on ingredients**

**3.2 Mixtures** 

: Mixture



SDS no. 081997

Product/ingredient name	Identifiers	%	Classification	Туре
Distillates (petroleum), solvent- refined heavy paraffinic	REACH #: 01-2119488706-23 EC: 265-090-8 CAS: 64741-88-4	≤10	Asp. Tox. 1, H304	[1]
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC: 953-650-0	<1	Skin Sens. 1B, H317 Repr. 2, H361d	[1]
Calcium long chain alkaryl sulfonate	EC: 682-816-2 CAS: 722503-68-6	<1	Skin Sens. 1B, H317	[1]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	REACH #: 01-2119491299-23 EC: 270-128-1 CAS: 68411-46-1	≤0.3	Repr. 2, H361f	[1]
			See Section 16 for the full text of the H statements declared above.	

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION 4: First aid measures 4.1 Description of first aid measures		
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.	
Skin contact	: <b>W</b> ash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.	
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.	

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

# 4.2 Most important symptoms and effects, both acute and delayed

### Over-exposure signs/symptoms

Eye contact Inhalation	: No specific data. : No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: No specific data.



SDS no. 081997

# **SECTION 4: First aid measures**

# 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: 🎼 reat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing media	:
Unsuitable extinguishing media	: Do not use water jet.

# 5.2 Special hazards arising from the substance or mixture

0.2 Opecial hazards anong h	
Hazards from the substance or mixture	: 🕅 a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: parbon monoxide carbon dioxide nitrogen oxides sulfur oxides Hydrogen sulfide Mercaptans
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal
For emergency responders	<ul> <li>protective equipment.</li> <li>F specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".</li> </ul>
6.2 Environmental precautions	: Kvoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# 6.3 Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop
	up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry
	material and place in an appropriate waste disposal container. Dispose of via a
	licensed waste disposal contractor.

4/15



SDS no. 081997

# **SECTION 6: Accidental release measures**

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene	<ul> <li>Put on appropriate personal protective equipment (see Section 8).</li> <li>Pating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on burging measures.</li> </ul>
	information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

<b>SECTION 8: Exposu</b>	re controls/personal protection
Industrial sector specific solutions	: Not available.
Recommendations	: Not available.
7.3 Specific end use(s)	

### 8.1 Control parameters

**Occupational exposure limits** 

No exposure limit value known.

# Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

#### **Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.



SDS no. 081997 :

# **SECTION 8: Exposure controls/personal protection**

**Advisory OEL** 

: Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)

# **DNELs/DMELs**

Product/substance	Туре	Exposure	Value	Population	Effects
Sistillates (petroleum), solvent- refined heavy paraffinic	DNEL	Long term Inhalation	5.4 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Inhalation	1.2 mg/m³	General population	Local
	DNEL	Long term Oral	0.74 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.97 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.19 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	2.73 mg/m³		Systemic
	DNEL	Long term Inhalation	5.58 mg/m³	Workers	Local

### **PNECs**

No PNECs available

### 8.2 Exposure controls

o.z Exposure controis		
Appropriate engineering controls	:	Sood general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	🖟 case of contact through splashing: safety glasses with side-shields, EN 166.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
		Hydrocarbon-proof gloves nitrile rubber Fluorinated rubber Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency



SDS no. 081997 :

# **SECTION 8: Exposure controls/personal protection**

-	
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Non-skid safety shoes or boots</li> </ul>
Other skin protection	: Keppropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	■ Mone under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

# 9.1 Information on basic physical and chemical properties

Appearance	
Physical state	: Liquid. [Clear]
Colour	: Yellow.
Odour	: Characteristic.
Odour threshold	: Not available.
Melting point/freezing point	: 🔽 echnically not possible to measure
Initial boiling point and boiling range	: ▶316°C (>600.8°F) [ISO 3405]
Flammability (solid, gas)	: Not applicable.
Upper/lower flammability or explosive limits	: <b>∠</b> ower: 0.9% Upper: 7%
Flash point	: 🗭pen cup: 226°C (438.8°F) [Cleveland Open Cup (COC)]
Auto-ignition temperature	: ┏226°C (>438.8°F) [ASTM E 659]
Decomposition temperature	: Not applicable.
рН	Not applicable.
Viscosity	: Kinematic (40°C): 104 mm²/s [ISO 3104]
Solubility(ies)	: · · · · · · · · · · · · · · · · · · ·

Media	lt	
water	bluble	
Miscible with water		
Partition coefficient: n-octanol/ water	blicable.	
Vapour pressure	kPa (<0.1 mm Hg) [room temperature] blicable. [50°C (122°F)]	
Relative density	o 0.885 [EN ISO 12185]	
Density	o 0.885 g/cm³ [15°C (59°F)] [EN ISO 12185]	
Vapour density Particle characteristics	= 1]	



# SDS no. 081997

# **SECTION 9: Physical and chemical properties**

Median particle size

: Not applicable.

## 9.2 Other information

<b>SECTION 10: Stabilit</b>	SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).				
10.3 Possibility of hazardous reactions	: 📝nder normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.				
10.5 Incompatible materials	: Strong oxidising agents				
10.6 Hazardous decomposition products	: carbon monoxide carbon dioxide nitrogen oxides sulfur oxides Hydrogen sulfide Mercaptans				

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
istillates (petroleum), solvent-refined heavy paraffinic	LC50 Inhalation Dusts and mists	Rat	5.1 mg/l	4 hours	OECD 403
	LD50 Dermal LD50 Oral	Rabbit Rat	>5000 mg/kg >5000 mg/kg	-	OECD 402 OECD 420
Calcium long chain alkaryl sulfonate	LC50 Inhalation Dusts and mists	Rat	5.1 mg/l	4 hours	-
	LC50 Inhalation Vapour LC50 Inhalation Vapour	Rat Rat	80.4 mg/l 20.1 mg/l	1 hours 4 hours	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

## Acute toxicity estimates

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
₱ stillates (petroleum), solvent-refined heavy paraffinic	N/A	N/A	N/A	N/A	5.1
Calcium long chain alkaryl sulfonate	N/A	N/A	N/A	20.1	5.1

# Irritation/Corrosion

### **Conclusion/Summary**



SDS no. 081997

#### SECTION 11: Toxicological information Skin : Based on available data, the classification criteria are not met. Eyes 2 Based on available data, the classification criteria are not met. : Based on available data, the classification criteria are not met. Respiratory **Sensitisation Conclusion/Summary** ż : Based on available data, the classification criteria are not met. Contains sensitiser Skin May produce an allergic reaction. Respiratory : Based on available data, the classification criteria are not met. **Mutagenicity Conclusion/Summary** : Based on available data, the classification criteria are not met. **Carcinogenicity Conclusion/Summary** : Based on available data, the classification criteria are not met. **Reproductive toxicity Conclusion/Summary** : Based on available data, the classification criteria are not met. **Teratogenicity** : Based on available data, the classification criteria are not met. **Conclusion/Summary** Specific target organ toxicity (single exposure) Not available. **Conclusion/Summary** : Based on available data, the classification criteria are not met. Specific target organ toxicity (repeated exposure) Not available. **Conclusion/Summary** : Based on available data, the classification criteria are not met. **Aspiration hazard Product/substance** Result **ASPIRATION HAZARD - Category 1** Distillates (petroleum), solvent-refined heavy paraffinic : Based on available data, the classification criteria are not met. **Conclusion/Summary** Information on likely routes : Not available. of exposure Potential acute health effects : No known significant effects or critical hazards. Eye contact : No known significant effects or critical hazards. Inhalation Skin contact : Defatting to the skin. May cause skin dryness and irritation. : No known significant effects or critical hazards. Ingestion Symptoms related to the physical, chemical and toxicological characteristics : No specific data. Eye contact : No specific data. Inhalation : Adverse symptoms may include the following: Skin contact irritation dryness cracking : No specific data. Ingestion



SDS no. 081997

# **SECTION 11: Toxicological information**

Delayed and immediate effect	<u>ts</u>	as well as chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
<u>Long term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>
Not available.		
Conclusion/Summary	:	Not available.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	1	No known significant effects or critical hazards.

# **11.2 Information on other hazards**

### **11.2.1 Endocrine disrupting properties**

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

### **11.2.2 Other information**

Not available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/substance	Result	Species	Exposure	Test
Distillates (petroleum), solvent-refined heavy paraffinic	Acute EC50 >100 mg/l Acute EC50 >10000 mg/l Chronic NOEL 10 mg/l Chronic NOEL >1000 mg/l	Algae - Pseudokirchnerella subcapitata Daphnia - Daphnia magna Daphnia - Daphnia magna Fish - Oncorhynchus mykiss		OECD 201 OECD 202 OECD 211 -

**Conclusion/Summary** 

: Not available.

# 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.



SDS no. 081997

1

S	SECTION 12: Ecological information			
	Product/substance	Aquatic half-life	Photolysis	Biodegradability
	☑alcium long chain alkaryl sulfonate	-	-	Not readily

### 12.3 Bioaccumulative potential

Product/substance	LogPow	BCF	Potential
istillates (petroleum), solvent-refined heavy paraffinic	3.9 to 6	-	high

12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	: Not available.
Mobility	: Not available.
Mobility in soil	: Given its physical a mobility The produ

- and chemical characteristics, the product generally shows low soil The product is insoluble and floats on water. Loss by evaporation is limited

# 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

### 12.7 Other adverse effects

No known significant effects or critical hazards.

# SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Yes.
	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 13 02 05*
- · · ·	

### **Packaging**



# SECTION 13: Disposal considerations

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste
	packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

user

**14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# UK (GB) /REACH

Annex XIV - List of substances subject to authorisation

# **Annex XIV**

None of the components are listed.

## Substances of very high concern

None of the components are listed.

### **Ozone depleting substances**

Not listed.

### **Prior Informed Consent (PIC)**

Not listed.

### **Persistent Organic Pollutants**



SDS no. 081997

# **SECTION 15: Regulatory information**

Not listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

### Seveso Directive

This product is not controlled under the Seveso Directive.

### **EU regulations**

 $\mathbf{F}$ ake note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Industrial emissions : Not listed (integrated pollution prevention and control) -Air Industrial emissions : Not listed (integrated pollution prevention and control) -Water

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

### **Inventory list**

Australia inventory (AIIC) Canada inventory China inventory (IECSC) Europe inventory Japan inventory

New Zealand Inventory of Chemicals (NZIoC) Philippines inventory (PICCS)

Korea inventory (KECI)

Taiwan Chemical Substances Inventory (TCSI)

- : Not determined.
- : Not determined.
- : At least one component is not listed.
- : All components are listed or exempted.
- : Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
- : All components are listed or exempted.

: All components are listed or exempted.

- : All components are listed or exempted.
- : All components are listed or exempted.



SDS no. 081997

14/15

**SECTION 15: Regulatory information** 

Thailand inventory

**Turkey inventory** 

: Not determined.

: Not determined.

United States inventory (TSCA 8b)

: At least one component is not listed.

Vietnam inventory

: Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety	: Risk management measures and safety conditions of use are include	ded in the
assessment	relevant sections of the SDS	

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative PNEC = Predicted No Effect Concentration LC50 = Median lethal concentration LD50 = Median lethal dose OEL = Occupational Exposure Limit VOC = Volatile Organic Compound UVCB Substance of unknown or Variable composition, Complex reaction products
	<b>o</b> 1

Procedure used to derive the classification

Not classified.

# Full text of abbreviated H statements

<b>⊮</b> 304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.

# Full text of classifications

Repr. 2	ASPIRATION HAZARD - Category 1 REPRODUCTIVE TOXICITY - Category 2 SKIN SENSITISATION - Category 1B
Date of printing	: 2023/06/09
Date of issue/ Date of revision	: 2023/06/09
Date of previous issue	: 2022/02/18
Version	: 2
Notice to reader	

Date of revision :	Version : 2	United Kingdom (UK)	ENGLISH
2023/06/09			



# **SECTION 16: Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.