



SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK
REACH Regulation SI 2019/758

TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : TRANSELF SYN FE 75W-140
Product code : 32063
Product description : Not available.
Product type : Liquid.
Other means of identification : Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Transmission fluids

Uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants
562 Avenue du Parc de L'île
92029 Nanterre Cedex FRANCE
Tél: +33 (0)1 41 35 40 00
Fax: +33 (0)1 41 35 84 71
rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited
10 Upper Bank Street (19th floor)
Canary Wharf,
London E14 5BF
UNITED KINGDOM
Tel: +44 (0)20 7339 8000
Fax: +44 (0)20 7339 8033
rm.gb-msds@totalenergies.com

H.S.E

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : National Poisons Information Service (NPIS): 111

Supplier

Telephone number : Emergency telephone: +44 1235 239670



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : No signal word.

Hazard statements : No hazard statement.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Supplemental label elements : Contains Polysulfides, di-tert-Bu and Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl. May produce an allergic reaction. Safety data sheet available on request.

Labelling element REACH Annex XVII : Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration $\geq 0,1\%$.

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACH Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

Other hazards which do not result in classification : Hazard of slipping on spilt product.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Classification	Type
Dec-1-ene, trimers, hydrogenated	REACH #: 01-2119493949-12 EC: 500-393-3 CAS: 157707-86-3	$\geq 25 - \leq 50$	Asp. Tox. 1, H304	[1]
Polysulfides, di-tert-Bu	REACH #: 01-2119540515-43 EC: 273-103-3 CAS: 68937-96-2	≤ 5	Skin Sens. 1B, H317 Aquatic Chronic 3, H412	[1]
Hydrogenated dimerization products of 1-decene and reaction	REACH #: 01-2119537268-33	≤ 3	Acute Tox. 4, H332 Asp. Tox. 1, H304	[1]



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 3: Composition/information on ingredients

products of 1-decene, hydrogenated	EC: 931-652-2			
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	REACH #: 01-2119411393-49 EC: 700-308-1	≤3	Acute Tox. 4, H332 Asp. Tox. 1, H304	[1]
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	REACH #: 01-2119493620-38 EC: 931-384-6	≤3	Acute Tox. 4, H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	[1]
mineral oil	-	≤3	Asp. Tox. 1, H304	[1]
Distillates (petroleum), hydrotreated light paraffinic	REACH #: 01-2119487077-29 EC: 265-158-7 CAS: 64742-55-8	≤3	Asp. Tox. 1, H304	[1]
White mineral oil (petroleum)	REACH #: 01-2119487078-27 EC: 232-455-8 CAS: 8042-47-5	≤3	Asp. Tox. 1, H304	[1]
Distillates (petroleum), solvent-dewaxed light paraffinic	REACH #: 01-2119480132-48 EC: 265-159-2 CAS: 64742-56-9 Index: 649-469-00-9	≤3	Asp. Tox. 1, H304	[1]
Distillates (petroleum), solvent-dewaxed heavy paraffinic	REACH #: 01-2119471299-27 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6	≤3	Asp. Tox. 1, H304	[1]
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≤3	Asp. Tox. 1, H304	[1]
reaction mass of: branched icosane; branched docosane; branched tetracosane	EC: 417-050-8 CAS: 151006-58-5	≤3	Acute Tox. 4, H332 Asp. Tox. 1, H304	[1]
magnesium metaborate	REACH #: 01-2120769073-53 EC: 237-235-5 CAS: 13703-82-7	≤1	Skin Sens. 1B, H317	[1]
See Section 16 for the full text of the H statements declared above.				

Additional information : Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346 The product is made from synthetic base oils

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 3: Composition/information on ingredients

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
dryness
cracking
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst.



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 5: Firefighting measures

Hazardous combustion products : carbon monoxide
carbon dioxide
phosphorus oxides
sulfur oxides
Hydrogen sulfide
Mercaptans

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.



SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
See Section 10 for incompatible materials before handling or use.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

- Recommendations** : Not available.
- Industrial sector specific solutions** : Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Biological Limit Values (BLV)

No exposure indices known.

- Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following: British Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

- Advisory OEL** : Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

DNELs/DMELs



SECTION 8: Exposure controls/personal protection

Product/substance	Result
Hydrogenated dimerization products of 1-decene and reaction products of 1-decene, hydrogenated	DNEL - Workers - Short term - Inhalation 60 mg/m ³ <u>Effects:</u> Systemic DNEL - General population - Short term - Inhalation 50 mg/m ³ <u>Effects:</u> Systemic
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	DNEL - Workers - Short term - Inhalation 22.9 mg/m ³ <u>Effects:</u> Systemic DNEL - Workers - Short term - Inhalation 3.9 mg/m ³ <u>Effects:</u> Local DNEL - General population - Long term - Inhalation 3.9 mg/m ³ <u>Effects:</u> Local DNEL - General population - Short term - Inhalation 16.8 mg/m ³ <u>Effects:</u> Systemic DNEL - General population - Short term - Inhalation 3.9 mg/m ³ <u>Effects:</u> Local
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	DNEL - Workers - Long term - Dermal 12.5 mg/kg <u>Effects:</u> Systemic DNEL - Workers - Long term - Inhalation 4.28 mg/m ³ <u>Effects:</u> Systemic DNEL - General population - Long term - Dermal 6.25 mg/kg <u>Effects:</u> Systemic DNEL - General population - Long term - Inhalation 1.09 mg/m ³ <u>Effects:</u> Systemic DNEL - General population - Long term - Oral 0.25 mg/day <u>Effects:</u> Systemic DNEL - Workers - Long term - Dermal 0.16 mg/cm ² <u>Effects:</u> Local
mineral oil	DNEL - Workers - Long term - Inhalation



SECTION 8: Exposure controls/personal protection

5.58 mg/m³

Effects: Local

DNEL - Workers - Long term - Inhalation

2.73 mg/m³

Effects: Systemic

DNEL - General population - Long term - Oral

0.74 mg/kg

Effects: Systemic

DNEL - General population - Long term - Dermal

0.97 mg/kg

Effects: Systemic

DNEL - General population - Long term - Inhalation

1.19 mg/m³

Effects: Local

Distillates (petroleum), hydrotreated light paraffinic

DNEL - General population - Long term - Oral

0.74 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Dermal

0.97 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

1.19 mg/m³

Effects: Local

DNEL - Workers - Long term - Inhalation

2.73 mg/m³

Effects: Systemic

DNEL - Workers - Long term - Inhalation

5.58 mg/m³

Effects: Local

HIGHLY REFINED BASE OILS Viscosity ≤ 20.5 mm²/s at 40°C

DNEL - General population - Long term - Oral

25 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

34.78 mg/m³

Effects: Systemic

DNEL - General population - Long term - Dermal

93.02 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Inhalation

164.56 mg/m³

Effects: Systemic

DNEL - Workers - Long term - Dermal

217.05 mg/kg bw/day



SECTION 8: Exposure controls/personal protection

Effects: Systemic

Distillates (petroleum), solvent-dewaxed light paraffinic

DNEL - General population - Long term - Oral

0.74 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Dermal

0.97 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

1.19 mg/m³

Effects: Local

DNEL - Workers - Long term - Inhalation

2.73 mg/m³

Effects: Systemic

DNEL - Workers - Long term - Inhalation

5.58 mg/m³

Effects: Local

Distillates (petroleum), solvent-dewaxed heavy paraffinic

DNEL - General population - Long term - Oral

0.74 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Dermal

0.97 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

1.19 mg/m³

Effects: Local

DNEL - Workers - Long term - Inhalation

2.73 mg/m³

Effects: Systemic

DNEL - Workers - Long term - Inhalation

5.58 mg/m³

Effects: Local

Distillates (petroleum), hydrotreated heavy paraffinic

DNEL - General population - Long term - Oral

0.74 mg/kg bw/day

Effects: Systemic

DNEL - Workers - Long term - Dermal

0.97 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

1.19 mg/m³

Effects: Local

DNEL - Workers - Long term - Inhalation

2.73 mg/m³

Effects: Systemic



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 8: Exposure controls/personal protection

magnesium metaborate

DNEL - Workers - Long term - Inhalation

5.58 mg/m³

Effects: Local

DNEL - General population - Long term - Dermal

0.278 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Oral

0.28 mg/kg bw/day

Effects: Systemic

DNEL - General population - Long term - Inhalation

0.82 mg/m³

Effects: Systemic

DNEL - Workers - Long term - Inhalation

5.49 mg/m³

Effects: Systemic

DNEL - Workers - Long term - Dermal

7.78 mg/kg bw/day

Effects: Systemic

PNECs

Product/substance	Result
Polysulfides, di-tert-Bu	Fresh water 0.00024 mg/l Marine water 0.000024 mg/l Fresh water sediment 0.94 mg/kg dwt Marine water sediment 0.094 mg/kg dwt Soil 1513 mg/kg Sewage Treatment Plant 4.51 mg/l
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	Fresh water 2.4 µg/l Marine water 240 ng/l Fresh water sediment 12.9 µg/kg dwt



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 8: Exposure controls/personal protection

	Marine water sediment 1.29 µg/kg dwt
	Soil 1.17 µg/kg dwt
	Sewage Treatment Plant 24.33 mg/l
	Secondary Poisoning 10 mg/kg
mineral oil	Secondary Poisoning 9.33 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Secondary Poisoning 9.33 mg/kg
Distillates (petroleum), hydrotreated heavy paraffinic	Secondary Poisoning 9.33 mg/kg
magnesium metaborate	Fresh water 0.05 mg/l
	Marine water 0.05 mg/l
	Fresh water sediment 1.38 mg/kg dwt
	Marine water sediment 1.38 mg/kg dwt
	Soil 0.247 mg/kg dwt
	Sewage Treatment Plant 100 mg/l

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : In case of contact through splashing: safety glasses with side-shields, EN 166.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 8: Exposure controls/personal protection

Hydrocarbon-proof gloves

nitrile rubber

Fluorinated rubber

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency

Body protection

- : Wear work clothing with long sleeves.
- Protective shoes or boots.

Respiratory protection

- : None under normal use conditions. If these are not sufficient to maintain exposure below the OEL, suitable respiratory protection must be worn (Type A/P1).

Environmental exposure controls

- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

9.1 Information on basic physical and chemical properties

Appearance

Physical state

: Liquid.

Colour

: Yellow.

Odour

: Characteristic.

Melting point/freezing point

: Technically not possible to measure

Initial boiling point and boiling range

: 316°C (>600.8°F)

Flammability (solid, gas)

: Non-flammable.

Upper/lower flammability or explosive limits

: Lower: 0.9%
Upper: 7%

Flash point

: Open cup: 174°C (345.2°F) [ASTM D 92]

Auto-ignition temperature

: 174°C (>345.2°F) [ISO 13736]

Decomposition temperature

: Not applicable.

pH

: Not applicable. Product is non-soluble (in water).

Viscosity

: Dynamic (room temperature): Not available.
Kinematic (room temperature): Not available.
Kinematic (40°C): 187.2 mm²/s [ISO 3104]

Solubility(ies)

:

Media	Result
water	Not soluble

Miscible with water

: No.



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 9: Physical and chemical properties

Partition coefficient: n-octanol/ water	: Not applicable.
Vapour pressure	: ☒ 0.01 kPa (<0.075 mm Hg) [room temperature] Not applicable. [50°C (122°F)]
Relative density	: 0.871 [ISO 12185]
Density	: 0.71 g/cm ³ [15°C (59°F)] [ISO 12185]
Vapour density	: >2 [Air = 1]
Particle characteristics	
Median particle size	: Not applicable.

9.2 Other information

Pour point	: -46°C (-50.8°F)
------------	-------------------

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: ☒ No specific data.
10.5 Incompatible materials	: Strong oxidising agents
10.6 Hazardous decomposition products	: ☒ Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	Result
☒ Dec-1-ene, trimers, hydrogenated	Rat - Oral - LD50 >5000 mg/kg OECD [401]
	Rat - Dermal - LD50 >3000 mg/kg OECD [402]
	Rat - Inhalation - LC50 Vapour 1.17 mg/l [4 hours] OECD [403]
	Rat - Inhalation - LC50 Vapour 0.9 mg/l [4 hours] OECD [403]
	Rat - Inhalation - LC50 Vapour



SECTION 11: Toxicological information

	1.4 mg/l [4 hours] OECD [403]
Polysulfides, di-tert-Bu	Rat - Male, Female - Oral - LDLo 2000 mg/kg OECD [401] Rat - Male, Female - Dermal - LD50 >2000 mg/kg OECD [402]
Hydrogenated dimerization products of 1-decene and reaction products of 1-decene, hydrogenated	Rat - Dermal - LD50 >2000 mg/kg OECD [402] Rat - Oral - LD50 >5000 mg/kg OECD [Acute Oral toxicity - Acute Toxic Class Method] Rat - Inhalation - LC50 Dusts and mists 1.17 mg/l [4 hours] OECD [403]
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	Rat - Oral - LD50 >5000 mg/kg OECD [401] Rat - Dermal - LD50 >2000 mg/kg OECD [402] Rat - Inhalation - LC50 Dusts and mists 1.4 mg/l [4 hours] OECD [403]
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	Rat - Oral - LD50 2000 mg/kg OECD [401] Rabbit - Dermal - LD50 2201 mg/kg Rat - Inhalation - LC50 Vapour 80.4 mg/l [1 hours] Rat - Inhalation - LC50 Vapour 20.1 mg/l [4 hours] Rat - Inhalation - LC50 Dusts and mists 5.1 mg/l [4 hours]
Distillates (petroleum), hydrotreated light paraffinic	Rat - Male, Female - Oral - LD50 >5000 mg/kg OECD [Acute Oral Toxicity] Rabbit - Male, Female - Dermal - LD50



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 11: Toxicological information

>5000 mg/kg
OECD [Acute Dermal Toxicity]

Rat - Male, Female - Inhalation - LC50 Dusts and mists
>5.53 mg/l [4 hours]
OECD [Acute Inhalation Toxicity]

HIGHLY REFINED BASE OILS Viscosity $\leq$
20.5 mm²/s at 40°C

Rat - Oral - LD50
>5000 mg/kg

Rabbit - Dermal - LD50
>2000 mg/kg

Rat - Inhalation - LC50 Dusts and mists
>5 mg/l [4 hours]

Distillates (petroleum), solvent-dewaxed light
paraffinic

Rat - Oral - LD50
>5000 mg/kg
OECD [401]

Rabbit - Dermal - LD50
>5000 mg/kg
OECD [402]

Rat - Inhalation - LC50 Dusts and mists
>5 mg/l [4 hours]
OECD [403]

Distillates (petroleum), solvent-dewaxed
heavy paraffinic

Rabbit - Dermal - LD50
>5000 mg/kg
OECD [402]

Rat - Oral - LD50
>5000 mg/kg
OECD [420]

Rat - Inhalation - LC50 Dusts and mists
>5 mg/l [4 hours]
OECD [403]

Distillates (petroleum), hydrotreated heavy
paraffinic

Rat - Male, Female - Oral - LD50
>5000 mg/kg
OECD [401 Read across]

Rabbit - Male, Female - Dermal - LD50
>5000 mg/kg
OECD [402 Read across]

Rat - Male, Female - Inhalation - LC50 Dusts and mists
>5 mg/l [4 hours]
OECD [403 Read across]

reaction mass of: branched icosane;
branched docosane; branched tetracosane

Rat - Oral - LD50
>2000 mg/kg
OECD [420]

Rat - Dermal - LD50



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 11: Toxicological information

>2000 mg/kg
OECD [402]

Rat - Inhalation - LC50 Dusts and mists
1.5 mg/l [4 hours]

magnesium metaborate

Rat - Oral - LD50
>2000 mg/kg
OECD [420]

Rat - Dermal - LD50
>2000 mg/kg
OECD [402]

Acute toxicity estimates

Product/substance	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
TRANSELF SYN FE 75W-140	100000	N/A	N/A	N/A	22.1
Hydrogenated dimerization products of 1-decene and reaction products of 1-decene,hydrogenated	N/A	N/A	N/A	N/A	1.17
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	N/A	N/A	N/A	N/A	1.4
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	2000	2201	N/A	20.1	5.1
reaction mass of: branched icosane;branched docosane;branched tetracosane	N/A	N/A	N/A	N/A	1.5

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory corrosion/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Skin

Based on available data, the classification criteria are not met. Contains Sensitiser. May produce an allergic reaction.

Respiratory

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.



SECTION 11: Toxicological information

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Not available.

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Defatting to the skin. May cause skin dryness and irritation.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
 - irritation
 - dryness
 - cracking
- Ingestion** : No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Product/substance	Result
Polysulfides, di-tert-Bu	Sub-acute - Rat - Male, Female - Oral - NOAEL 100 mg/kg

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : ☒ No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 11: Toxicological information

The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.

12.1 Toxicity

Product/substance	Result
Dec-1-ene, trimers, hydrogenated	Acute - EL50 - Fresh water OECD [201] Algae - <i>Scenedesmus capricornutum</i> >1000 mg/l [72 hours] Effect: (growth rate) Acute - EL50 - Fresh water OECD [202] Daphnia >150 mg/l [48 hours] Effect: Mobility Acute - LL50 - Fresh water OECD [203] Fish - <i>Oncorhynchus mykiss</i> 1000 mg/l [96 hours] Effect: Mortality
Polysulfides, di-tert-Bu	Acute - EC50 Algae >100 mg/l [72 hours] Acute - EC50 Daphnia - <i>Daphnia magna</i> 63 mg/l [48 hours]
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	Acute - EC50 Algae - <i>Selenastrum capricornutum</i> 1000 mg/l [72 hours] Acute - LC50 Fish 5003 mg/l [96 hours] Acute - LC50 Daphnia - <i>Americamysis bahia</i> 5056 mg/l [48 hours] Acute - NOEL OECD [203] Fish - <i>Cyprinodon variegatus</i> >5003 mg/l [96 hours] Chronic - NOEC



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 12: Ecological information

	OECD [211] Daphnia 1001 mg/l [21 days]
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	Acute - LL50 OECD 203 Fish - <i>Oncorhynchus mykiss</i> 24 mg/l [96 hours] Acute - EL50 OECD [202] Crustaceans - <i>Daphnia Magna</i> 91.4 mg/l [48 hours] <u>Effect:</u> Mobility Acute - EC50 OECD [201] Algae - <i>Pseudokirchneriella subcapitata</i> 6.4 mg/l [96 hours] <u>Effect:</u> (growth rate) Chronic - NOEL OECD [211] Crustaceans - <i>Daphnia Magna</i> 0.12 mg/l [21 days] <u>Effect:</u> Reproduction Chronic - NOEC OECD [201] Algae - <i>Pseudokirchneriella subcapitata</i> 1.7 mg/l [96 hours] <u>Effect:</u> (growth rate)
mineral oil	Acute - EC50 Algae - <i>Scenedesmus quadricauda</i> >100 mg/l [72 hours] Acute - EC50 Daphnia >10000 mg/l [48 hours] Chronic - NOEC Daphnia >10 mg/l [21 days] Acute - LC50 Fish - <i>Pimephales promelas</i> >100 mg/l [96 hours]
Distillates (petroleum), hydrotreated light paraffinic	Acute - LC50 Fish 101 mg/l [96 hours] Acute - EC50 OECD [202] Daphnia - <i>Daphnia magna</i>



SECTION 12: Ecological information

	101 mg/l [48 hours]
HIGHLY REFINED BASE OILS Viscosity ≤ 20.5 mm²/s at 40°C	Acute - EC50 OECD [201] Algae - <i>Pseudokirchnerella subcapitata</i> >100 mg/l [48 hours] Acute - EC50 OECD [202] Daphnia - <i>Daphnia magna</i> >100 mg/l [48 hours] Chronic - NOEL Fish - <i>Oncorhynchus mykiss</i> >1000 mg/l [21 days]
Distillates (petroleum), solvent-dewaxed light paraffinic	Acute - EL50 OECD [203] Fish - <i>Pimephales promelas</i> ≥100 mg/l [96 hours] Acute - EL50 OECD 202 Crustaceans - <i>Daphnia magna</i> 10000 mg/l [48 hours] <u>Effect</u> : Mobility Acute - EL50 OECD 201 Algae - <i>Pseudokirchneriella subcapitata</i> >100 mg/l [72 hours] <u>Effect</u> : (growth rate) Chronic - NOEL OECD [211] Crustaceans - <i>Daphnia magna</i> >1000 mg/l [21 days] <u>Effect</u> : Reproduction Chronic - NOEL OECD [201] Algae - <i>Pseudokirchneriella subcapitata</i> >100 mg/l [72 hours] <u>Effect</u> : (growth rate)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Acute - LL50 OECD 203 Fish - <i>Oncorhynchus mykiss</i> >1000 mg/l [96 hours] Acute - EL50 OECD [202] Crustaceans - <i>Daphnia magna</i> >10000 mg/l [48 hours] <u>Effect</u> : Mobility



SECTION 12: Ecological information

Distillates (petroleum), hydrotreated heavy paraffinic	Chronic - NOEL OECD [211] Crustaceans - <i>Daphnia magna</i> >1000 mg/l [21 days] Effect: Reproduction
	Acute - EC50 OECD [202] Crustaceans - <i>Daphnia magna</i> >10000 mg/l [48 hours] Effect: Mobility
	Acute - EC50 OECD [201] Algae - <i>Pseudokirchneriella subcapitata</i> >100 mg/l [72 hours] Effect: (growth rate)
reaction mass of: branched icosane; branched docosane; branched tetracosane	Chronic - NOEL Crustaceans - <i>Daphnia magna</i> >1000 mg/l [21 days] Effect: Reproduction
	Chronic - NOEL OECD [201] Algae - <i>Pseudokirchneriella subcapitata</i> >100 mg/l [72 hours] Effect: (growth rate)
	Acute - EC50 Algae - <i>Pseudokirchneriella subcapitata</i> >1000 mg/l [96 hours]
magnesium metaborate	Acute - EC50 Daphnia - <i>Daphnia magna</i> 151 mg/l [48 hours]
	Acute - EC50 Micro-organism 1000 mg/l [3 hours]

Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product/substance	Result
Dec-1-ene, trimers, hydrogenated	OECD [301B] 7% [28 days]
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	STDMETH, ASTM and USEPA 3% [28 days] - Not readily
Distillates (petroleum), solvent-dewaxed light paraffinic	OECD 301F 31% [28 days] - Not readily



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 12: Ecological information

Distillates (petroleum), solvent-dewaxed heavy paraffinic	OECD 301F 31% [28 days] - Not readily
Distillates (petroleum), hydrotreated heavy paraffinic	OECD 301F 31% [28 days] - Not readily

Product/substance	Aquatic half-life	Photolysis	Biodegradability
Dec-1-ene, trimers, hydrogenated	-	-	Not readily
Polysulfides, di-tert-Bu	-	-	Not readily
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	-	-	Readily
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	-	-	Not readily
mineral oil	-	-	Not readily
Distillates (petroleum), solvent-dewaxed light paraffinic	-	-	Not readily
Distillates (petroleum), solvent-dewaxed heavy paraffinic	-	-	Not readily
Distillates (petroleum), hydrotreated heavy paraffinic	-	-	Not readily

12.3 Bioaccumulative potential

Product/substance	LogK _{ow}	BCF	Potential
Dec-1-ene, trimers, hydrogenated	>6.5	-	High
Polysulfides, di-tert-Bu	6	-	High
Hydrogenated dimerization products of 1-decene and reaction products of 1-decene, hydrogenated	6.5	-	High
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	0.3 to 7.1	-	Low



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 12: Ecological information

White mineral oil (petroleum)	>6	-	High
Distillates (petroleum), solvent-dewaxed light paraffinic	3.1	-	Low
Distillates (petroleum), solvent-dewaxed heavy paraffinic	9.2	260	Low
Distillates (petroleum), hydrotreated heavy paraffinic	>4	-	High
reaction mass of: branched icosane; branched docosane; branched tetracosane	>6.5	-	High

12.4 Mobility in soil

Soil/water partition coefficient

Product/substance	logKoc	Koc
☑,O,O-triphenyl phosphorothioate	4.7	49128.4

Results of PMT and vPvM assessment

Product/substance	PMT	P	M	T	vPvM	vP	vM
☑ec-1-ene, trimers, hydrogenated	No	N/A	N/A	No	N/A	N/A	N/A
Polysulfides, di-tert-Bu	No	N/A	N/A	No	N/A	N/A	N/A
Hydrogenated dimerization products of 1-decene and reaction products of 1-decene, hydrogenated	No	N/A	N/A	No	N/A	N/A	N/A
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	No	N/A	N/A	No	N/A	N/A	N/A
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl	No	N/A	N/A	No	N/A	N/A	N/A
mineral oil	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), hydrotreated light paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
White mineral oil (petroleum)	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), solvent-dewaxed light paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), solvent-dewaxed heavy paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), hydrotreated heavy paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
reaction mass of: branched	No	N/A	N/A	No	N/A	N/A	N/A



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 12: Ecological information

icosane; branched docosane; branched tetracosane	No	Yes	No	Yes	No	N/A	No
O,O,O-triphenyl phosphorothioate	No	No	No	No	No	No	No
magnesium metaborate	No	No	No	No	No	No	No

Mobility : Not available.

Mobility in soil : Given its physical and chemical characteristics, the product generally shows low soil mobility. The product is insoluble and floats on water. Loss by evaporation is limited.

12.5 Results of PBT and vPvB assessment

Product/substance	PBT	P	B	T	vPvB	vP	vB
Dec-1-ene, trimers, hydrogenated	No	N/A	N/A	No	N/A	N/A	N/A
Polysulfides, di-tert-Bu	No	N/A	N/A	No	N/A	N/A	N/A
Hydrogenated dimerization products of 1-decene and reaction products of 1-decene, hydrogenated	No	N/A	N/A	No	N/A	N/A	N/A
Hydrogenated dimerization products of 1-decene, 1-dodecene and 1-octene	No	N/A	N/A	No	N/A	N/A	N/A
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentoxide, and salted by amines, C12-14-tert-alkyl	No	N/A	N/A	No	N/A	N/A	N/A
mineral oil	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), hydrotreated light paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
HIGHLY REFINED BASE OILS Viscosity $\leq 20.5 \text{ mm}^2/\text{s}$ at 40°C	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), solvent-dewaxed light paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
Distillates (petroleum), solvent-dewaxed heavy paraffinic	No	N/A	No	No	No	N/A	No
Distillates (petroleum), hydrotreated heavy paraffinic	No	N/A	N/A	No	N/A	N/A	N/A
reaction mass of: branched icosane; branched docosane; branched tetracosane	No	N/A	N/A	No	N/A	N/A	N/A
magnesium metaborate	No	No	No	No	No	No	No

12.6 Endocrine disrupting properties

The product does not meet the criteria to be considered as having endocrine disrupting properties according to the criteria set out in either Regulation (EC) No. 1907/2006 or Regulation (EC) No 1272/2008.

12.7 Other adverse effects



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 12: Ecological information

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 13 02 06*

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-		-	-
14.3 Transport hazard class(es)	-		-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

Additional information

IATA : The environmentally hazardous substance mark may appear if required by other transportation regulations.



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 14: Transport information

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
UK (GB)/REACH

[Annex XIV - List of substances subject to authorisation](#)

[Annex XIV](#)

None of the components are listed.

[Substances of very high concern](#)

None of the components are listed.

[Ozone depleting substances](#)

Not listed.

[Prior Informed Consent \(PIC\)](#)

Not listed.

[Persistent Organic Pollutants](#)

Not listed.

[Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles](#)

[Seveso Directive](#)

This product is not controlled under the Seveso Directive.

[EU regulations](#)

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Industrial emissions (integrated pollution prevention and control) - Air : Listed

Industrial emissions (integrated pollution prevention and control) - Water : Not listed

[International regulations](#)

[Chemical Weapon Convention List Schedules I, II & III Chemicals](#)

Not listed.

[Montreal Protocol](#)

Not listed.

[Stockholm Convention on Persistent Organic Pollutants](#)



SECTION 15: Regulatory information

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia inventory (AIIC)	: Not determined.
Canada inventory	: Not determined.
China inventory (IECSC)	: Not determined.
Europe inventory	: All components are listed or exempted.
Japan inventory	: Japan inventory (CSCL) : Not determined. Japan inventory (ISHL) : All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC)	: Not determined.
Philippines inventory (PICCS)	: Not determined.
Korea inventory (KECI)	: Not determined.
Taiwan Chemical Substances Inventory (TCSI)	: Not determined.
Thailand inventory	: At least one component is not listed.
Turkey inventory	: Not determined.
United States inventory (TSCA 8b)	: All components are listed or exempted.
Vietnam inventory	: Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety assessment

: Risk management measures and safety conditions of use are included in the relevant sections of the SDS

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ACGIH = American Conference of Governmental Industrial Hygienists
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
DNEL = Derived No Effect Level
DMEL = Derived Minimal Effect Level
DMSO = Dimethyl Sulfoxide
EC50 = Half maximal effective concentration
EL50 = median Effective Loading
EUH statement = CLP-specific Hazard statement
HSE = Health, Safety and Environment
IC50 = Half maximal inhibitory concentration
IDHL = Immediately dangerous to life or health
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = median Lethal Loading
LogKow = logarithm of the octanol/water partition coefficient



TRANSELF SYN FE 75W-140

SDS no. 32063
:

SECTION 16: Other information

N/A = Not available
NIOSH = National Institute of Occupational Safety and Health
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
NOEL = No Observed Effect Level
NOELR = No observed Effect Loading Rate
OECD = Organisation for Economic Co-operation and Development
OEL = Occupational Exposure Limit
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
QSAR = Quantitative Structure–Activity Relationship
REL = Recommended Exposure Limit
STEL = Short Term Exposure Limit
TLV = Threshold Limit Value
TWA = Time Weight Average
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
Unique Formula Identifier (UFI)
UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of classifications

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Sens. 1B	SKIN SENSITISATION - Category 1B

Date of printing : 2025/07/11

Date of issue/ Date of revision : 2025/07/11

Date of previous issue : 2024/07/25

Version : 2.02

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.