SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Comma Pro-VLL 0W-30

of the mixture

Registration number

Synonyms None.

Product code PROVLL*L

Issue date 31-December-2018

Version number 08

Revision date 19-November-2022 Supersedes date 16-July-2022

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Automotive lubricant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufactured by Moove Lubricants

Address Operations Plant Dering Way, Gravesend, Kent DA12 2QX UK

Telephone +44 (0) 1474 564 311

Email technical@uk.moovelub.com

1.4. Emergency telephone

 Asia Pacific
 + (1) 760 476 3960

 China
 + (86) 4001 2001 74

 Europe
 + (44) 8 08 189 0979

 Middle East/Africa
 + (1) 760 476 3959

Access Code 334498

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Hazard summary Causes serious eye irritation. Occupational exposure to the substance or mixture may cause

adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Phosphorodithioic Acid, Mixed O,o-bis(1,3-dimethylbutyl And Iso-propyl)esters, Zinc Salts

Hazard pictograms

(!)

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

Prevention

P102 Keep out of reach of children.
P280 Wear eye protection/face protection.

Response

Material name: Comma Pro-VLL 0W-30 - Moove Lubricants ltd.

PROVLL*L Version #: 08 Revision date: 19-November-2022 Issue date: 31-December-2018

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention. P337 + P313

Storage Store away from incompatible materials.

Dispose of waste and residues in accordance with local authority requirements. Disposal

Supplemental label information EUH208 - Contains calcium sulphonate. May produce an allergic reaction.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
MINERAL OIL	10 - < 20	Mixture	-	-	#
Classification: -		-			
Phosphorodithioic Acid, Mixed O,o-bis(1,3-dimethylbutyl And Iso-propyl)esters, Zinc Salts	1 - < 3	84605-29-8 283-392-8	01-2119493626-26	-	
Classification: Skin Irri	t. 2;H315, Eye I	Dam. 1;H318, Aquati	c Chronic 2;H411		
REACTION MASS OF ISOMERS C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4-HYDRC PHENYL)PROPIONATE		125643-61-0 406-040-9	01-0000015551-76	607-530-00-7	
Classification: Aquatic	Chronic 4;H413	3			
BENZENE, MONO-C10-13-ALKY DERIVS., FRACTIONATION BOTTOMS, HEAVY ENDS, SULFONATED, CALCIUM SALTS		148520-84-7 -	Polymer	-	
Classification: Skin Se	ns. 1B;H317				
Benzenesulphonic acid, mono-C16-24-alkyl derivs., calciur salts	< 0.2 m	70024-69-0 274-263-7	Polymer	-	
Classification: Skin Se	ns. 1B;H317				
PHENOL, DODECYL-, BRANCHE	ED < 0.2	121158-58-5 310-154-3	01-2119513207-49	604-092-00-9	
		ve Dam. 1;H318, Rep : Chronic 1;H410(M=	or. 1B;H360F, Aquatic Acute 10)	;	
Other components below reportab	, ,, ,	, , , ,	,		

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

levels

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16. **Composition comments**

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Automotive lubricant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

EU

Components	Туре	Value	
MINERAL OIL	TWA	5 mg/m3	

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures

Derived no effect levels

Biological limit values

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

SDS UK

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information

Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColourGold Brown.

Odour Slight.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

(%)

Flammability limit - upper

ber

Not available.

Vapour pressure Not available.
Vapour density Not available.

Relative density 0.856

Relative density temperature 15 °C (59 °F)

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Kinematic viscosity 53 mm²/s (40 °C (104 °F))

Material name: Comma Pro-VLL 0W-30 - Moove Lubricants ltd.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision

11.1. Information on toxicological effects

Acute toxicity

Components Species Test Results

Benzenesulphonic acid, mono-C16-24-alkyl derivs., calcium salts (CAS 70024-69-0)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 2000 mg/kg

MINERAL OIL

Dermal

Liquid

LD50 Rabbit > 5000 mg/kg

Oral

Liquid

LD50 Rat > 5000 mg/kg

PHENOL, DODECYL-, BRANCHED (CAS 121158-58-5)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Phosphorodithioic Acid, Mixed O,o-bis(1,3-dimethylbutyl And Iso-propyl)esters, Zinc Salts (CAS 84605-29-8)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Rat 3.1 g/kg

REACTION MASS OF ISOMERS OF: C7-9-ALKYL 3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE (CAS 125643-61-0)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Material name: Comma Pro-VLL 0W-30 - Moove Lubricants ltd.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible. Skin sensitisation

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment, acute hazard. Due to partial or complete lack of data the classification for hazardous

to the aquatic environment, long term hazard, is not possible.

Product Species Test Results

Comma Pro-VLL 0W-30

Aquatic

Crustacea EC50 Daphnia 1900.9009 mg/l, 48 hours estimated Fish LC50 17481.7559 mg/l, 96 hours estimated Fish

12.2. Persistence and

No data is available on the degradability of any ingredients in the mixture.

degradability

12.3. Bioaccumulative potential No data available.

Partition coefficient

Not available.

n-octanol/water (log Kow) **Bioconcentration factor (BCF)**

Not available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulkNot established.
according to Annex II of

MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Phosphorodithioic Acid, Mixed O,o-bis(1,3-dimethylbutyl And Iso-propyl)esters, Zinc Salts (CAS 84605-29-8)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

NONYLPHENOL, ETHOXYLATED (CAS 9016-45-9)

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended NONYLPHENOL, ETHOXYLATED (CAS 9016-45-9)

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended PHENOL, DODECYL-, BRANCHED (CAS 121158-58-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

PHENOL, DODECYL-, BRANCHED (CAS 121158-58-5)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15 H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H360F May damage fertility. H400 Very toxic to aquatic life.

Material name: Comma Pro-VLL 0W-30 - Moove Lubricants ltd.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Revision information Training information Disclaimer

Follow training instructions when handling this material.

Moove Lubricants Itd. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Material name: Comma Pro-VLL 0W-30 - Moove Lubricants ltd.