

Printing date 24.07.2017 Version number 1 Revision: 24.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: AISIN ATF 6+ FE

· Article number: ATF-91001 & ATF-91005

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

• Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial

sites

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

• **Product category** PC24 Lubricants, greases, release products

· Process category PROC8a Transfer of substance or mixture (charging and discharging) at non-

dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at

dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling

line, including weighing)

PROC20 Use of functional fluids in small devices

· Environmental release

category ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or

onto article)

ERC7 Use of functional fluid at industrial site
ERC9a Widespread use of functional fluid (indoor)
ERC9b Widespread use of functional fluid (outdoor)

· Application of the substance /

the mixture

Transmission oil

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AISIN Europe .SA.

Avenue de l'Industrie 21 1420 Braine L'Alleud Tel.: +32 387 01 10

· Further information obtainable

from: AISIN Europe Aftermarket - www.aisinaftermarket.eu

· 1.4 Emergency telephone

number: Telephone to 112 (European emergency phone number, avaible anywhere in the

EU, free of charge)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to

Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

· 2.2 Label elements · Labelling according to

Regulation (EC) No 1272/2008 Void
 Hazard pictograms Void
 Signal word Void
 Hazard statements Void

· Additional information: EUH208 Contains alkoxylated long-chain alkyl amine. May produce an allergic

reaction.

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 2)

Printing date 24.07.2017 Version number 1 Revision: 24.07.2017

Trade name: AISIN ATF 6+ FE

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components:		
CAS: 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	25- <50%
EINECS: 265-158-7	♦ Asp. Tox. 1, H304	
Reg.nr.: 01-2119487077-29		
Polymer	methacrylate copolymer	1 - <2.5%
CAS: 18760-44-6	3-(decyloxy)tetrahydrothiophene 1,1-dioxide	1 - <2.5%
EINECS: 242-556-9	Aquatic Chronic 2, H411	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• **General information:** No special measures required.

After inhalation:
 After skin contact:
 Supply fresh air; consult doctor in case of complaints.
 Generally the product does not irritate the skin.

After eye contact:
 After swallowing:
 Rinse opened eye for several minutes under running water.
 Do not induce vomiting; call for medical help immediately.

 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

 4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, dry chemical, or foam. Water can be used to cool and protect exposed

material.

· 5.2 Special hazards arising

from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

• **Protective equipment:** Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures Wear protective clothing.6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

No special measures required.

Avoid the formation of oil haze.

· Information about fire - and

explosion protection: No special measures required.
7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 3)

Printing date 24.07.2017 Version number 1 Revision: 24.07.2017

Trade name: AISIN ATF 6+ FE

(Contd. of page 2)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical facilities: No further data; see item 7.

 8.1 Control parameters
 Ingredients with limit values that require monitoring at the

that require monitoring at the workplace:

Contains mineral oil. Under conditions which may generate mists, observe the

OSHA PEL of 5 mg per cubic meter, ACGIH STEL of 10 mg per cubic meter.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and

hygienic measures: Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

· Protection of hands:



Wear gloves for the protection against chemicals according to EN 374.

Oil resistant gloves

• Material of gloves Nitrile rubber, NBR

PVC gloves Neoprene gloves

Recommended thickness of the material: ≥ 0.35 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed.

Glove thickness is not a good predictor of glove resistance to a chemical as it is

dependent on the exact composition of the glove material.

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Colour: Red
• Odour: Characteristic

· Change in condition

Initial boiling point and boiling range: Undetermined.

· Drip point:

Pour point -36 °C (ASTM D97)

Flash point: >110 °C
 Flammability (solid, gas): Not applicable.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 0.6 Vol %

 Upper:
 7.0 Vol %

 ⋅ Density at 20 °C:
 0.85 g/cm³

(Contd. on page 4)

Printing date 24.07.2017 Version number 1 Revision: 24.07.2017

Trade name: AISIN ATF 6+ FE

(Contd. of page 3)

	(contact of page of
· Solubility in / Miscibility with water:	Fully missible
water.	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: 40 °C	29.2 mm²/s (ASTM D445)
Solvent content: Organic solvents: 9.2 Other information	0.0 % No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous

reactions
Reacts with strong oxidising agents.

10.4 Conditions to avoid
10.5 Incompatible materials:
Reacts with strong oxidising agents.
No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

Skin corrosion/irritation
 Serious eye damage/irritation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· Respiratory or skin

sensitisation
 Sensitisation
 Based on available data, the classification criteria are not met.
 For respiratory and skin sensitisation: Not expected to be a sensitiser.

 CMR effects (carcinogenity, mutagenicity and toxicity for

reproduction) This product contains mineral oils which are considered to be severely refined and

not considered to be carcinogenic under IARC. All of the oils in this product have

been demonstrated to contain less than 3% extractables by the IP 346 test.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Ecotoxical effects:

• Remark: This material is not expected to be harmful to aquatic organisms. The product has

not been tested. The statement has been derived from the properties of the

individual components.

· Additional ecological information:

• General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

Do not allow undiluted product or large quantities of it to reach ground water, water

course or sewage system.

• 12.5 Results of PBT and vPvB assessment • PBT: Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

(Contd. on page 5)

Printing date 24.07.2017 Version number 1 Revision: 24.07.2017

Trade name: AISIN ATF 6+ FE

(Contd. of page 4)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

· European waste catalogue

13 02 06* synthetic engine, gear and lubricating oils

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing

agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

-		
· 14.1 UN-Number · ADR/ADN, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR/ADN, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group · ADR/ADN, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
and the IDC Code	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances
- ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety
- assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product safety department. Product safety department · Contact:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement · Abbreviations and acronyms:

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· Sources EC/453-2010