According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.07.2024	800010062065	Print Date 09.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Advance 4T Ultra 15W-50 SP MA2
Product code	:	007A1962

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Engine oil.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone	: (+44) 08007318888
Telefax	
Contact for Safety Data Sheet	: If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com

1.4 Emergency telephone number

: +44 (0) 20 7934 7778 (This telephone number is available 24 hours per day, 7 days per week)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	No Hazard Symbol required
Signal word	:	No signal word

:

Hazard statements

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version 1.0	Revision Date: 08.07.2024	SDS Number: 80001006206	
		criteria. HE No EN	t classified as a physical hazard according to CLP ALTH HAZARDS: t classified as a health hazard under CLP criteria. VIRONMENTAL HAZARDS: t classified as environmental hazard according to a.
Precau	utionary statements		precautionary phrases.
		Response No	: precautionary phrases.
		Storage:	. , ,
		No	precautionary phrases.
		Disposal:	
		No	precautionary phrases.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	 Synthetic base oil and additives. Highly refined mineral oil. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. The highly refined mineral oil is only present as additive dilu- ent.
	* contains one or more of the following CAS-numbers (REACH registration numbers): 64742-53-6 (01-2119480375- 34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-

2119487077-29), 64742-56-9 (01-2119480132-48), 64742-65-

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.07.2024	800010062065	Print Date 09.07.2024
		72623-86-0 (01- 2119474889-13) 9 (01-000002016 151006-60-9 (01 2119543695-30)	99-27), 68037-01-4 (01-2119486452-34), 2119474878-16), 72623-87-1 (01- , 8042-47-5 (01-2119487078-27), 848301-69- 63-82), 68649-12-7 (01-2119527646-33), -2119523580-47), 163149-28-8 (01- , 64741-88-4 (01-2119488706-23), 64741-89- 67-30), 157707-86-3 (01-2119486452-34).

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox. 1; H304	0 - 90
Zinc dialkyldithiophosphate	68649-42-3 272-028-3	Skin Irrit. 2; H315 Eye Irrit. 2; H319	1 - 3

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Not expected to be a health hazard when used under normal conditions.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow by washing with soap and water if available. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version 1.0	Revision Date: 08.07.2024		DS Number: 0010062065	Date of last issue: - Print Date 09.07.2024
			are swallowed,	however, get medical advice.
4.2 Most	important symptoms a	nd e	effects, both ac	ute and delayed
Symp	ptoms	:	ditions of use. Possible respir a temporary buing, and/or diffi Skin irritation si sation, redness Eye irritation si sation, redness Ingestion may Oil acne/follicu	to be an inhalation hazard under normal con- atory irritation signs and symptoms may include irrning sensation of the nose and throat, cough- culty breathing. igns and symptoms may include a burning sen- s, or swelling. gns and symptoms may include a burning sen- s, swelling, and/or blurred vision. result in nausea, vomiting and/or diarrhoea. litis signs and symptoms may include formation es and spots on the skin of exposed areas.
4.3 Indica	ation of any immediate	me	dical attention a	and special treatment needed
Treat	tment	:	Call a doctor o Treat symptom	r poison control center for guidance. atically.
Suita Unsu	guishing media able extinguishing media uitable extinguishing	:	ide, sand or ea	oray or fog. Dry chemical powder, carbon diox- rth may be used for small fires only. er in a jet.
medi	a			
	al hazards arising fron			
Spec fighti		:	A complex mix gases (smoke) Carbon monox occurs.	nbustion products may include: ture of airborne solid and liquid particulates and ide may be evolved if incomplete combustion ganic and inorganic compounds.
	e for firefighters			
	cial protective equipment refighters	t :	gloves are to b large contact w Breathing Appa a confined spa	ve equipment including chemical resistant e worn; chemical resistant suit is indicated if rith spilled product is expected. Self-Contained aratus must be worn when approaching a fire in ce. Select fire fighter's clothing approved to ards (e.g. Europe: EN469).
Spec ods	ific extinguishing meth-	:		ing measures that are appropriate to local cir- Id the surrounding environment.

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.07.2024	800010062065	Print Date 09.07.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

• • •		• • • •
Personal precautions	:	6.1.1 For non emergency personnel: Avoid contact with skin and eyes.
		Avolu contact with skill and eyes.
		6.1.2 For emergency responders:
		Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions	:	Use appropriate containment to avoid environmental contami-
		nation. Prevent from spreading or entering drains, ditches or
		rivers by using sand, earth, or other appropriate barriers.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---	--

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Hygiene measures	:	Exposure to this product should be reduced as low as reason- ably practicable. Reference should be made to the Health and Safety Executive's publication "COSHH Essentials".

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.07.2024	800010062065	Print Date 09.07.2024

7.2 Conditions for safe storage, including any incompatibilities

Further information on stor- age stability	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
		Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. The storage of this product may be subject to the Control of Pollution (Oil Storage) (England) Regulations. Further guid- ance may be obtained from the local environmental agency office.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.
7.3 Specific end use(s) Specific use(s)	:	Not applicable

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Oil mist, mineral	Not As- signed	TWA (inhalable fraction)	5 mg/m3	US. ACGIH Threshold Limit Values
Oil mist, mineral		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.07.2024	800010062065	Print Date 09.07.2024

Eye washes and showers for emergency use.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Eye washes and showers for emergency use.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection	:	Wear full face shield if splashes are likely to occur. Approved to EU Standard EN166.
Hand protection		
Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version 1.0	Revision Date: 08.07.2024	SDS Number: 800010062065	Date of last issue: - Print Date 09.07.2024
Skin a	and body protection	use. For prolonge	on is not required under normal conditions of d or repeated exposures use impervious clothing the body subject to exposure.
Respi	ratory protection	conditions of In accordanc	y protection is ordinarily required under normal use. e with good industrial hygiene practices, precau- be taken to avoid breathing of material.
Therm	nal hazards	: Not applicabl	e

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	amber
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
pour point	:	-30 °C Method: ASTM D97
Melting / freezing point		Data not available
Flammability		
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not classified as flammable but will burn.
Lower explosion limit and uppe	er e	xplosion limit / flammability limit
Upper explosion limit / upper flammability limit	:	Typical 10 %(V)
Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)
Flash point	:	267 °C Method: ASTM D92 (COC)
Auto-ignition temperature	:	> 320 °C
Decomposition temperature Decomposition tempera-	:	Data not available

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Vers 1.0	sion	Revision Date: 08.07.2024		S Number: 0010062065	Date of last issue: - Print Date 09.07.2024
	ture)			
	рН		:	Not applicable	
	Viscos Viso	ity cosity, dynamic	:	Data not availabl	le
	Viso	cosity, kinematic	:	20.68 mm2/s (10 Method: ASTM [
				148.54 mm2/s (4 Method: ASTM [
	Solubil Wa	ity(ies) ter solubility	:	negligible	
	Sol	ubility in other solvents	:	Data not availabl	le
	Partitic octano	n coefficient: n- I/water	:	log Pow: > 6 (based on inform	nation on similar products)
	Vapou	r pressure	:	< 0.5 Pa (20 °C) estimated value(s)
	Density	ý	:	845 kg/m3 (15.0 Method: ASTM [
	Relativ	e vapour density	:	> 5	
		e characteristics ticle size	:	Data not availab	le
9.2		nformation			
		ive properties	:		de: Not classified.
		ng properties	:	Data not availabl	
	Flamm	ability (liquids)	:	Not classified as	flammable but will burn.
	Evapo	ration rate	:	Data not availab	le
	Condu	ctivity	:	This material is r	not expected to be a static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

1.0	Revision Date: 08.07.2024	SDS Number: 800010062065	Date of last issue: - Print Date 09.07.2024
Stabl		expected when handle	ed and stored according to provisions
10.3 Poss	bility of hazardous	reactions	
Haza	rdous reactions	: Reacts with	strong oxidising agents.
	ditions to avoid	. Esterno of	te en en el eller et euro lielet
Cond	litions to avoid	: Extremes of	temperature and direct sunlight.
10.5 Incoi	mpatible materials		
Mate	rials to avoid	: Strong oxidis	sing agents.
10 6 Haza	rdous decompositio	on products	
	ecomposition if stored	•	ted.
Inform	nation on likely routes	s of : Skin and eye	Regulation (EC) No 1272/2008 contact are the primary routes of exposure alt-
	nation on likely routes	s of : Skin and eye	
Inforr expos	nation on likely routes	s of : Skin and eye	contact are the primary routes of exposure alt-
Inforr expos	nation on likely routes sure e toxicity	s of : Skin and eye	contact are the primary routes of exposure alt-
Inforr expos Acute <u>Prod</u>	nation on likely routes sure e toxicity	s of : Skin and eye hough expose : LD50 (rat): > Remarks: Lov	contact are the primary routes of exposure alt- ure may occur following accidental ingestion. 5,000 mg/kg
Inforr expos Acute Acute	nation on likely routes sure e toxicity <u>uct:</u>	s of : Skin and eye hough expose : LD50 (rat): > Remarks: Lov Based on ava	5,000 mg/kg v toxicity
Inforr expos Acute Acute	nation on likely routes sure e toxicity <u>uct:</u> e oral toxicity	s of : Skin and eye hough expose : LD50 (rat): > Remarks: Lov Based on ava : Remarks: Bas are not met. : LD50 (Rabbit Remarks: Lov	contact are the primary routes of exposure alt- ure may occur following accidental ingestion. 5,000 mg/kg w toxicity ailable data, the classification criteria are not met sed on available data, the classification criteria): > 5,000 mg/kg
Acute Acute Acute Acute	nation on likely routes sure e toxicity <u>uct:</u> e oral toxicity e inhalation toxicity	s of : Skin and eye hough expose : LD50 (rat): > Remarks: Lov Based on ava : Remarks: Bas are not met. : LD50 (Rabbit Remarks: Lov	5,000 mg/kg w toxicity ailable data, the classification criteria are not met sed on available data, the classification criteria): > 5,000 mg/kg w toxicity

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

sion	Revision Date: 08.07.2024		9S Number: 0010062065	Date of last issue: - Print Date 09.07.2024
Serio	us eye damage/eye irr	itati	on	
Produ	uct:			
Rema	arks	:	Slightly irritating Based on avail	g to the eye. able data, the classification criteria are not m
Resp	iratory or skin sensitis	atio	n	
Produ	uct:			
Rema		:	Not a sensitise	and skin sensitisation: r. able data, the classification criteria are not m
Germ	cell mutagenicity			
Produ	uct:			
-	toxicity in vivo	:	Remarks: Non Based on avail	mutagenic able data, the classification criteria are not m
Germ sessn	cell mutagenicity- As- nent	:	This product do categories 1A/1	pes not meet the criteria for classification in 1B.
Carci	nogenicity			
Produ	uct:			
Rema	arks	:	Not a carcinoge Based on avail	en. able data, the classification criteria are not m
Carcii ment	nogenicity - Assess-	:	This product do categories 1A/1	pes not meet the criteria for classification in 1B.
Mater	rial	G	HS/CLP Carcino	ogenicity Classification
Highly	y refined mineral oil	N	o carcinogenicity	(classification

Reproductive toxicity

Product: Effects on fertility :	Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- : sessment	This product does not meet the criteria for classification in categories 1A/1B.

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version 1.0	Revision Date: 08.07.2024	SDS N 800010	umber: 062065	Date of last issue: - Print Date 09.07.2024
STO	Γ - single exposure			
<u>Prod</u> Rema		: Bas	ed on availab	le data, the classification criteria are not met.
STO	Г - repeated exposure			
<u>Prod</u> Rema		: Bas	ed on availab	le data, the classification criteria are not met.
Aspi	ration toxicity			
<u>Prod</u> Not a		ased on a	vailable data,	the classification criteria are not met.
11.2 Infor	mation on other haza	ds		
Endo	ocrine disrupting prop	erties		
<u>Prod</u>	uct:			
Asse	ssment	ere RE/ (EU	d to have end ACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
Furth	ner information			
Prod	uct:			
Rema	arks	late dep env ALL	d during use. end on use ai ironment on d	uld be handled with caution and skin contact
Rema	arks		ntinuous conta cer in animal	nct with used engine oils has caused skin tests.
Rema	arks	: Slig	htly irritating t	o respiratory system.
Rema	arks		ssifications by neworks may	other authorities under varying regulatory exist.
Rema	arks	tive		otherwise, the data presented is representa- t as a whole, rather than for individual com-

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:
1.0	08.07.2024	800010062065

Date of last issue: -Print Date 09.07.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to algae/aquatic plants	:	Remarks: Based on available data, the classification criteria are not met. Practically non toxic: LL/EL/IL50 > 100 mg/l
Toxicity to fish (Chronic tox- icity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Based on available data, the classification criteria are not met.
Toxicity to microorganisms	:	Remarks: Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: Not readily biodegradable.
	Major constituents are inherently biodegradable, but contains com-
	ponents that may persist in the environment.
	Persistent per IMO criteria.
	International Oil Pollution Compensation (IOPC) Fund definition:
	"A non-persistent oil is oil, which, at the time of shipment, consists
	of hydrocarbon fractions, (a) at least 50% of which, by volume,
	distills at a temperature of 340°C (645°F) and (b) at least 95% of
	which, by volume, distils at a temperature of 370°C (700°F) when
	tested by the ASTM Method D-86/78 or any subsequent revision
	thereof."

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks:	Contains components with the potential to bioaccumulate
----------------------------	---

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version 1.0	Revision Date: 08.07.2024	SDS Number:Date of last issue: -800010062065Print Date 09.07.2024
12.4 Mob	ility in soil	
Prod	luct:	
Mobi		: Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile.
		Remarks: Floats on water.
12.5 Res	ults of PBT and vPvB a	ssessment
Proc	luct:	
	essment	: This mixture does not contain any REACH registered sub- stances that are assessed to be a PBT or a vPvB
12.6 End	ocrine disrupting prop	erties
Prod	luct:	
	essment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Othe	er adverse effects	
Prod	luct:	
	tional ecological infor-	: Does not have ozone depletion potential, photochemical ozone crea- tion potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.
		Poorly soluble mixture. Causes physical fouling of aquatic organisms.
		Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
SECTIO	N 13: Disposal cons	derations
13.1 Was	te treatment methods	
Prod	uct	: Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth-

courses.

ods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Versic 1.0	n Revision Date: 08.07.2024	SDS Number: 800010062065	Date of last issue: - Print Date 09.07.2024
		ground wate Waste, spills Waste arisin posed of in a to a recognis collector or o Do not dispo	ct should not be allowed to contaminate soil or r, or be disposed of into the environment. or used product is dangerous waste. g from a spillage or tank cleaning should be dis- ccordance with prevailing regulations, preferably ed collector or contractor. The competence of the ontractor should be established beforehand. se of tank water bottoms by allowing them to a ground. This will result in soil and groundwater n.
		Pollution fror	ee International Convention for the Prevention of n Ships (MARPOL 73/78) which provides tech- at controlling pollutions from ships.
С	contaminated packaging	to a recogniz the collector Disposal sho	ccordance with prevailing regulations, preferably ed collector or contractor. The competence of or contractor should be established beforehand. uld be in accordance with applicable regional, local laws and regulations.
L	ocal legislation		
V	Vaste catalogue	:	
		EU Waste D	sposal Code (EWC):
V	/aste Code	: 13 02 06*	
		13 02 00	
R	emarks		uld be in accordance with applicable regional, local laws and regulations.
		Classificatior user.	n of waste is always the responsibility of the end
		Hazardous V	Vaste (England and Wales) Regulations 2005.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version 1.0	Revision Date: 08.07.2024	SDS Number:Date of last issue: -800010062065Print Date 09.07.2024	
IMDG IATA 14.2 UN pi	roper shipping name	Not regulated as a dangerous goodNot regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
IATA		: Not regulated as a dangerous good	
14.3 Trans	sport hazard class(es)		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG IATA		Not regulated as a dangerous goodNot regulated as a dangerous good	
14.4 Packi	ng group		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG IATA		Not regulated as a dangerous goodNot regulated as a dangerous good	
14.5 Envir	onmental hazards		
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
14.6 Spec	ial precautions for use		
Rema	rks	: Special Precautions: Refer to Section 7, Handling & for special precautions which a user needs to be awa needs to comply with in connection with transport.	

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV)

: Product is not subject to Authorisation under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date:	SDS Number:
1.0	08.07.2024	800010062065

Date of last issue: -Print Date 09.07.2024

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Environmental Protection Act 1990 (as amended). Health and Safety at Work etc. Act 1974. Consumers Protection Act 1987. Pollution Prevention and Control Act 1999. Environment Act 1995. Factories Act 1961. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011. Chemicals (Hazard Information and Packaging for Supply) Regulations 2009. Control of Substances Hazardous to Health Regulations 2002 (as amended). Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997. Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995 (as amended). Personal Protective Equipment Regulations 2002. Personal Protective Equipment at Work Regulations 1992. Hazardous Waste (England and Wales) Regulations 2005(as amended). Control of Major Accident Hazards Regulations 1999 (as amended). Renewable Transport Fuel Obligations Order 2007 (as amended). Energy Act 2011. Environmental Permitting (England and Wales) Regulations 2010 (as amended). Waste (England and Wales) Regulations 2011 (as amended). Planning (Hazardous Substances) Act 1990 and associated regulations. The Environmental Protection (Controls on Ozone-Depleting Substances) Regulations 2011.

The components of this product are reported in the following inventories:

REACH	: Notified with Restrictions.
TSCA	: All components listed.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H304	:	May be fatal if swallowed and enters airways.		
H315	:	Causes skin irritation.		
H319	:	Causes serious eye irritation.		
Full text of other abbreviations				
Asp. Tox.	:	Aspiration hazard		
Eye Irrit.	:	Eye irritation		
Skin Irrit.	:	Skin irritation		
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
ACGIH / TWA	:	8-hour, time-weighted average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

Version	Revision Date: 08.07.2024	SDS Number:	Date of last issue: -
1.0		800010062065	Print Date 09.07.2024

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice	:	Provide adequate information, instruction and training for op- erators.
Other information	:	No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous sub- stances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS.
		A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

According to EC No 1907/2006 as amended as at the date of this SDS

Advance 4T Ultra 15W-50 SP MA2

VersionRevision Date:SDS Number:1.008.07.2024800010062065

r: Date of last issue: -65 Print Date 09.07.2024

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN