

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 22-5-2018 Revision date: 30-9-2022 Supersedes version of: 17-12-2018 Version: 2.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Presteza LL-12 FE 0W-30

Product code : 01.40.89
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Engine oil

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Kroon Oil BV B.V.
Dollegoorweg, 15
NL- 7602 EC Almelo
Netherlands
T 0031 (0)546 81 81 65
vib@kroon-oil.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

30-9-2022 (Revision date) EN (English) 1/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	50 – 80	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889- 13	1 – 2,5	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (Note L)	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X REACH-no: 01-2119474878- 16	1 – 2,5	Asp. Tox. 1, H304
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	0,1 – 2,5	Skin Sens. 1B, H317 Aquatic Chronic 4, H413
Bis(nonylphenyl)amine	CAS-No.: 36878-20-3 EC-No.: 253-249-4 REACH-no: 01-2119488911- 28	0,3 – 2,5	Aquatic Chronic 4, H413
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	0,3 – 2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

0-9-2022 (Revision date) EN (English) 2/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
C14-16-18 Alkyl phenol	EC-No.: 931-468-2 REACH-no: 01-2119498288- 19	(10 ≤C < 100) Skin Sens. 1B, H317	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)	CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33	(6,25 ≤C ≤ 100) Skin Irrit. 2, H315 (10 ≤C < 12,5) Eye Irrit. 2, H319 (12,5 ≤C ≤ 100) Eye Dam. 1, H318	

Comments : The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Incomplete combustion releases dangerous carbon

monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

30-9-2022 (Revision date) EN (English) 3/13

30-9-2022 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Keep in a cool, well-ventilated place away from

heat.

Storage temperature : 0-40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Presteza LL-12 FE 0W-30

EU - Indicative Occupational Exposure Limit (IOEL)

Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended

5 mg/m³ - ACGIH TLV (inhalable fraction).

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

30-9-2022 (Revision date) EN (English) 4/13

30-9-2022 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35		EN ISO 374

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : brown.
Odour : characteristic.
Odour threshold : Not available
Melting point : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Freezing point : -45 °C - ASTM D5950 (pour point)

Boiling point : Not available Flammability : Not applicable

Explosive properties Presents no particular fire or explosion hazard.

Explosive limits Not available Lower explosion limit Not available Upper explosion limit Not available

222 °C - ASTM D92 (COC) Flash point

Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ

: 54,6 mm²/s (40 °C) - ASTM D7279 Viscosity, kinematic : Water: Insoluble / Slightly miscible Solubility

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available

Density : 0,841 kg/l (15 °C) - ASTM D4052

Relative density : Not available Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No decomposition if stored normally.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

30-9-2022 (Revision date) EN (English) 6/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tirs (Acute Oral Toxicity), Acute Toxic Class Method), Guideline: EU Method B.1 tirs (Acute Oral Toxicity), Guideline: OECD Guideline CPEO POPTS 870.1100 (Acute Oral Toxicity), Guideline: OECD Guideline CPEO Guideline CPEO Guideline CPEO Guideline CPEO POPTS 870.1200 (Acute Dermal Toxicity), Guideline: Other OECD Guideline CPEO POPTS 870.1200 (Acute Dermal Toxicity), Guideline: Other OECD Guideline CPEO POPTS 870.1200 (Acute Dermal Toxicity), Guideline: Other OECD Guideline CPEO POPTS 870.1200 (Acute Dermal Toxicity), Guideline: Other OECD Guideline CPEO POPTS 870.1200 (Acute Dermal Toxicity), Guideline: Other OECD Guideline CPEO POPTS 870.1200 (Acute Oral Toxicity), Guideline: OECD Guideline CPEO	C14-16-18 Alkyl phenol	
Toxicity), Guideline: ELM Method B.3 (Anute Toxicity), Guideline: EPA OPPTS 870.1200 (Anute Dermal Toxicity), Guideline: other:	LD50 oral rat	423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100
LD50 oral rat > 5000 mg/kg LD50 Inhalation - Rat > 5,53 mg/l/4h Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LD50 oral rat > 5,600 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 2000 mg/kg (OECD 402 method) LC50 Inhalation - Rat 5,53 mg/l/4h (OECD 403 method) LUbricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LUbricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LUD50 oral rat 5,600 mg/kg (OECD 401 method) LC50 Inhalation - Rat 5,53 mg/l (OECD 403 method) LC50 Inhalation - Rat 5,53 mg/l (OECD 403 method) LC50 Inhalation - Rat 5,53 mg/l (OECD 403 method) LC50 Inhalation - Rat 5,500 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: LD50 dermal rat 5,500 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: LD50 dermal rat 2,000 mg/kg bodyweight (OECD 402 method) 2,100 mg/kg bodywe	LD50 dermal rat	Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS
LD50 dermal rabbit > 2000 mg/kg LC50 Inhalation - Rat > 5,53 mg/l/4h Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LD50 oral rat 25000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit 2000 mg/kg (OECD 402 method) LC50 Inhalation - Rat 5,53 mg/l/4h (OECD 403 method) Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral rat 5000 mg/kg (OECD 402 method) LC50 Inhalation - Rat 5,53 mg/l (OECD 403 method) LC50 Inhalation - Rat 5,53 mg/l (OECD 403 method) LC50 Inhalation - Rat 5,53 mg/l (OECD 403 method) Bis(nonylphenyl)amine (36878-20-3) LD50 oral rat 5,5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: LD50 dermal rat 2,5000 mg/kg bodyweight (OECD 402 method) zinc bis(O-(6-methylheptyl)) bis(O-(sec-butyl)) bis(dithiophosphate) (93819-94-4) LD50 oral rat 2,600 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LD50 dermal rabbit 5,160 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LC50 Inhalation - Rat 5,200 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LC50 Inhalation - Rat 5,200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: LC50 Inhalation - Rat 5,200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline 402 (Acute Dermal Toxicity) (Remarks on results: other: LC50 Inhalation - Rat 5,200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline 402 (Acute Dermal Toxicity) (Reproductive toxicity) (Robertoleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LC50 Inhalation - Rat 7,200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	Distillates (petroleum), hydrotreated heavy p	araffinic (64742-54-7)
LC50 Inhalation - Rat Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LD50 oral rat > 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity) - Fixed Dose Method) LD50 dermal rabbit > 2000 mg/kg (OECD 402 method) LD50 inhalation - Rat S5,33 mg/l/4h (OECD 403 method) LD50 oral rat S000 mg/kg (OECD 403 method) LD50 oral rat S000 mg/kg (OECD 401 method) LD50 dermal rabbit S000 mg/kg (OECD 402 method) LD50 oral rat S000 mg/kg (OECD 403 method) LD50 oral rat S000 mg/kg (OECD 403 method) LD50 oral rat S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: LD50 oral rat S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: LD50 oral rat S000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LD50 oral rat S000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LD50 oral rat S000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: LD50 oral rat S000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LD50 inhalation - Rat S000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: LC50 inhalation - Rat S000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: LC50 inhalation - Rat S000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) in Rodents) S000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity in Rodents) S000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity in Rodents) S000 mg/kg bodyweight Animal:	LD50 oral rat	> 5000 mg/kg
Lubricating oils (petroleum), C20-50, hydrotroated neutral oil-based (72623-87-1) LD50 oral rat	LD50 dermal rabbit	> 2000 mg/kg
September Sept	LC50 Inhalation - Rat	> 5,53 mg/l/4h
Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LD50 dermal rabbit > 2000 mg/kg (OECD 402 method) LUBSO Inhalation - Rat 5,53 mg/l/4h (OECD 403 method) LUBSO oral rat > 5,53 mg/l/4h (OECD 403 method) LD50 oral rat > 5000 mg/kg (OECD 401 method) LD50 dermal rabbit > 2000 mg/kg (OECD 402 method) LD50 Inhalation - Rat > 5,53 mg/l (OECD 403 method) Bis(nonylphenyl)amine (36878-20-3) LD50 oral rat 5,5000 mg/kg (OECD 402 method) Bis(nonylphenyl)amine (36878-20-3) LD50 oral rat 5,5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other: LD50 dermal rat 2,000 mg/kg bodyweight (OECD 402 method) Zinc bis(O-(6-methylheptyl)) bis(O-(sec-butyl)) bis(dithiophosphate) (93819-94-4) LD50 oral rat 2,000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: LD50 dermal rabbit 2,3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: LC50 Inhalation - Rat 2,2 mg/l (1h) - OECD403 Sich corrosion/irritation Not classified (Sepiratory or skin sensitisation Not classified (Sepirat	Lubricating oils (petroleum), C20-50, hydrotr	eated neutral oil-based (72623-87-1)
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral rat	LD50 oral rat	,
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0) LD50 oral rat	LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
South State	LC50 Inhalation - Rat	5,53 mg/l/4h (OECD 403 method)
LD50 dermal rabbit > 2000 mg/kg (OECD 402 method) LC50 Inhalation - Rat > 5,53 mg/l (OECD 403 method) Bis(nonylphenyl)amine (36878-20-3) LD50 oral rat	Lubricating oils (petroleum), C15-30, hydrotr	eated neutral oil-based (72623-86-0)
Separation Sep	LD50 oral rat	> 5000 mg/kg (OECD 401 method)
Section of the second of the	LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)
Source S	LC50 Inhalation - Rat	> 5,53 mg/l (OECD 403 method)
Toxicity), Remarks on results: other: 2000 mg/kg bodyweight (OECD 402 method) 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 2001 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 2001 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	Bis(nonylphenyl)amine (36878-20-3)	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4) LD50 oral rat 2600 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: > 3160 mg/kg bodyweight Animal: ratbbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: LC50 Inhalation - Rat > 2 mg/l (1h) - OECD403 Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Serious ell mutagenicity : Not classified Serious exposure : Not classified Serious exposure : Not classified Serious exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days) LOAEL (oral, rat, 90 days) Repeated Dose 90-Day Oral Toxicity in Rodents) Sepiration hazard Not classified Repeated Dose 90-Day Oral Toxicity in Rodents) Not classified	LD50 oral rat	
LD50 oral rat 2600 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other: > 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: C50 Inhalation - Rat	LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
LD50 dermal rabbit > 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other: > 2 mg/l (1h) - OECD403 Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Serious ell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard Presteza LL-12 FE 0W-30	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl] bis(dithiophosphate) (93819-94-4)
Toxicity), Remarks on results: other: LC50 Inhalation - Rat	LD50 oral rat	2600 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:
Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Serm cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified	LD50 dermal rabbit	
Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified RTOT-single exposure : Not classified RTOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days)	LC50 Inhalation - Rat	> 2 mg/l (1h) - OECD403
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days)	Skin corrosion/irritation :	Not classified
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days)	Serious eye damage/irritation :	Not classified
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days)	Respiratory or skin sensitisation :	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days)		
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days)		
ETOT-repeated exposure : Not classified Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified Presteza LL-12 FE 0W-30		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified Presteza LL-12 FE 0W-30		
LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Sepiration hazard: Not classified Presteza LL-12 FE 0W-30		
Presteza LL-12 FE 0W-30	LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408
	Aspiration hazard :	Not classified
Viscosity, kinematic 54,6 mm²/s (40 °C) - ASTM D7279	Presteza LL-12 FE 0W-30	
	Viscosity, kinematic	54,6 mm²/s (40 °C) - ASTM D7279

30-9-2022 (Revision date) EN (English) 7/13 30-9-2022 (Printing date)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Viscosity, kinematic	< 20,5 mm²/s	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
Viscosity, kinematic	< 20,5 mm²/s (40 °C) - ASTM D7279	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Viscosity, kinematic	< 20,5 mm²/s (40 °C) - ASTM D7279	
Aliphatic, alicyclic or aromatic hydrocarbon	Yes	

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable			
C14-16-18 Alkyl phenol			
EC50 - Crustacea [1]	C50 - Crustacea [1] > 100 mg/l Test organisms (species): Daphnia magna		
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)		
LC50 - Fish [1]	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)		
EC50 - Crustacea [1]	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)		
EC50 72h - Algae [1]	> 100 mg/l		
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)		
NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)			
LC50 - Fish [1]	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)		
LC50 - Other aquatic organisms [1]	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)		
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)		
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)			
LC50 - Fish [1]	> 100 mg/l		
EC50 - Crustacea [1]	> 10000 mg/l		
NOEC (acute)	≥ 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 211 method)		
NOEC chronic fish	> 1000 mg/l		
NOEC chronic crustacea	> 10 mg/l (Daphnia magna, 21d) (OECD 211 method)		
NOEC chronic algae	≥ 100 mg/l		

EN (English) 8/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bis(nonylphenyl)amine (36878-20-3)		
LC50 - Fish [1]	> 100 mg/l Brachydanio rerio (zebra-fish)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 100 mg/l	
NOEC chronic crustacea	> 10 mg/l	
NOEC chronic algae	> 10 mg/l	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)		
LC50 - Fish [1]	4,5 mg/l 96 h (Oncorhynchus mykiss) [OECD 203]	
EC50 - Crustacea [1]	5,4 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	2,1 mg/l Test organisms (species): other:	
EC50 72h - Algae [2]	2 mg/l Test organisms (species): other:	
EC50 96h - Algae [1]	2,1 mg/l Test organisms (species): other:	
EC50 96h - Algae [2]	2 mg/l Test organisms (species): other:	
ErC50 algae	2,1 mg/l 96 h (Selenastrum capricornutum) [OECD 201]	

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Biodegradation	31 % (28d) (OECD 301F method)	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
Biodegradation	31 % (28d) (OECD 301F method)	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % (28d) (OECD 301F method)	
Bis(nonylphenyl)amine (36878-20-3)		
Biodegradation	1 % (test concentration 20,1 mg/l)	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	1,5 % 28 d - 10mg/l [OECD 301 B]	

12.3. Bioaccumulative potential

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Partition coefficient n-octanol/water (Log Kow) > 6		
Bioaccumulative potential	Bioaccumulative potential.	
zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) (93819-94-4)		
Partition coefficient n-octanol/water (Log Pow) 0,9 (23 °C)		

12.4. Mobility in soil

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
Mobility in soil	Product adsorbs onto the soil

EN (English) 9/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)

Ecology - soil Insoluble in water.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations European List of Waste (LoW) code

: Dispose in a safe manner in accordance with local/national regulations.

: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

30-9-2022 (Revision date) 30-9-2022 (Printing date) EN (English) 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3.	C14-16-18 Alkyl phenol; Bis(nonylphenyl)amine; zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)
3(b)	C14-16-18 Alkyl phenol; zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate); Distillates (petroleum), hydrotreated heavy paraffinic; Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
3(c)	C14-16-18 Alkyl phenol; Bis(nonylphenyl)amine; zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

VOC Directive (2004/42)

VOC content : 0 %

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

30-9-2022 (Revision date) EN (English) 11/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
1.2	Function or use category	Added	
1.2	Use of the substance/mixture	Added	
4.1	First-aid measures after ingestion	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	
9.1	Solubility in water	Added	
10.3	Possibility of hazardous reactions	Modified	
15.1	REACH Annex XVII	Modified	
16	Abbreviations and acronyms	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic

30-9-2022 (Revision date) 30-9-2022 (Printing date)

EN (English)

12/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.