

according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 31.01.2023

Print Date: 30/06/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil
Product code	:	872278
		substance or mixture and uses advised against Engine, gear & lubricating oil.
1.3 Details of the supplier of the	e sa	fety data sheet
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person responsible for the SDS	:	SDS@valvoline.com

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112 $\,$

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 31.01.2023

Print Date: 30/06/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
Distillates (Petroleum), Hydrotreated Heavy Paraffinic	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx	Asp. Tox. 1; H304	>= 10 - < 15
Reaction products of Benzeneamine, N-phenyl- with nonene (branched)	36878-20-3 253-249-4 01-2119488911-28- xxxx	Aquatic Chronic 4; H413	>= 1 - < 2.5
C14-16-18 Alkyl phenol	Not Assigned 01-2119498288-19- xxxx	Skin Sens. 1B; H317 STOT RE 2; H373 (Liver)	>= 1 - < 2.5

For explanation of abbreviations see section 16.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 31.01.2023

Print Date: 30/06/2023

SECTION 4: First aid measures

4.1 Description of first aid me	asure	S
General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
4.2 Most important symptoms	s and e	effects, both acute and delayed
Symptoms	:	No symptoms known or expected.
4.3 Indication of any immedia	te me	dical attention and special treatment needed
Treatment	:	No hazards which require special first aid measures.
		Treat symptomatically.
SECTION 5: Firefighting me	easur	es
		**

5.1 Extinguishing media Unsuitable extinguishing : High volume water jet media

5.2 Special hazards arising from the substance or mixture

Hazardous combustion	:	carbon dioxide and carbon monoxide
products		Nitrogen oxides (NOx)



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Wear self-contained breathing appa necessary.	aratus for firefighting if
Further information	: Standard procedure for chemical fin Use extinguishing measures that an circumstances and the surrounding	re appropriate to local

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).
	Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	I	
Advice on safe handling	:	Do not breathe vapours/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Wash hands before breaks and at the end of workday.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023		Print Date: 30/06/2023
7.2 Conditions for safe storage	, includi	ng any incompatibilities	
Requirements for storage areas and containers	pla	eep container tightly closed in a ace. Electrical installations / wo th the technological safety star	orking materials must comply
Further information on storage stability	: No	o decomposition if stored and a	applied as directed.
7.3 Specific end use(s) Specific use(s)	: No	o data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipme Eye/face protection		Eye wash bottle with pure water Tightly fitting safety goggles
Hand protection Material Break through time Glove thickness Directive	-	neoprene, nitrile rubber >= 240 min >= 0.35 mm Equipment should conform to EN 374
Remarks	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. The suitability for a specific workplace should be discussed with the producers of the protective gloves.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sub	
Respiratory protection	: No personal respiratory protective e required.	equipment normally

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point		< -42 °C
Boiling point/boiling range		not determined
Flash point	:	206 °C Method: Pensky-Martens closed cup
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
		No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0.854 g/cm3 (15.6 °C)
		6 / 18



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
Bulk density	: Not applicable	
Solubility(ies) Water solubility	: insoluble	
Solubility in other solvents	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: < 6,400 mPa.s (-30 °C)	
Viscosity, kinematic	: 87 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information		
Self-ignition	: No data available	
	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity No decomposition if stored and	d applied as directed.
10.2 Chemical stability No decomposition if stored and	d applied as directed.
10.3 Possibility of hazardous reac	ctions
Hazardous reactions	: No decomposition if stored and applied as directed.
10.4 Conditions to avoid Conditions to avoid	: None known.
10.5 Incompatible materials	
Materials to avoid	: Strong bases Strong oxidizing agents



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 31.01.2023

Print Date: 30/06/2023

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

...

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5 g/kg

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

-		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: No mortality observed at this dose.
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: The toxicological data has been taken from products of similar composition.

C14-16-18 Alkyl phenol:

Acute oral toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Assessment : Slight, transient irritation



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
Result	Slight, transient irritation	

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species Result	: Rabbit
Result	: Mild skin irritation
Remarks	: The toxicological data has been taken from products of similar composition.

C14-16-18 Alkyl phenol:

	:	OECD Test Guideline 431
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Assessment	:	No eye irritation
Result	:	No eye irritation

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species Result Remarks	Rabbit Slight, transient irritation	
Remarks	 The toxicological data has been taken fro composition. 	m products of similar

C14-16-18 Alkyl phenol:

Species : Result :	:	Rabbit
Result :	:	Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment	:	Does not cause skin sensitisation.
Remarks	:	Based on similar product.



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 31.01.2023

Print Date: 30/06/2023

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Species Assessment	: Guinea pig
Assessment	Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Method Remarks	The toxicological data has been taken from products of similar
	composition.

C14-16-18 Alkyl phenol:

Test Type Species	: Local lymph node assay
Species	: Mouse
Assessment	The product is a skin sensitiser, sub-category 1B.
Method	OECD Test Guideline 429

Germ cell mutagenicity

Not classified based on available information.

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Genotoxicity in vitro : Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative	ion
--	-----

C14-16-18 Alkyl phenol:

Genotoxicity in vitro		Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--	--

Carcinogenicity

Not classified based on available information.

Components:

Distillates (Petroleum), Hydrotreated Heavy Paraffinic:

Carcinogenicity -	:	Classified based on DMSO extract content < 3% (Regulation
Carcinogenicity - Assessment		(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.



Version: 11.0

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Print Date: 30/06/2023

STOT - single exposure			
Not classified based on available information.			
STOT - repeated exposure			
Not classified based on available information			
Components:			
C14-16-18 Alkyl phenol:			
Target Organs : Liver			
	ance or mixture is classified as specific target organ		
toxicant, re	peated exposure, category 2.		
Aspiration toxicity			
Not classified based on available information			
Components:			
Distillates (Petroleum), Hydrotreated Heav	-		
May be fatal if swallowed and enters airways			
Further information			
Product:			
Remarks : No data av	ailable		
SECTION 12: Ecological information			
-			
12.1 Toxicity			
Product:			
Ecotoxicology Assessment			
Acute aquatic toxicity : Not classif	ed based on available information.		
Chronic aquatic toxicity : Not classif	ed based on available information.		
Components:			
Distillates (Petroleum), Hydrotreated Heav	y Paraffinic:		
	-		

Revision Date: 31.01.2023

Biotinatoo (Fotfototini), Hyar	•	
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h



according to Regulation (EC) No. 1907/2006 Valvoline[™] ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

sion: 11.0	Re	evision Date: 31.01.2023	Print Date: 30/06/2023
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 m Exposure time: 72 h	ng/l
Toxicity to fish (Chronic toxicity)	:	NOEC: 10 mg/l Species: Fish	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	÷	NOEC: 10 mg/l Species: Aquatic invertebrates	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ation.
Chronic aquatic toxicity	:	Not classified based on available information	ation.
Reaction products of Benze	nea	amine, N-phenyl- with nonene (branche	d):
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 m Exposure time: 96 h Test Type: static test Remarks: The toxicological data has bee products of similar composition.	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 Exposure time: 48 h Test Type: static test Test substance: WAF	00 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (End point: Growth inhibition Exposure time: 72 h Test Type: static test	algae)): 600 mg/l
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available information	ation.
Chronic aquatic toxicity	:	Chronic aquatic toxicity Category 4; May harmful effects to aquatic life.	cause long lasting
C14-16-18 Alkyl phenol:			
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 100 mg Exposure time: 96 h Test Type: static test Test substance: WAF	J/I



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

ersion: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subca End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF	ipitata (algae)): > 100 mg/l
Ecotoxicology Assessment		
A suite a superior to visit.	Net also a file a serie a serie and series and a series of the series of	the first second the second

0,		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

12.2 Persistence and degradability

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

-		
Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B

C14-16-18 Alkyl phenol:

••		
Biodegradability	:	Result: Readily biodegradable. Remarks: Expert judgement

12.3 Bioaccumulative potential

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched):

Partition coefficient: n-	:	log Pow: > 7.5
octanol/water		

C14-16-18 Alkyl phenol:

Partition coefficient: n- : log Pow: > 7.2 octanol/water

12.4 Mobility in soil

No data available



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
12.5 Results of PBT and vPv	/B assessment	
Product:		
Assessment	 This substance/mixture contains to be either persistent, bioaccume very persistent and very bioaccur 0.1% or higher. 	ulative and toxic (PBT), or
12.6 Other adverse effects		
Product:		
Endocrine disrupting potential	: The substance/mixture does not considered to have endocrine dis to REACH Article 57(f) or Commi (EU) 2017/2100 or Commission F levels of 0.1% or higher.	rupting properties according ission Delegated regulation
Additional ecological information	: No data available	

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
14.2 UN proper shipping nam	9	
ADR	: Not regulated as a dangerous	s good
RID	: Not regulated as a dangerous	s good
IMDG	: Not regulated as a dangerous	s good
IATA_P	: Not regulated as a dangerous	s good
14.3 Transport hazard class(e	s)	
ADR	: Not regulated as a dangerous	s good
RID	: Not regulated as a dangerous	s good
IMDG	: Not regulated as a dangerous	s good
IATA_P	: Not regulated as a dangerous	s good
14.4 Packing group		
ADR	: Not regulated as a dangerous	s good
RID	: Not regulated as a dangerous	s good
IMDG	: Not regulated as a dangerous	s good
IATA (Cargo)	: Not regulated as a dangerous	s good
IATA_P (Passenger)	: Not regulated as a dangerous	s good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023
The Persistent Organic Pollu Regulation (EU) 2019/1021 a Britain)	ants Regulations (retained : Not applicable s amended for Great	
Regulation (EC) No 1005/200 deplete the ozone layer	9 on substances that : Not applicable	1
UK REACH List of substance (Annex XIV)	s subject to authorisation : Not applicable	!
Control of Major Accident Ha 2015 (COMAH)	ards Regulations Not applicable	
•	duct are reported in the following inventori	es:
TCSI	: On the inventory, or in compliance with th	e inventory
TSCA	: All substances listed as active on the TSC	CA inventory
AIIC	: Not in compliance with the inventory	
DSL	: All components of this product are on the	Canadian DSL
ENCS	: On the inventory, or in compliance with th	e inventory
KECI	: On the inventory, or in compliance with th	e inventory
PICCS	: On the inventory, or in compliance with th	e inventory
IECSC	: On the inventory, or in compliance with th	e inventory
NZIoC	: Not in compliance with the inventory	

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

H304

: May be fatal if swallowed and enters airways.



STOT RE

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 31.01.2023	Print Date: 30/06/2023	
H317	: May cause an allergic skin reaction	on.	
H373	: May cause damage to organs thr exposure.	ough prolonged or repeated	
H413	: May cause long lasting harmful e	May cause long lasting harmful effects to aquatic life.	
Full text of other abbr	eviations		
Aquatic Chronic	: Long-term (chronic) aquatic haza	rd	
Asp. Tox.	: Aspiration hazard		
Skin Sens.	: Skin sensitisation		

: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very **Bioaccumulative**

Further information

Internal information : R0517872



according to Regulation (EC) No. 1907/2006 Valvoline™ ALL CLIMATE C3 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 31.01.2023

Print Date: 30/06/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN