

Valvoline[™] ALL CLIMATE 5W40 Synthetic Blend Motor Oil

/ersion: 11.0	Revision Date: 0	2.02.2021	Print Date: 22/09/2022	
Conforms to EU Regulation 1907/2006/EC as amended SDSGHS_GB SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1 Product identifier Trade name		™ ALL CLIMATE 5W40 Blend Motor Oil		
Product code	: 872281			
 1.2 Relevant identified use Recommended use 1.3 Details of the supplier of sheet 	: Engine, gear	& lubricating oil.	_	
Ellis Enterprises B.V., an affil Wieldrechtseweg 39 3316 BG Dordrecht	liate of Valvoline		elephone number at 112	
Netherlands +31 (0)78 654 3500 (in the N contact your local CSR conta		Product Information +31 (0)78 654 3500 (in contact your local CSR		
SDS@valvoline.com				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based	72623-87-1 276-738-4 01-2119474889-13-xxxx	Asp. Tox.1; H304	>= 60,00 - < 70,00
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01-2119484627-25-xxxx	Asp. Tox.1; H304	>= 10,00 - < 15,00
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8 265-158-7 01-2119487077-29-xxxx	Asp. Tox.1; H304	>= 5,00 - < 10,00
Zinc alkyldithiophosphate	68649-42-3 272-028-3 01-2119493635-27-xxxx	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	>= 1,00 - < 2,50
CALCIUM LONG- CHAIN ALKYLPHENATE SULFIDE	122384-87-6	Aquatic Chronic4; H413	>= 1,00 - < 2,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021	Print Date: 22/09/2022
If inhaled	 If breathed in, move person into fresh air If unconscious, place in recovery position advice. If symptoms persist, call a physician. 	
In case of skin contact	: Wash contaminated clothing before re-us If on skin, rinse well with water. Remove contaminated clothing. If irritatio medical attention.	
In case of eye contact	 If eye irritation persists, consult a special Protect unharmed eye. Remove contact lenses. Flush eyes with water as a precaution. 	ist.
If swallowed	: Do not give milk or alcoholic beverages. Never give anything by mouth to an unco If symptoms persist, call a physician.	onscious person.
4.2 Most important symptoms a	nd effects, both acute and delayed	
Symptoms	: No symptoms known or expected.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during : Do not allow run-off from fire fighting to enter drains or water



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Vers	sion: 11.0	Re	evision Date: 02.02.2021	Print Date: 22/09/2022
	firefighting		courses.	
	Hazardous combustion products	:	carbon dioxide and carbon monoxide	
5.3	Advice for firefighters			
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained b	reathing apparatus.
	Specific extinguishing methods	:	Product is compatible with standard fire-f	ighting agents.
	Further information	:	Standard procedure for chemical fires.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive equipment and emergency procedures
Personal precautions	: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Use personal protective equipment. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions	
Environmental precautions	: Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Dispose of rinse water in accordance with local and national regulations.
	For personal protection see section 8.
	Smoking, eating and drinking should be prohibited in the

4 / 17



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021	Print Date: 22/09/2022
	application area. Avoid contact with skin and eyes.	
Advice on protection against fire and explosion	: Normal measures for preventive fire pr	otection.
Hygiene measures	: When using do not smoke. When using Wash hands before breaks and at the	
7.2 Conditions for safe storage,	including any incompatibilities	
Requirements for storage areas and containers	: Keep container tightly closed in a dry a place.	nd well-ventilated
Other data	: No decomposition if stored and applied	l as directed.
7.3 Specific end use(s) Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	: Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	 Choose body protection according to the amount and concentration of the dangerous substance at the work place. Safety shoes Impervious clothing
	5/17



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021	Print Date: 22/09/2022
	Wear as appropriate:	
Respiratory protection	: No personal respiratory protective e required.	equipment normally

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	ca. 224 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0,857 g/cm3
Bulk density	:	No data available



Valvoline[™] ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021		Print Date: 22/09/2022
Solubility(ies) Water solubility	: insoluble		
Solubility in other solvents	: No data ava	ilable	
Partition coefficient: n- octanol/water	: No data ava	ilable	
Decomposition temperature	: No data ava	ilable	
Viscosity Viscosity, dynamic	: < 6.400 mPa	, , , , , , , , , , , , , , , , , , ,	
Viscosity, kinematic	: ca. 87 mm2	/s (40 °C)	
Oxidizing properties	: No data ava	ilable	
9.2 Other information Self-ignition	: No data ava	ilable	

SECTION 10: Stability and reactivity

10.1 Reactivity No decomposition if stored and applied as directed.			
10.2 Chemical stability			
Stable under recommended stor	age conditions.		
10.3 Possibility of hazardous react	ions		
Hazardous reactions	: Product will not undergo hazardous polymerization.		
10.4 Conditions to avoid Conditions to avoid	: excessive heat		
10.5 Incompatible materials Materials to avoid	: Strong oxidizing agents		
10.6 Hazardous decomposition pro Hazardous decomposition products	oducts : No hazardous decomposition products are known.		



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

SECTION 11: Toxicological information

11.1 Information on toxicological	offects
Information on likely routes of exposure	
Acute toxicity Not classified based on availab	le information.
Components:	C20-50, Hydrotreated Neutral Oil-Based:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Not classified as acutely toxic by inhalation under GHS. Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observed at this dose.
Components:	
HEAVY PARAFFINIC DISTILL Acute oral toxicity	ATE: : LD50 (Rat): > 15 g/kg
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg
<u>Components:</u> ZINC DIALKYL DITHIOPHOSF	PHATE:
Acute oral toxicity	: LD50 (Rat): > 2.000 - 5.000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS.
Skin corrosion/irritation Not classified based on availab	le information.

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

Species: Rabbit Result: No skin irritation

HEAVY PARAFFINIC DISTILLATE: Result: Slight, transient irritation

HYDROTREATED LIGHT PARAFFINIC DISTILLATE: Result: Slight, transient irritation

ZINC DIALKYL DITHIOPHOSPHATE: Result: Severe skin irritation

CALCIUM LONG-CHAIN ALKYLPHENATE SULFIDE: Result: Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Species: Rabbit Result: No eye irritation

HEAVY PARAFFINIC DISTILLATE:

Result: No eye irritation

HYDROTREATED LIGHT PARAFFINIC DISTILLATE: Result: Slight, transient irritation

ZINC DIALKYL DITHIOPHOSPHATE:

Result: Slight, transient irritation

Result: Risk of serious damage to eyes.

CALCIUM LONG-CHAIN ALKYLPHENATE SULFIDE:

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Test Type: Buehler Test

Species: Guinea pig Assessment: Does not cause skin sensitisation.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Carcinogenicity -Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Carcinogenicity -: Classified based on DMSO extract content < 3% (Regulation</th>Assessment(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based: May be fatal if swallowed and enters airways.

HEAVY PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

SECTION 12: Ecological information

12.1 Toxicity

Components:	20-50, Hydrotreated Neutral Oil-Based	
Toxicity to fish	 LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility 	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202	
Toxicity to algae	 NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 	
Toxicity to fish (Chronic toxicity)	: NOELR: >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout)	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211	
Distillates (petroleum), hydrotreated heavy paraffinic		
Toxicity to fish	: LL50 (Fish): > 100 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10.000 mg/l Exposure time: 48 h	



Valvoline[™] ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021	Print Date: 22/09/2022
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): Exposure time: 72 h	> 100 mg/l
Toxicity to fish (Chronic toxicity)	NOEC: 10 mg/l Species: Fish	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 10 mg/l Species: Aquatic invertebrates	
Zinc alkyldithiophosphate Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Toxic to aquatic life.	
Long-term (chronic) aquatic hazard	: Toxic to aquatic life with long las	ting effects.
CALCIUM LONG-CHAIN ALP Ecotoxicology Assessment	YLPHENATE SULFIDE	
Long-term (chronic) aquatic hazard	: May cause long lasting harmful e	effects to aquatic life.

12.2 Persistence and degradability

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based Biodegradability : Result: Not readily biodegradable.

	: Result: Not readily biodegradable.
	Biodegradation: 2 - 4 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Zinc alkyldithiophosphate		
Partition coefficient: n-	:	Remarks: No data available
octanol/water		

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021	Print Date: 22/09/2022
	to be either persistent, bioaccum very persistent and very bioaccur 0.1% or higher	
12.6 Other adverse effects		
Product:		
Additional ecological information	: No data available	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 Send to a licensed waste management company. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer.
Contaminated packaging	 Do not re-use empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of as unused product. Empty remaining contents.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable



Valvoline™ ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable	
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable	
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: ZINC DIALKYL DITHIOPHOSPHATE	
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	 Conditions of restriction for the following entries should be considered: DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (Number on list 28) 	
Severa III: Directive 2012/18/ELL of the European Parlis	ament and of the Council on the control of	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL



SAFETY DATA SHEET Valvoline™ ALL CLIMATE 5W40 Synthetic

Blend Motor Oil

Version: 11.0	Revision Date: 02.02.2021	Print Date: 22/09/2022
AICS	: On the inventory, or in compliance wit	h the inventory
ENCS	: On the inventory, or in compliance wit	h the inventory
KECI	: On the inventory, or in compliance wit	h the inventory
PICCS	: On the inventory, or in compliance wit	h the inventory
IECSC	: On the inventory, or in compliance wit	h the inventory
TCSI	: On the inventory, or in compliance wit	h the inventory
TSCA	: Not On TSCA Inventory	

Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Internal information: 00000264676

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.



Valvoline[™] ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0 Revision Da	ate: 02.02.2021 Print Date: 22/09/2022
but is no company of need t to their c Valvoline	ormation accumulated herein is believed to be accurate not warranted to be whether originating with the ny or not. Recipients are advised to confirm in advance d that the information is current, applicable, and suitable circumstances. This SDS has been prepared by ne's Environmental Health and Safety Department 0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value



Valvoline[™] ALL CLIMATE 5W40 Synthetic Blend Motor Oil

Version: 11.0

Revision Date: 02.02.2021

Print Date: 22/09/2022

- TWA : Time-weighted average
- vPvB : Very Persistent and Very Bioaccumulative
- WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances PEC : Predicted Effect Concentration **PEL : Permissible Exposure Limits PNEC : Predicted No Effect Concentration** R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class