

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Cartechnic 5W-30 MF

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name: Auto-Teile-Ring GmbH
 Street: Marie-Curie-Strasse 3
 Place: D-73770 Denkendorf
 Telephone: +49 0711 918979-99
 Responsible Department: info@cartechnic.de

1.4. Emergency telephone number:

Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements**GB CLP Regulation****Special labelling of certain mixtures**

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts, Alkyl- (C18-C28)

Toluenesulfonic acid,
 Calcium salts, borated. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to UK REACH: Alkyl- (C18-C28)

Toluenesulfonic acid,
 Calcium salts, borated.

This product contains no substances of very high concern (SVHC) (>0,1%) which are included in the Candidate List according to Article 59 of REACH.

For information or further instructions, see also section 11 or 12.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mineral oil + Additive

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification (GB CLP Regulation)	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	1 - < 3 %

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 2 of 12

	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based			1 - < 3 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based			1 - < 3 %
	276-738-4	649-483-00-5	01-2119474889-13	
	Asp. Tox. 1; H304			
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts			0.5 - < 1 %
	Skin Sens. 1B; H317			
	Alkyl- (C18-C28) Toluenesulfonic acid, Calcium salts, borated			0.5 - < 1 %
	953-650-0			
	Repr. 2, Skin Sens. 1B; H361d H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	1 - < 3 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
72623-86-0	276-737-9	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	1 - < 3 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
72623-87-1	276-738-4	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	1 - < 3 %
		inhalation: LC50 = >5,53 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
	953-650-0	Alkyl- (C18-C28) Toluenesulfonic acid, Calcium salts, borated	0.5 - < 1 %
		Repr. 2; H361d: >= 17,15 - 100	

Further Information

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 3 of 12

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO₂) Sulphur dioxide (SO₂) Nitrogen oxides (NO_x)

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 4 of 12

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)
Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.
Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working.
Do not put any product-impregnated cleaning rags into your trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before reuse.

Further information on handling

Do not breathe vapour/aerosol.
Avoid contact with eyes and skin.
General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances.
Infectious substances

Further information on storage conditions

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL, long-term	inhalation	local	5,58 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment	Value	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 5 of 12

Secondary poisoning	9,33 mg/kg
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based
Secondary poisoning	9,33 mg/kg

Additional advice on limit values

Air limit values:

Possibility of exposure to Aerosol (Mineral oil)

Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH

Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

STEL: short-term exposure limits

TLV: Threshold Limiting Value

TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Safety goggles with side protection. In case of increased risk add protective face shield. BS/EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 6 of 12

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	clear
Odour:	characteristic

Test method**Changes in the physical state**

Melting point/freezing point:	No information available.
Boiling point or initial boiling point and boiling range:	No information available.
Sublimation point:	No information available.
Softening point:	No information available.
Pour point:	-45 °C ISO 3016
Flash point:	240 °C COC

Flammability

Solid/liquid:	No information available.
Gas:	No information available.

Explosive properties

none

Lower explosion limits:	No information available.
Upper explosion limits:	No information available.
Auto-ignition temperature:	No information available.

Self-ignition temperature

Solid:	No information available.
Gas:	No information available.

Decomposition temperature: No information available.

pH-Value: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: 73,71 mm²/s DIN EN ISO 3104
(at 40 °C)

Flow time: No information available.

Water solubility: Immiscible

Solubility in other solvents

No information available.

Partition coefficient n-octanol/water: No information available.

Vapour pressure: No information available.
(at 20 °C)Vapour pressure: No information available.
(at 50 °C)Density (at 15 °C): 0,8537 g/cm³ DIN 51757

Bulk density: No information available.

Relative vapour density: No information available.

9.2. Other information**Information with regard to physical hazard classes**

Sustaining combustion: No data available

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 7 of 12

Oxidizing properties
none

Other safety characteristics

Solvent separation test:	No information available.
Solvent content:	No information available.
Solid content:	No information available.
Evaporation rate:	No information available.

Further Information**SECTION 10: Stability and reactivity****10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reactions known.
Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 mg/kg >5000	Rat	ECHA Dossier	OECD 401
	dermal	LD50 mg/kg >2000	Rabbit	ECHA Dossier	OECD 402
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based				
	oral	LD50 mg/kg > 5000	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 mg/kg > 5000	Rabbit	ECHA Dossier	OECD Guideline 402
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based				
	oral	LD50 mg/kg >5000	Rat	ECHA Dossier	OECD 401
	dermal	LD50 mg/kg >2000	Rabbit	ECHA Dossier	OECD 402

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 8 of 12

	inhalation (4 h) dust/mist	LC50 mg/l	>5,53	Rat	ECHA Dossier	OECD 403
--	-------------------------------	--------------	-------	-----	--------------	----------

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts, Alkyl- (C18-C28) Toluenesulfonic acid,
Calcium salts, borated. May produce an allergic reaction.
May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

In vitro mutagenicity/genotoxicity Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test); Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Results: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% w/w. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Results: NOAEL > 1000 mg/kg Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Results: NOAEL >= 2000 mg/kg Literature information: ECHA Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse.; Result: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% w/w. Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: ECHA Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:

In vitro mutagenicity/genotoxicity: Method: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test); Result: negative. Literature information: ECHA Dossier; Carcinogenicity: Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies); Species: Mouse; Result: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% w/w.; Literature information: ECHA Dossier; Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test); Result: NOAEL > 1000 mg/kg; Literature information: ECHA Dossier; Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study); Result: NOAEL >= 2000 mg/kg; Literature information: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m³; Literature information: ECHA Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg; Literature information: ECHA Dossier

Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

Subacute inhalative toxicity: Method: -; Exposure time: 28d. Species: Rat. Results: NOAEL >980 mg/m³. Literature information: ECHA Dossier

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 9 of 12

Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based:
 Subacute inhalative toxicity: Method: -; Exposure time: 28d; Species: Rat; Results: NOAEL >980 mg/m³;
 Literature information: ECHA Dossier; Subacute dermal toxicity: Method: OECD Guideline 410 (Repeated
 Dose Dermal Toxicity: 21/28-Day Study); Exposure time: 28d; Species: Rabbit; Results: 1000 mg/kg; Literature
 information: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	Crustacea toxicity	NOEC 10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier	
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based					
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
72623-86-0	Baseoil - unspecified, Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4 %	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 10 of 12

The mixture contains the following substances fulfilling the PBT criteria according to UK REACH: Alkyl- (C18-C28)

Toluenesulfonic acid,
Calcium salts, borated.

The mixture contains the following substances fulfilling the PBT-/vPvB criteria according to REACH Annex XIII: Alkyl- (C18-C28)

Toluenesulfonic acid,
Calcium salts, borated (PBT-substance, Reproductive toxicity)

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 11 of 12

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Informations for safe handling see chapter 7.

Informations for personal protective equipment see chapter 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to UK-REACH Regulation

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

UK REACH Appendix XVII, No (mixture): not relevant

Observe in addition any national regulations!

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Regulation (EC) No 649/2012 of the European Parliament and of the Council concerning the export and import of dangerous chemicals: not relevant

15.2 Chemical Safety Assessment
not applicable.**SECTION 16: Other information****Changes**

Rev.: 1,0 - 12.04.2015

Rev.: 1,01 - 28.04.2015

Rev.: 1,1 - 08.05.2015

Rev.: 2,0 - 30.05.2017

Rev.: 3,0 - 27.06.2018

Rev.: 4,0 - 25.06.2019

Rev.: 5,0 - 25.06.2020; Changes in chapter: 2.2, 3.2, 8.1, 11.1, 12.1, 12.2, 15.1, 16

Rev.: 6.0 - 15.06.2021; Changes in chapter: 3.2, 6.1, 6.3, 11.2, 12.6, 12.7, 15.1, 16

Rev.: 6,1 - 14.10.2021; Changes in chapter: 2.2, 3.2, 6.1, 6.3, 11.2, 12.6, 12.7, 15.1, 16

Rev.: 6.2 - 29.07.2022; Changes in chapter: 2.3, 3.2, 8.1, 8.2, 11.1, 12.1, 12.2, 12.3, 12.5, 12.6, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

Safety Data Sheet

according to UK REACH Regulation

Cartechnic 5W-30 MF

Revision date: 29.07.2022

Page 12 of 12

IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)
 LOAEL: Lowest observed adverse effect level
 LOAEC: Lowest observed adverse effect concentration
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 NOAEL: No observed adverse effect level
 NOAEC: No observed adverse effect concentration
 NTP: National Toxicology Program
 N/A: not applicable
 PNEC: predicted no effect concentration
 PBT: Persistent bioaccumulative toxic
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 SVHC: substance of very high concern
 TRGS Technische Regeln fuerGefahrstoffe
 TSCA: Toxic Substances Control Act
 VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts, Alkyl- (C18-C28)
	Toluenesulfonic acid,
	Calcium salts, borated. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

Classification according to GHS [UK CLP] - Classification procedure:
 Health hazards: Calculation method.
 Environmental hazards: Calculation method.
 Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)