

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 12/08/2015 Revision date: 17/12/2015 :

Version: 1.2

1.1.       Product identifier         Product form       :       Mixture         Product name       :       Green Line - FRESH SHINE STRAWBERRY         Vaporizer       :       Aerosol         1.2.       Relevant identified uses of the substance or mixture and uses advised against         1.2.       Relevant identified uses         Intended for general public         1.2.       Uses advised against         No additional information available         1.3.       Details of the supplier of the safety data sheet         Turtle Wax Europe Limited         4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road         Liverpool, L30 4AB - United Kingdom         1.4.       Emergency telephone number         Emergency number       : +44 151 530 4740         Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1.       Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H22:H229         Skin Irit. 2       H315         STOT SE 3       H336         Aquatic Chronic 3       H312	
Product name : Green Line - FRESH SHINE STRAWBERRY Vaporizer : Aerosol  1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Intended for general public  1.2.2. Uses advised against No additional information available  1.3. Details of the supplier of the safety data sheet 1.3. Details of the supplier of the safety data sheet 1.4. Start St	
Vaporizer : Aerosol  1.2. Relevant identified uses of the substance or mixture and uses advised against  1.2.1. Relevant identified uses Intended for general public  1.2.2. Uses advised against No additional information available  1.3. Details of the supplier of the safety data sheet Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, L30 4AB - United Kingdom T +44 151 530 4740 MSDS@turtlewaxeurope.com  1.4. Emergency telephone number Emergency number : +44 151 530 4740 Office hours only 08:30 - 17:00  SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol 1 H222;H229 Skin Irrit. 2 H315 STOT SE 3 H336	
1.2.       Relevant identified uses of the substance or mixture and uses advised against         1.2.       Relevant identified uses         Intended for general public	
1.2.1.       Relevant identified uses         Intended for general public         1.2.2.       Uses advised against         No additional information available         1.3.       Details of the supplier of the safety data sheet         Turtle Wax Europe Limited         4th Filor Alaska House, Atlantic Park, Dunnings Bridge Road         Liverpool, L30 4AB - United Kingdom         T +44 151 530 4740         MSDS@durtlewaxeurope.com         1.4.       Emergency telephone number         Emergency number       : +44 151 530 4740 Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1.       Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Intended for general public  1.2. Uses advised against No additional information available  1.3. Details of the supplier of the safety data sheet  Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, 130 4AB - United Kingdom T +44 151 530 4740 MSDS@turtlewaxeurope.com  1.4. Emergency telephone number Emergency number : +44 151 530 4740 Office hours only 08:30 - 17:00  SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol 1 H222;H229 Skin Irrit. 2 H315 STOT SE 3 H336	
1.2.2. Uses advised against         No additional information available         1.3. Details of the supplier of the safety data sheet         Turtle Wax Europe Limited         4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road         Liverpool, L30 4AB - United Kingdom         T +44 151 530 4740         MSDS@turtlewaxeurope.com         1.4. Emergency telephone number         Emergency number         : +44 151 530 4740         Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
No additional information available  1.3. Details of the supplier of the safety data sheet  Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, L30 4AB - United Kingdom T +44 151 530 4740 MSDS@turtlewaxeurope.com  1.4. Emergency telephone number Emergency number	
No additional information available  1.3. Details of the supplier of the safety data sheet  Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, L30 4AB - United Kingdom T +44 151 530 4740 MSDS@turtlewaxeurope.com  1.4. Emergency telephone number Emergency number	
1.3. Details of the supplier of the safety data sheet         Turtle Wax Europe Limited         4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road         Liverpool, L30 4AB - United Kingdom         T +44 151 530 4740         MSDS@turtlewaxeurope.com         1.4. Emergency telephone number         Emergency number         : +44 151 530 4740         Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Turtle Wax Europe Limited 4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road Liverpool, L30 4AB - United Kingdom T +44 151 530 4740 MSDS@turtlewaxeurope.com 1.4. Emergency telephone number Emergency number : +44 151 530 4740 Office hours only 08:30 - 17:00 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol 1 H222;H229 Skin Irrit. 2 H315 STOT SE 3 H336	
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road         Liverpool, L30 4AB - United Kingdom         T +44 151 530 4740         MSDS@turtlewaxeurope.com         1.4.       Emergency telephone number         Emergency number       : +44 151 530 4740         Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1.       Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Liverpool, L30 4AB - United Kingdom T +44 151 530 4740 MSDS@turtlewaxeurope.com 1.4. Emergency telephone number Emergency number : +44 151 530 4740 Office hours only 08:30 - 17:00 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol 1 H222;H229 Skin Irrit. 2 H315 STOT SE 3 H336	
MSDS@turtlewaxeurope.com         1.4.       Emergency telephone number         Emergency number       : +44 151 530 4740 Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         SECTION 2: Hazards identification         Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
1.4. Emergency telephone number         Emergency number       : +44 151 530 4740 Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Emergency number       : +44 151 530 4740 Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1.       Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Office hours only 08:30 - 17:00         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Aerosol 1       H222;H229         Skin Irrit. 2       H315         STOT SE 3       H336	
Aerosol 1         H222;H229           Skin Irrit. 2         H315           STOT SE 3         H336	
Aerosol 1         H222;H229           Skin Irrit. 2         H315           STOT SE 3         H336	
Skin Irrit. 2H315STOT SE 3H336	
STOT SE 3 H336	
Aquatic Chronic 3 H412	
Full text of hazard classes and H-statements : see section 16	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP) :	
GHS02 GHS07	
Signal word (CLP) : Danger	
Hazardous ingredients : Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; propan-2-ol	
Hazard statements (CLP) : H222 - Extremely flammable aerosol	
H229 - Pressurised container: May burst if heated H315 - Causes skin irritation	
H336 - May cause drowsiness or dizziness	
H412 - Harmful to aquatic life with long lasting effects	
Precautionary statements (CLP) : P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition so	Iroop Ne
smoking	lices. No
P211 - Do not spray on an open flame or other ignition source	
P251 - Do not pierce or burn, even after use P271 - Use only outdoors or in a well-ventilated area	
P302+P352 - IF ON SKIN: Wash with plenty of water	
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for brea	
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ P501 - Dispose of contents/container to hazardous or special waste collection point, i	
accordance with local, regional, national and/or international regulation	122 <sup>°</sup> F
	122 <sup>°</sup> F
17/12/2015 EN (English)	122 <sup>°</sup> F

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Harmful to aquatic life with long lasting effects.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4 rich, petroleum distillate,petroleum gas	(CAS No) 68512-91-4 (EC no) 270-990-9 (EC index no) 649-083-00-0	50 - 70	Press. Gas Flam. Gas 1, H220
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	(CAS No) 64742-49-0 (EC no) 927-510-4 (REACH-no) 01-2119475515-33	20 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
BENZYL BENZOATE	(CAS No) 120-51-4 (EC no) 204-402-9 (EC index no) 607-085-00-9	< 0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
ETHYL-METHYLPHENYLGLYCIDATE	(CAS No) 77-83-8 (EC no) 201-061-8	< 0.1	Aquatic Chronic 3, H412
2-ETHYL-3-HYDROXY-4-PYRONE	(CAS No) 4940-11-8 (EC no) 225-582-5	< 0.1	Acute Tox. 4 (Oral), H302
ETHYL ACETATE	(CAS No) 141-78-6 (EC no) 205-500-4 (EC index no) 607-022-00-5 (REACH-no) 01-2119475103-46	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
HEXYL ACETATE	(CAS No) 142-92-7 (EC no) 205-572-7 (REACH-no) 01-2119976337-25	< 0.1	Flam. Liq. 3, H226 Aquatic Chronic 2, H411
GAMMA-UNDECALACTONE	(CAS No) 104-67-6 (EC no) 203-225-4	< 0.1	Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measure	S	
4.1. Description of first aid meas	ures	
First-aid measures general	: If medical advice is needed, have product container or label at hand.	
First-aid measures after inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.</li> </ul>	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Call a POISON CENTER or doctor/physician.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Symptoms/injuries	: May cause drowsiness or dizziness.	
Symptoms/injuries after skin contact	: Irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Treat symptomatically.		
<b>SECTION 5: Firefighting meas</b>	ures	
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Extremely flammable aerosol.	
Explosion hazard	: Pressurised container: May burst if heated.	

Safety Data Sheet

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire	: Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
Firefighting instructions	: Eliminate all ignition sources if safe to do so.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	
	uipment and emergency procedures
General measures	: Avoid release to the environment. Eliminate all ignition sources if safe to do so.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Do not breathe vapours. Avoid contact with skin and eyes.
040 Ferrara and an	
6.1.2. For emergency responders	. De net ettempt te telse estien without suiteble meterice environment. For further information
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Use only non-sparking tools. Absorb spillage to prevent material damage.
Other information	: This material and its container must be disposed of as hazardous waste.
6.4. Reference to other sections	
For further information refer to section 13. For fu	rther information refer to section 8: "Exposure controls/personal protection".
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Flammable gas. Pressurized container: Do not pierce or burn, even after use. In use, may form flammable vapour-air mixture.
Precautions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do no pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing gas. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures	: Take precautionary measures against static discharge.
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.
Storage temperature	: 10 - 30 °C
Storage area	: Store in a well-ventilated place.
Special rules on packaging	: Keep only in original container.
7.3 Specific and use(s)	

7.3. Specific end use(s)

Automotive Care Products.

### SECTION 8: Exposure controls/personal protection

3.1. Control parameters		
propan-2-ol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
ETHYL ACETATE (141-78-6)		
United Kingdom	Local name	Ethyl acetate
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (ppm)	400 ppm

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Eliminate ignition sources.
Hand protection	: In case of repeated or prolonged contact wear gloves. Butyl rubber
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of inadequate ventilation wear respiratory protection
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Gas	
Colour	: Colourless.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol	
Vapour pressure	: 3.2 - 5.2	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.6 - 0.7	
Solubility	: immiscible.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: Pressurised container: May burst if heated.	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: 93.6 %	
<b>SECTION 10: Stability and reactivity</b>		
10.1. Reactivity		
Extremely flammable aerosol. Pressurised conta	iner: May burst if heated.	
10.2. Chemical stability		

Stable under normal conditions.

 10.3.
 Possibility of hazardous reactions

 No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
Hydrocarbons, C7, n-alkanes, isoalkanes, cy	clics (64742-49-0)	
LD50 oral	> 5840 mg/kg bodyweight	
LD50 dermal	> 2920 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 23300 mg/m <sup>3</sup>	
BENZYL BENZOATE (120-51-4)		
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal	4000 mg/kg bodyweight	
propan-2-ol (67-63-0)		
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal	12800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l/4h	
ETHYL ACETATE (141-78-6)		
LD50 oral	5620 mg/kg bodyweight	
LD50 dermal	> 18000 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	57700 mg/l/4h	
2-ETHYL-3-HYDROXY-4-PYRONE (4940-11-8		
LD50 oral	1200 mg/kg bodyweight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
Green Line - FRESH SHINE STRAWBERRY		
Vaporizer	Aerosol	

### **SECTION 12: Ecological information**

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)		
LC50 fish 1	> 3 mg/l	
EC50 other aquatic organisms 1	4.6 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	10 mg/l IC50 algea (72 h) mg/l	
propan-2-ol (67-63-0)		
LC50 fish 1	9640 mg/l	
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
ETHYL ACETATE (141-78-6)		
LC50 fish 1	230 mg/l	
EC50 other aquatic organisms 1	717 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	3300 mg/l IC50 algea (72 h) mg/l	

#### 12.2. Persistence and degradability

No additional information available

### 12.3. **Bioaccumulative potential** No additional information available 12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>12.5. Results of PBT and vPvB assessme</b> No additional information available	nt
12.6. Other adverse effects	
Other adverse effects	: None known.
Additional information	: Avoid release to the environment
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste disposal recommendations	: Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
<b>SECTION 14: Transport information</b>	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
UN-No. (RID)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS
Proper Shipping Name (RID)	
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D) : UN 1950 AEROSOLS, 2.1
Transport document description (IMDG)	. UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 2.1
Hazard labels (IATA)	: 2.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADN	
Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1
	:
RID	
Transport hazard class(es) (RID)	: 2.1
Danger labels (RID)	: 2.1
	:
	2

14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

#### 14.6. Special precautions for user

14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### - Air transport

- All transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Carriage prohibited (ADN)	: No
Not subject to ADN	: No
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

```
Not applicable
```

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Contains no REACH Annex XIV Substance.

```
VOC content
```

: 93.6 %

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Full text of H- and EUH-statements:

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Press. Gas	Gases under pressure
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product