

according to Regulation (EC) No 1907/2006

## ATF G052

Revision date: 24.06.2019

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ATF G052

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name:	Vierol AG	
Street:	Karlstrasse 19	
Place:	D-26123 Oldenburg	
Telephone:	+49 (0) 441 - 210 20 - 0	Telefax: +49 (0) 441 – 210 20 –111
e-mail:	info@vierol.de	
Internet:	www.vierol.de	
Responsible Department:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240	

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

H412

#### Regulation (EC) No. 1272/2008

#### Hazard statements

Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P273 Avoid release to the environment. P501 Dispose of contents/container to Dispo

Dispose of contents/container to Dispose of waste according to applicable legislation...

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

**ATF G052** 

Revision date: 24.06.2019

Product code: MIT0214

Page 2 of 8

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according	g to Regulation (EC) No. 1272/2008 [	CLP]			
64742-55-8	Baseoil - unspecified, [	Distillates (petroleum), hydrotreated lig	ght paraffinic	10-24,9 %		
	265-158-7	649-468-00-3	01-2119487077-29			
	Asp. Tox. 1; H304	•	•			
64742-54-7	Baseoil - unspecified, [	10-24,9 %				
	265-157-1	649-467-00-8	01-2119484627-25			
	Asp. Tox. 1; H304					
398141-87-2	Thiophene, tetrahydro-	0,1-0,99 %				
	800-172-4		01-2119969520-35			
	Aquatic Chronic 2; H41					
	Reaction product of alk	0,1-0,99 %				
	424-820-7		01-0000017126-75			
	Acute Tox. 4, Skin Corr H400 H410	. 1B, Aquatic Acute 1 (M-Factor = 10	), Aquatic Chronic 1; H312 H314			

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Foam. Dry extinguishing powder. Use water spray jet to protect personnel and to cool endangered containers.

#### Unsuitable extinguishing media

High power water jet.





according to Regulation (EC) No 1907/2006

#### **ATF G052**

Revision date: 24.06.2019

Product code: MIT0214

Page 3 of 8

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Pyrolysis products, toxic Hydrocarbons Carbon dioxide (CO2). Carbon monoxide Hydrogen sulphide (H2S) Nitrogen oxides (NOx) Phosphorus oxides The formation of combustible vapours is possible at temperatures above: Flash point

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container at temperature not exceeding 50 °C.

#### Advice on storage compatibility

No special measures are necessary.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-55-8 Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic				
Worker DNEL, long-term		inhalation	local	5,4 mg/m³
Consumer DNEL, long-term		inhalation	local	1,2 mg/m³
64742-54-7 Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic				
Worker DNEL, long-term		inhalation	local	5,4 mg/m³
Consumer DNEL, long-term		inhalation	local	1,2 mg/m³





according to Regulation (EC) No 1907/2006

#### **ATF G052**

Revision date: 24.06.2019

Product code: MIT0214

Page 4 of 8

#### **PNEC** values

CAS No	Substance			
Environmental compartment Value		Value		
64742-54-7 Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic				
Secondary poisoning 9,33 mg/kg		9,33 mg/kg		

#### 8.2. Exposure controls



#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid yellow		
Odour:	characteristic		
			Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		320 °C	
Flash point:		> 200 °C	ASTM D 92
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Auto-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	

according to Regulation (EC) No 1907/2006



	ATF G052	
Revision date: 24.06.2019	Product code: MIT0214	Page 5 of 8
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Density (at 15 °C):	0,849 g/cm³	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / kinematic: (at 40 °C)	32 mm²/s	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Oxidising agent, strong

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### ATEmix calculated

ATE (inhalative vapour) 10,08 mg/l



according to Regulation (EC) No 1907/2006

**ATF G052** 

Revision date: 24.06.2019

Product code: MIT0214

Page 6 of 8

#### Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-55-8	Baseoil - unspecified, Dis	tillates (petro	oleum), hydro	otreated light paraffinic		
	oral	LD50 mg/kg	>5000	Rat	OECD 420	
	dermal	LD50 mg/kg	>5000	Rabbit	OECD 402	
	inhalative (4 h) vapour	LC50	>5 mg/l	Rat	OECD 403	
64742-54-7	Baseoil - unspecified, Dis	tillates (petro	oleum), hydro	otreated heavy paraffinic		
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	OECD 401
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	OECD 402
	Reaction product of alkylthioalcohol and substituted phosphorus compound					
	dermal	ATE mg/kg	1100			

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
	Reaction product of alkylt	Reaction product of alkylthioalcohol and substituted phosphorus compound					
	Acute fish toxicity	LC50	1,5 mg/l		Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	0,31	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	0,09		Daphnia magna (Big water flea)	OECD 202	
	Crustacea toxicity	NOEC mg/l	0,14	21 d	Daphnia magna (Big water flea)		

#### 12.2. Persistence and degradability

The product has not been tested. Not readily biodegradable (according to OECD criteria)

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic					
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D 31% 28 ECHA Dossier			ECHA Dossier		
	Not readily biodegradable (according to OECD criteria)					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 2-4% 28 ECHA Dossier					
	Not readily biodegradable (according to OECD criteria)					

#### 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment



according to Regulation (EC) No 1907/2006

#### **ATF G052**

Revision date: 24.06.2019

Product code: MIT0214

Page 7 of 8

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number:

- 14.2. UN proper shipping name:
- 14.3. Transport hazard class(es):

#### 14.4. Packing group:

Inland waterways transport (ADN)

#### 14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

#### 14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

#### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number:

14.2. UN proper shipping name:

- 14.3. Transport hazard class(es):
- 14.4. Packing group:

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

# 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

#### No dangerous good in sense of this transport regulation.

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

no



according to Regulation (EC) No 1907/2006

	according to Regulation (EC	C) No 1907/2006 engine & transmission parts by Vi
	ATF G052	
Revision date: 24.06.201	Product code: MIT	T0214 Page 8 of
National regulatory in	formation	
Employment restriction	s: Observe restrictions to emp work protection guideline' (	nployment for juvenils according to the 'juvenile (94/33/EC).
Water contaminating of		, ,
15.2. Chemical safety as	essment	
Chemical safety as	sessments for substances in this mixture were no	not carried out.
SECTION 16: Other in	ormation	
Abbreviations and ac	ronyms	
IATA: International GHS: Globally Hai EINECS: Europea ELINCS: Europea CAS: Chemical Ab LC50: Lethal conc LD50: Lethal dose	ntration, 50% 50%	
Relevant H and EUH H304	tatements (number and full text) May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effe	
H411 H412	Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effect	
Further Information		лэ.
The above informa present-day knowl named in this safe transferred to othe	tion describes exclusively the safety requirement edge. The information is intended to give you adv y data sheet, for storage, processing, transport a products. In the case of mixing the product with prmation on this safety data sheet is not necessa	lvice about the safe handling of the product and disposal. The information cannot be n other products or in the case of

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)