Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 16.05.2023 *Version: 5.01 (replaces version 5.00)* *Revision: 05.05.2023*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX GlassCleaner

Article number:
03355000, 03356000, 03359000
UFI: *K3G3-D0S5-7009-N67G*
1.2 Relevant identified uses of the substance or mixture and uses advised against
Application of the substance / the mixture
Car care product
Detergents
Consumer uses: Private households / general public / consumers
Professional uses

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier:
SONAX GmbH
Münchener Straße 75
D-86633 Neuburg (Donau)
Tel.: ++49 (0)8431/53-0

Further information obtainable from:
Product safety
E-mail: erp@sonax.de
Phone: + +49 (0) 8431 53 217
United Kingdom:
Anglo American Oil Company Ltd
58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT
Telephone: (+44) 01929 551557
Email: info@aaoil.co.uk

1.4 Emergency telephone number:
European Union: ***+49 (0) 89 19240*** *(Poison Centre Munich)*
United Kingdom: ***0344 892 0111*** *(UK NPIS)*
Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111
In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Skin Sens. 1A H317 May cause an allergic skin reaction.
Additional information:
Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2):
no self-sustained combustion

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the GB CLP regulation.
Hazard pictograms

GHS07

Signal word *Warning*

Hazard-determining components of labelling:
2-methylisothiazol-3(2H)-one
Hazard statements
H317 May cause an allergic skin reaction.
Precautionary statements
P101 *If medical advice is needed, have product container or label at hand.*
P102 *Keep out of reach of children.*
P261 *Avoid breathing spray.*

(Contd. on page 2)

(Contd. of page 1)

P280 Wear protective gloves.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards
Results of PBT and vPvB assessment
PBT:
According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT
vPvB:
According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.
Determination of endocrine-disrupting properties
The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures
Description: aqueous tenside solution with additives

Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	10-<15%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol Flam. Liq. 3, H226; STOT SE 3, H336	3-<5%
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	<5%
methylisothiazolinone, benzisothiazolinone, sodium pyrithione	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information: Remove soiled clothing
After inhalation: No special measures required
After skin contact:
Wash the areas of skin affected with water and a mild detergent.
If skin irritation continues, consult a doctor.
After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed
sensitization
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed
Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

(Contd. on page 3)

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents:
Carbon dioxide
Fire-extinguishing powder
Water spray
Alcohol resistant foam
For safety reasons unsuitable extinguishing agents: Water with full jet
5.2 Special hazards arising from the substance or mixture Poisonous gases/vapours
5.3 Advice for firefighters
Protective equipment:
The normal measures for firefighting are to be taken.
Do not enter the hazardous area without a self-contained breathing apparatus.
See Section 8 for information on personal protection equipment.
Additional information
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
For non-emergency personnel
The usual precautionary measures are to be adhered to when handling chemicals.
For emergency responders Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions:
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.
Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
Information about storage in one common storage facility:
Store away from foodstuffs.
Observe local/state/federal regulations.
Further information about storage conditions:
Protect from frost.
Recommended storage temperature: 20 °C.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
CAS: 107-98-2 1-Methoxy-2-propanol	
WEL (Great Britain)	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin

(Contd. on page 4)

(Contd. of page 3)

OEL (Ireland)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm IOELV

Regulatory information
WEL (Great Britain): EH40/2020
IOELV (EU): (EU) 2019/1831
OEL (Ireland): 2020 CoP for the Safety, Health and Welfare at Work

DNELs		
CAS: 64-17-5 ethanol		
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)
		950 mg/m³ (worker) (long-term exposure - systemic effects)
CAS: 107-98-2 1-Methoxy-2-propanol		
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)
		50.6 mg/kg (worker) (long-term / systemic effects)
Inhalative	DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)
		553.5 mg/m³ (worker) (short-term / local effects)
	DNEL	369 mg/m³ (worker) (long-term / systemic effects)

PNECs	
CAS: 64-17-5 ethanol	
PNEC	580 mg/l (sewage plant)
	0.96 mg/l (water (fresh water))
	0.79 mg/l (water (sea water))
PNEC	3.6 mg/kg (sediment (fresh water))
	0.63 mg/kg (soil)
CAS: 107-98-2 1-Methoxy-2-propanol	
PNEC	100 mg/l (STP)
	100 mg/l (water (intermittent release))
	10 mg/l (water (fresh water))
	1 mg/l (water (sea water))
PNEC	2.47 mg/kg (gro)
	41.6 mg/kg (sediment (fresh water))
	4.17 mg/kg (sediment (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls
Suitable technical control devices
Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.
Individual protection measures, such as personal protective equipment
General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Respiratory protection:
Not required in normal cases
Ensure good ventilation/exhaustion at the workplace.
Hand protection Protective gloves
Material of gloves
Nitrile rubber, NBR

(Contd. on page 5)

(Contd. of page 4)

Recommended thickness of the material: ≥ 0.4 mm
[EN 374]
Penetration time of glove material *Value for the permeation: Level (≥480min)*
Eye/face protection *Not required in normal cases*

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
General Information	
Physical state	Fluid
Colour:	Blue
Odour:	Alcohol-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	78 - 120 °C
Flammability	Combustible liquid.
Lower and upper explosion limit	
Lower:	3.5 Vol.% (Main ingredient data)
Upper:	15 Vol.% (Main ingredient data)
Flash point:	44 °C (DIN 51755)
Decomposition temperature:	Not determined.
pH at 20 °C	7.5 - 8.5
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.98 - 0.99 g/cm³
Vapour density	Not determined.
9.2 Other information	Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void

(Contd. on page 6)

(Contd. of page 5)

Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.
10.2 Chemical stability Stable under normal conditions.
10.3 Possibility of hazardous reactions No dangerous reactions known.
10.4 Conditions to avoid See Section 7 for information on safe handling.
10.5 Incompatible materials: No further relevant information available.
10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
CAS: 64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)
CAS: 107-98-2 1-Methoxy-2-propanol		
Oral	LD50	4,016 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC0 / 6h	>7,000 ppm (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity		
CAS: 64-17-5 ethanol		
Oral	NOAEL	1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)

11.2 Information on other hazards
Endocrine disrupting properties
According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:	
CAS: 64-17-5 ethanol	
LC50 / 48h	8,140 mg/l (Leuciscus idus)

(Contd. on page 7)

(Contd. of page 6)

EC50 / 48h	>10,000 mg/l (Daphnia magna)
EC50 / 72h	275 mg/l (Chlorella vulgaris)
CAS: 107-98-2 1-Methoxy-2-propanol	
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)
LC50 / 48h	23,300 mg/l (Daphnia magna)
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
CAS: 2682-20-4 2-methylisothiazol-3(2H)-one	
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))

12.2 Persistence and degradability
The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

CAS: 107-98-2 1-Methoxy-2-propanol	
Biodegradation	90-100 % (OEECD 301E)

12.3 Bioaccumulative potential

CAS: 107-98-2 1-Methoxy-2-propanol	
log Kow	≤0.43 (25°C)
CAS: 2682-20-4 2-methylisothiazol-3(2H)-one	
BCF	3.16
log Kow	≤0.32

12.4 Mobility in soil No further relevant information available.
12.5 Results of PBT and vPvB assessment
PBT:
According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT
vPvB:
According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB
12.6 Endocrine disrupting properties
According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.
12.7 Other adverse effects
Additional ecological information:
General notes:
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
The product does not contain organically bounded halogens (AOX-free).
The product does not contain organic complexing agents.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.
Recommendation Waste must be disposed of while observing the local, official regulations.
European waste catalogue
1) Disposal / product
2) Disposal / contaminated packaging

20 01 30	detergents other than those mentioned in 20 01 29
15 01 02	plastic packaging

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

(Contd. of page 7)

SECTION 14: Transport information

14.1 UN number or ID number **ADR/RID/ADN, IMDG, IATA**	Void
14.2 UN proper shipping name **ADR/RID/ADN, IMDG, IATA**	Void
14.3 Transport hazard class(es) **ADR/RID/ADN, ADN, IMDG, IATA** **Class**	Void
14.4 Packing group **ADR/RID/ADN, IMDG, IATA**	Void
14.5 Environmental hazards: **Marine pollutant:**	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion
UN "Model Regulation":	Void

*

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
European Directives:
Directive 2010/75/EU (VOC) 12.50 %
Catégorie SEVESO (DIRECTIVE 2012/18/EU) Void
REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.

National regulations:

Information about limitation of use:
Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H336 May cause drowsiness or dizziness.

(Contd. on page 9)

(Contd. of page 8)

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008	
Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 22.07.2021
Version number of previous version: 5.00
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
NOEL = No Observed Effect Level
NOEC = No Observed Effect Concentration
LC = letal Concentration
EC50 = half maximal effective concentration
log POW = Octanol / water partition coefficient
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
ATE: acute toxicity estimate
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
IOELV = indicative occupational exposure limit values
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
*** Data compared to the previous version altered.**