Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
Product name	Castrol GTX 5W-30 C2			
Product code	469744-BE02			
SDS #	469744			
Product type Liquid.				
1.2 Relevant identified uses	s of the substance or mixture and uses advised against			
Use of the substance/ mixture	Engine Oils. For specific application advice see appropriate Technical Data Sheet or consult our company representative.			
1.3 Details of the supplier of	of the safety data sheet			
Supplier	Lubricants UK Limited, Chertsey Road, Sunbury On Thames, Middlesex, TW16 7BP			
	+44 (0)345 600 8125			
E-mail address	MSDSadvice@bp.com			

 1.4 Emergency telephone number

 EMERGENCY
 Carechem: +44 (0) 1235 239 670 (24/7)

 TELEPHONE NUMBER

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture

 Product definition
 Mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Not classified.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements

Signal word	No signal word.		
Hazard statements	No known significant effects or critical hazar	ds.	
Precautionary statements			
Prevention	Not applicable.		
Response	Not applicable.		
Storage	Not applicable.		
Disposal	Not applicable.		
Hazardous ingredients	Not applicable.		
Supplemental label elements	Safety data sheet available on request.		
EU Regulation (EC) No. 1907/2	<u>006 (REACH)</u>		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.		
Special packaging requiremen	<u>ts</u>		
Product name Castrol GTX 5W-3	0 C2	Product code	469744-BE02
Version 7.01 Date of issue 11	September 2023 Format	United Kingdom	Lang

(UK)

(United Kingdom)

E02 Page: 1/11
Language ENGLISH

Date of previous issue 7 June 2023.

SECTION 2: Hazards identification

Containers to be fitted with child-resistant fastenings	Not applicable.			
Tactile warning of danger Not applicable.				
2.3 Other hazards				
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.			
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.			
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.			

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product definition Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥75 - ≤90	Asp. Tox. 1, H304	-	[1]
Distillates (petroleum), solvent- dewaxed heavy paraffinic	REACH #: 01-2119471299-27 EC: 265-169-7 CAS: 64742-65-0 Index: 649-474-00-6	≤3	Asp. Tox. 1, H304	-	[1]
Distillates (petroleum), hydrotreated light paraffinic	REACH #: 01-2119487077-29 EC: 265-158-7 CAS: 64742-55-8 Index: 649-468-00-3	≤3	Asp. Tox. 1, H304	-	[1]
Distillates (petroleum), solvent- dewaxed light paraffinic		≤3	Asp. Tox. 1, H304	-	[1]

See Section 16 for the full text of the H statements declared above.

Type

[1] Substance classified with a health or environmental hazard Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first	aid measures				
Eye contact	should be held away from	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.			
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly bef reuse. Get medical attention if irritation develops.				
Inhalation	symptoms may be delayed	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if symptoms occur.			
Ingestion	Do not induce vomiting un symptoms occur.	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.			
Product name Castrol	GTX 5W-30 C2		Product code 46	9744-BE02	Page: 2/11
Version 7.01 Date o	f issue 11 September 2023	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous iss	ue 7 June 2023.		(United Kingdom)	

measures
No action shall be taken involving any personal risk or without suitable training.
s and effects, both acute and delayed
iled information on health effects and symptoms.
<u>s</u>
Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
No known significant effects or critical hazards.
Defatting to the skin. May cause skin dryness and irritation.
No known significant effects or critical hazards.
ts as well as chronic effects from short and long-term exposure
Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion of large quantities may cause nausea and diarrhoea.
Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Potential risk of transient stinging or redness if accidental eye contact occurs.
te medical attention and special treatment needed
Treatment should in general be symptomatic and directed to relieving any effects.
In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
ting measures
In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.
rom the substance or mixture
In a fire or if heated, a pressure increase will occur and the container may burst.
Combustion products may include the following:
carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO₂ etc.)
No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN
isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire- fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Product name Castrol GTX 5W-30 C2	Product code 469744-BE02 Page: 3	3/11
Version 7.01 Date of issue 11 September 2023 For	at United Language ENGLI Kingdom (UK)	SH
Date of previous issue 7 June 2023.	(United Kingdom)	

SECTION 6: Accidental release measures

Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handlin	ng			
Protective measures	Put on appropriate personal protective equipment.			
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.			
Not suitable	Prolonged exposure to elevated temperature			
7.3 Specific end use(s)				
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.			
SECTION 8: Exposure	controls/personal protection			
8.1 Control parameters				
Occupational exposure limits	No exposure limit value known.			

			-		
Product/ingredi	ent name		Exposure li	mit values	
	in components may be shown in this s refore, the specific OELs may not be a				
Recommended monitoring procedures	Reference should be made to moni EN 689 (Workplace atmospheres - chemical agents for comparison with Standard EN 14042 (Workplace ath for the assessment of exposure to (Workplace atmospheres - General measurement of chemical agents) the determination of hazardous sub	Guidance h limit va nosphere chemical requirem Referenc	e for the assess lues and measu ss - Guide for th and biological a nents for the per se to national gu	ement of exposure b arement strategy) E e application and u agents) European S rformance of process idance documents	y inhalation to uropean se of procedures standard EN 482 dures for the
Derived No Effect Level No DNELs/DMELs available.					
Predicted No Effect Concent	ration				
No PNECs available					
8.2 Exposure controls					
Appropriate engineering controls	Provide exhaust ventilation or other concentrations below their respecti All activities involving chemicals sh exposures are adequately controlle after other forms of control measure Personal protective equipment sho kept in good condition and properly Your supplier of personal protective appropriate standards. For further	ve occupa ould be a d. Persor es (e.g. e uld confor maintain e equipme	ational exposure ssessed for the nal protective ec ngineering cont rm to appropriat ed. ent should be co	e limits. ir risks to health, to quipment should on rols) have been sui te standards, be su onsulted for advice	ensure ly be considered tably evaluated. itable for use, be on selection and
Product name Castrol GTX 5W	-30 C2		Product code	469744-BE02	Page: 4/11
	11 September 2023	Format	Kingdom (UK)	Language	ENGLISH
Date of previous issue	7 June 2023		(United Kingdo	om)	

SECTION 8: Exposure controls/personal protection

The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.

	ensure that all items of personal protective equipment are compatible.
Individual protection meas	ures
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Eye/face protection	Safety glasses with side shields.
Skin protection	
Hand protection	General Information:
	Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).
	Gloves should be chosen in consultation with the supplier / manufacturer and taking account of a full assessment of the working conditions.
	Recommended: Nitrile gloves. Breakthrough time:
	Breakthrough time data are generated by glove manufacturers under laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:
	Continuous contact:
	Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.
	Short-term / splash protection:
	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.
	Glove Thickness:
	For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
Product name Castrol GTX 5	W-30 C2 Product code 469744-BE02 Page: 5/11
Version 7.01 Data of incur	a 11 Contember 2022

Product name Castrol GTX 5	W-30 C2		Product code 469744-	BE02	Page: 5/11
Version 7.01 Date of issue	e 11 September 2023	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous issue	7 June 2023.		(United Kingdom)		

SECTION 8: Exposure controls/personal protection

	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical	and chemical propertie	S				
Physical state	Liquid.					
Colour	Amber. [Light]					
Odour	Not available.					
Odour threshold	Not available.					
Melting point/freezing point	Not available.					
Initial boiling point and boiling range	Not available.					
Flammability	Not available.					
Lower and upper explosion limit	Not available.					
Flash point	Closed cup: 200°C (39	Closed cup: 200°C (392°F) [Pensky-Martens ASTM D 93]				
Auto-ignition temperature	Ingredient name	°C	°F	Method		
	bis(nonylphenyl)amine	440	824	EU A.15		
Decomposition temperature	Not available.					
рН	Not applicable.					
Kinematic viscosity	Kinematic: 50.85 mm²/s (50.85 cSt) at 40°C Kinematic: 9.3 to 10.5 mm²/s (9.3 to 10.5 cSt) at 100°C					
Solubility						
	Media	Result				
	water	Not soluble				
Partition coefficient n-octanol/ water (log value)	Not applicable.					

Vapour pressure

Product name Castrol GTX 5W-30 C2	Product code 469744-BE02	Page: 6/11
Version 7.01 Date of issue 11 September 2023	Format United Langu Kingdom (UK)	ige ENGLISH
Date of previous issue7 June 2023.	(United Kingdom)	

SECTION 9: Physical and chemical properties

		Vapou	r Press	ure at 20°C	Vapour pressure at 50°C		
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated light paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed light paraffinic	<0.08	<0.011	ASTM D 5191			
Density and/or Relative density	<1000 kg/m³ (<1 g/	cm³) at 15	5°C				
Relative vapour density	Not available.						
Particle characteristics							
Median particle size	Not applicable.						
9.2 Other information							
Evaporation rate	Not available.						
Explosive properties	Not available.						
Oxidising properties	Not available.						
Pour point	-39 °C						
SECTION 10: Stability a	and reactivity						
0.1 Reactivity	No specific test data av materials for additional			oduct. Refer	to Condi	tions to	avoid and Incon
10.2 Chemical stability	The product is stable.						
10.3 Possibility of nazardous reactions	Under normal condition Under normal condition						
0.4 Conditions to avoid	Avoid all possible source	es of igni	tion (sp	ark or flame).			
10.5 Incompatible materials	Reactive or incompatib	le with the	e followi	ng materials:	oxidising	ı materia	als.
10.6 Hazardous decomposition products	Under normal condition produced.	s of stora	ge and	use, hazardoı	us decor	npositio	n products shou

SECTION 11: Toxicological information

11.1 Information on	hazard classes as defined in Regulation	on (EC) No 1272	/2008				
Acute toxicity est Not available.	imates						
Information on likel routes of exposure	y Routes of entry anticipated:	Dermal, Inhalatio	on, Eyes.				
Potential acute hea	Ith effects						
Inhalation	Exposure to decomposition delayed following exposure.	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.					
Ingestion	No known significant effects	No known significant effects or critical hazards. Defatting to the skin. May cause skin dryness and irritation.					
Skin contact	Defatting to the skin. May ca						
Eye contact	No known significant effects	or critical hazard	ds.				
Symptoms related t	o the physical, chemical and toxicolog	ical characteris	stics				
Inhalation	No specific data.						
Product name Castr	ol GTX 5W-30 C2		Product code	469744-BE02	Page: 7/11		
Version 7.01 Date	of issue 11 September 2023	Format	United	Language	ENGLISH		

 Version 7.01
 Date of issue 11 September 2023
 Format
 United
 Language
 ENGLISH

 Kingdom (UK)
 VUNITED
 VUNITED
 VUNITED
 VUNITED
 VUNITED

SECTION 11: Toxicological information

Incetion	
Ingestion	No specific data.
Skin contact	Adverse symptoms may include the following:
	irritation dryness
	cracking
Eye contact	No specific data.
Delayed and immediate effect	cts as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health effe	ects
General	USED ENGINE OILS
	Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
11.2 Information on other ha	azards
11.2.1 Endocrine disrupting	a properties
Not available.	
Remarks - Endocrine	Not available.
disruptor - Health	
11.2.2 Other information	
Not available.	

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards Not classified as dangerous

12.2 Persistence and degradability

Not expected to be rapidly degradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties	Not available.
Remarks - Endocrine disruptor - Environment	Not available.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

Product name	Castrol GTX 5W-30 C2		Product code 469744-	3E02	Page: 8/11
Version 7.01	Date of issue 11 September 2023	Format	United Kingdom (UK)	Language	ENGLISH
Date of previo	ous issue 7 June 2023.		(United Kingdom)		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

Hazardous waste

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Yes.

European waste catalogue (EWC)

Waste code	Waste designation		
13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils			
However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste			

disposal code to be assigned by the end user.

Packaging	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
References	Commission 2014/955/EU Directive 2008/98/EC

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for Not available. user

14.7 Maritime transport in	Not available.
bulk according to IMO	
instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH)

Product name Cast	trol GTX 5W-30 C2		Product code 469744-E	3E02	Page: 9/11
Version 7.01 Da	te of issue 11 September 2023	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous	issue 7 June 2023.		(United Kingdom)		

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

SECTION 15: Regulatory information

0	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Other regulations	
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.
United States inventory (TSCA 8b)	All components are active or exempted.
Australia inventory (AIIC)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (CSCL)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
Ozone depleting substances	<u>; (1005/2009/EU)</u>
Not listed.	
Prior Informed Consent (PIC Not listed.	<u>) (649/2012/EU)</u>
Persistent Organic Pollutant Not listed.	<u>S</u>
EU - Water framework direct None of the components are li	
Seveso Directive	
This product is not controlled ur	ider the Seveso Directive.
15.2 Chemical safety	A Chemical Safety Assessment has been carried out for one or more of the substances within

assessment

A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.

SECTION 16: Other information

SECTION 16: Other information

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SADT = Self-Accelerating Decomposition Temperature SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Varies = may contain one or more of the following 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification	
Not classified.			
Full text of abbreviated H statements	H304	М	ay be fatal if swallowed and enters airways.
Full text of classifications [CLP/GHS]	Asp. Tox. 1	A	SPIRATION HAZARD - Category 1
<u>History</u>			
Date of issue/ Date of revision	11/09/2023.		
Date of previous issue	07/06/2023.		
Prepared by	Product Stewardship		

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Castrol GTX 5W-30 C2	Product code 469744-BE02 Page: 11/11
Version 7.01 Date of issue 11 September 2023	Format United Language ENGLISH Kingdom (UK)
Date of previous issue 7 June 2023.	(United Kingdom)