

according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40 10th March 2023 Creation date Revision date Version 1.0 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Spec Diesel 2000 CI-4/SL 10W/40 Substance / mixture mixture 1.2. Relevant identified uses of the substance or mixture and uses advised against Mixture's intended use Engine Oils. For specific application advice see appropriate Technical Data Sheet or consult our company representative. Mixture uses advised against Not defined. 1.3. Details of the supplier of the safety data sheet Manufacturer Name or trade name SPECOL Sp. z o.o. Address ul. Kluczborska 31, Chorzów, 41-508 Poland VAT Reg No PL6272453121 32 245 91 33 Phone F-mail info@specol.com.pl Web address www.specol.com.pl Competent person responsible for the safety data sheet SPECOL Sp. z o.o. Name F-mail info@specol.com.pl 1.4. **Emergency telephone number**

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Supplemental information

EUH208

Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note	
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	>55	not classified as dangerous		



according to Commission Regulation (EU) 2020/878 as amended

	Spec Diesel 2000 CI-4/SL 10W/40							
Creation date10th March 2023Revision dateVersion1.0								
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note				
CAS: 93819-94-4 EC: 298-577-9	Zinc, bis[O-(6-methylheptyl) O-(1- methylpropyl) phosphorodithioato-S,S']-, (T -4)-	1,2-1,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: ATE Oral = 2600 mg/kg bw ATE Inhalation (vapor) = 2 mg/l ATE Dermal = 3160 mg/kg bw Skin Irrit. 2, H315: $C \ge 6.25$ % Eye Irrit. 2, H319: 10 % $\le C <$ 12.5 % Eye Dam. 1, H318: $C \ge 12.5$ %					
EC: 457-320-2	Molybdenum polysulphide long chain alkyl dithiocarbamate complex	0,03-0,12	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Specific concentration limit: ATE Oral = 2000 mg/kg bw					

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

Description of first aid measures 4.1.

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

- If inhaled Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Not expected.
- 4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

Extinguishing media 5.1.

Suitable extinguishing media

Accommodate extinguishing components to the location of fire. Unsuitable extinguishing media not available

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

ATE Dermal = 2000 mg/kg bw



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date Revision date

Version

1.0

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Follow the instructions in the Sections 7 and 8.

10th March 2023

- **6.2. Environmental precautions** Prevent contamination of the soil and entering surface or ground water.
- 6.3. Methods and material for containment and cleaning up
- After removal of the product, wash the contaminated site with plenty of water.
- **6.4.** Reference to other sections See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s) not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set. **DNEL**

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	8.31 mg/m ³	Chronic effects local		
Workers	Dermal	0.58 mg/kg	Chronic effects local		
Consumers	Inhalation	2.11 mg/m ³	Chronic effects local		
Consumers	Dermal	0.29 mg/kg	Chronic effects local		
Consumers	Oral	0.24 mg/kg	Chronic effects local		

PNEC

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Route of exposure	Value	Value determination	Source
Drinking water	0.004 mg/l		
Marine water	0.0046 mg/l		
Water (intermittent release)	0.021 mg/l		
Microorganisms in sewage treatment	100 mg/l		
Freshwater sediment	0.0116 mg/kg		
Sea sediments	0.00116 mg/kg		
Soil (agricultural)	0.00528 mg/kg		
Oral	10.67 mg/kg		



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date Revision date

Version

1.0

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

It is not needed.

Skin protection

When handling in long-term or repeatedly, use protective gloves.

10th March 2023

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour	liquid data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	220 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	90 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,860-0,870 g/cm ³ at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available
Distillates (petroleum), hydrotreated light paraffinic (CAS: 64742-55-8)	liquid
Molybdenum polysulphide long chain alkyl dithiocarbamate complex	liquid
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4)	liquid
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4)	solid: bulk
Other information	
not available	

SECTION 10: Stability and reactivity

10.1. Reactivity

9.2.

not available

- 10.2. Chemical stability
- The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date Revision date 10th March 2023

Version

1.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met. Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD50	OECD 402	5000 mg/kg		Rabbit	
Oral	LD50	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	ATE		2000 mg/kg bw			
Dermal	ATE		2000 mg/kg bw			
7: 1: 50 (6)				(7.4)		

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50		2600 mg/kg		Rat (Rattus norvegicus)	М
Inhalation	LC50	OECD 403	>2 mg/l	1 hour	Rat (Rattus norvegicus)	М
Dermal	LD50	OECD 402	>3160 mg/kg		Rabbit	F/M
Oral	ATE		2600 mg/kg bw			
Inhalation (vapor)	ATE		2 mg/l			
Dermal	ATE		3160 mg/kg bw			

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species			
Dermal	Not irritating	OECD 404		Rabbit			
Eye	Not irritating	OECD 405		Rabbit			
Molybdenum polysu	Molybdenum polysulphide long chain alkyl dithiocarbamate complex						
Route of exposure	Result	Method	Exposure time	Species			
Skin	Irritating	OECD 404	4 hours				



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date Revision date 10th March 2023

Version

1.0

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Route of exposure	Result	Method	Exposure time	Species
Skin	Irritating	OECD 404	4 hours	Guinea-pig (Cavia aperea f. porcellus)

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Route of exposure	Result	Exposure time	Species
Eye	Serious eye damage	504 hours	Rabbit

Sensitization

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Route of exposure	Result	Method	Exposure time	Species	Sex		
Skin	Sensitizing	OECD 404					
Zinc, bis[O-(6-meth	Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-						

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not irritating	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

Mutagenicity

Distillates (petroleum), hydrotreated heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473				
Negative	OECD 476				
Negative	OECD 474				

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471				
Negative	OECD 474			Mouse	F/M

Carcinogenicity

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Specific target organ	Result	Species	Sex
	NOAEL	OECD 451		78 weeks	Skin	Negative	Mouse	



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date Revision date 10th March 2023

Version

1.0

Reproductive toxicity

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Effect	Parameter	Method	Value	Result	Species	Sex
	NOAEL	OECD 422	160 mg/kg	Negative		

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Repeated dose toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 411	30 mg/kg		Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Method	Value	Exposure time	Species	Environmen t
EL 50		>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL 50		>100 mg/l	96 hours	Fish (Pimephales promelas)	

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Parameter	Method	Value	Exposure time	Species	Environmen t
NOEC	OECD 203	94.8 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL 50	OECD 202	50 mg/l	48 hours	Daphnia (Daphnia magna)	



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40 10th March 2023

Creation date Revision date

Version

1.0

Molybdenum p	Molybdenum polysulphide long chain alkyl dithiocarbamate complex							
Parameter	Method	Value	Exposure time	Species	Environmen t			
EbC₅o	OECD 201	9.62 mg/l	72 hours	Algae (Selenastrum capricornutum)				
IC50		>100 mg/l	3 hours	Algae (Selenastrum capricornutum)				
NOEC		>100 mg/l	21 days	Daphnia (Daphnia magna)				

Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	4.5 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL 50	OECD 202	5.4 mg/l	48 hours	Daphnia (Daphnia magna)	
ErC₅₀	OECD 201	2.1 mg/l	96 hours	Algae (Selenastrum capricornutum)	

Chronic toxicity

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

12.2. Persistence and degradability

Biodegradability

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Method	Value	Exposure time	Environment	Result		
	OECD 301F	31 %	28 days		Hardly biodegradable		
Molybdenum polysulphide long chain alkyl dithiocarbamate complex							
Parameter	Method	Value	Exposure time	Environment	Result		
	OECD 301	22.75 %	29 days	Activated sludge	Hardly biodegradable		
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-							
Parameter	Method	Value	Exposure time	Environment	Result		
	OECD 301B	10 mg/l	28 hours				
not available							

12.3. Bioaccumulative potential

Molybdenum polysulphide long chain alkyl dithiocarbamate complex

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
BCF	OECD 305	88				25°C
Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) phosphorodithioato-S,S']-, (T-4)-						
						Temperature
Parameter	Method	Value	Exposure time	Species	Environment	[°C]
Parameter Log Pow	Method	Value 0.9	Exposure time	Species	Environment	



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date10th March 2023Revision dateVersion1.0

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards
- not relevant14.6. Special precautions for user
 - Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date Revision date 10th March 2023

Version

1.0

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phras	es used in the safety data sheet
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
A list of additional standard	phrases used in the safety data sheet
EUH208	Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.
Other important information	n about human health protection
as per the Section 1. The user	ess specifically approved by the manufacturer/importer - used for purposes other than is responsible for adherence to all related health protection regulations.
Key to abbreviations and ac	ronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
ELso	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
IC50	Concentration causing 50% blockade
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ⁵⁰	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
LL50	Lethal Loading for 50% of tested organisms
LOAEL	Lowest observed adverse effect level
log Kow	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
	· · · · · · · · · · · · · · · · · · ·



according to Commission Regulation (EU) 2020/878 as amended

Spec Diesel 2000 CI-4/SL 10W/40

Creation date	10th March 2023			
Revision date		Version	1.0	
UN	Four-figure identification Model Regulations	number of the sub	stance or article taken from t	he UN
UVCB	Substances of unknown c biological materials	or variable compos	tion, complex reaction produc	cts or
VOC	Volatile organic compoun	ds		
vPvB	Very Persistent and very	Bioaccumulative		
Aquatic Chronic	Hazardous to the aquatic	environment (chr	onic)	
Eye Dam.	Serious eye damage			
Skin Irrit.	Skin irritation			
Skin Sens.	Skin sensitization			
Training guidelin	les			
Inform the person ways of handling t	nel about the recommended ways of us he product.	se, mandatory pro	tective equipment, first aid a	nd prohibited
Recommended re	estrictions of use			
not available				
Information abo	ut data sources used to compile the	e Safety Data She	eet	
	NI- 1007/2006 OF THE EUDODEAN		OF THE COUNCEL (DEACH)	

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.