

according to Commission Regulation (EU) 2020/878 as amended

# **Hipospec GL-5 75W/80 semisynthetic**

Creati	on date 10th March 2023					
Revisi	on date	Version 1.0				
SECT	ON 1: Identification of the substance/m	nixture and of the company/undertaking				
1.1.	Product identifier	Hipospec GL-5 75W/80 semisynthetic				
	Substance / mixture	mixture				
	UFI	V4G0-106G-3006-87D1				
1.2.	Relevant identified uses of the substar	nce or mixture and uses advised against				
	Mixture's intended use					
	Gear Oil.					
	For specific application advice see appropriate Technical Data Sheet or consult our company representative.					
	Mixture uses advised against					
	Not defined.					
1.3.	Details of the supplier of the safety data sheet					
	Manufacturer					
	Name or trade name	SPECOL Sp. z o.o.				
	Address	ul. Kluczborska 31, Chorzów, 41-508				
		Poland				
	VAT Reg No	PL6272453121				
	Phone	32 245 91 33				
	E-mail	info@specol.com.pl				
	Web address	www.specol.com.pl				
	Competent person responsible for the safety data sheet					
	Name	SPECOL Sp. z o.o.				
	E-mail	info@specol.com.pl				
1.4.	Emergency telephone number					
	European emergency number: 112					
.4.	E-mail Emergency telephone number	•				

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Sens. 1A, H317 Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

## Hazard pictogram



Warning

# Hazardous substances

Amines, C10-C14-tert-alkyl	
Hazard statements	
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
Precautionary statements	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date	10th March 2023	
Revision date	Version	1.0
P261	Avoid breathing vapours.	
P280	Wear protective gloves.	
P333+P313	If skin irritation or rash occurs: Get medie	cal advice/attention.
P362+P364	Take off contaminated clothing and wash	it before reuse.
P391	Collect spillage.	
P501	Dispose of contents/container to in accord	dance with national regulations.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic	3,6	Asp. Tox. 1, H304	
CAS: 68937-96-2 EC: 273-103-3	Polysulfides, di-tert-Bu	2,3-2,6	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	0,18-0,35	not classified as dangerous	
EC: 701-175-2	Amines, C10-C14-tert-alkyl	0,11-0,18	Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 1, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
CAS: 1213789-63-9 EC: 627-034-4	Amines, C16-18 and C16-18-unsatd. alkyl	0,04-0,11	Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Corr. 1B, H314 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) Specific concentration limit: ATE Oral = 1689 mg/kg bw	
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,04-0,11	Asp. Tox. 1, H304	

Full text of all classifications and hazard statements is given in the section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date

Version

1.0

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

10th March 2023

If inhaled Not expected. If on skin

May cause an allergic skin reaction.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

**4.3.** Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

### Unsuitable extinguishing media

Water - full jet.

## 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

# 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6:** Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

## 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## 6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

1.0

**SECTION 7: Handling and storage** 

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

# 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

DNEL

Amines, C10-C14-tert-alkyl

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source	
Consumers	Oral	0.35 mg/kg	Chronic effects local			
Amines, C16-18 and C16-18-unsatd. alkyl						

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.09 mg/kg	Chronic effects local		
Consumers	Oral	0.04 mg/kg	Chronic effects local		
Workers	Inhalation	0.38 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Dermal	0.06 %	Chronic effects local		

Distillates (petroleum), hydrotreated light paraffinic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.97 mg/kg/24h	Chronic effects systemic		
Workers	Inhalation	2.73 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	0.74 mg/kg/24h	Chronic effects systemic		
Consumers	Inhalation	1.19 mg/m <sup>3</sup>	Chronic effects local		

PNEC

Amines, C10-C14-tert-alkyl

Route of exposure	Value	Value determination	Source
Drinking water	0.001 mg/l		
Amines, C16-18 and C16-18	-unsatd. alkyl		
Route of exposure	Value	Value determination	Source
Drinking water	0.00026 mg/l		
Marine water	0.000026 mg/l		
Water (intermittent release)	0.0016 mg/l		
Microorganisms in sewage treatment	0.55 mg/l		
Freshwater sediment	0.1794 mg/kg		
Sea sediments	0.01794 mg/kg		
Soil (agricultural)	10 mg/kg		
Oral	0.22 mg/kg		



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

1.0

Distillates (petroleum), hydrotreated light paraffinic						
Route of exposure	Value	Value determination	Source			
Oral 9.33 mg/kg						

# 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

It is not needed.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. **Respiratory protection** 

## Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard Not available.

# Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	215 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	data not available
Kinematic viscosity	75 mm²/s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,850-0,865 g/cm <sup>3</sup> at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (CAS: 916 -65-6)	
Amines, C16-18 and C16-18-unsatd. alkyl (CAS: 1213789-63-9)	liquid
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)	liquid
Methyl-1H-benzotriazole (CAS: 29385-43-1)	solid: bulk
Methyl-1H-benzotriazole (CAS: 29385-43-1)	solid: particulate/powder
Phosphoric acid, mono- and bis(branched and linear pentyl) esters (CAS: 84418-71-3)	liquid
Other information	
not available	

9.2.



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date

date

1.0

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

- not available 10.2. Chemical stability
  - The product is stable under normal conditions.
- 10.3. Possibility of hazardous reactions
- Unknown.

# 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

Version

## 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10th March 2023

## **10.6.** Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

# SECTION 11: Toxicological information

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

# Acute toxicity

Based on available data the classification criteria are not met.

Amines, C10-C14-tert-alkyl

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	1.19 mg/ml	4 hours	Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	251 mg/kg		Rat (Rattus norvegicus)	
Oral	LD₅o	OECD 401	612 mg/kg		Rat (Rattus norvegicus)	

## Amines, C16-18 and C16-18-unsatd. alkyl

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	1689 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC50	OECD 433	>22 mg/l	1 hour	Rat (Rattus norvegicus)	
Dermal	LD50	OECD 434	5000 mg/kg	1 hour	Rabbit	
Oral	LD50	OECD 420	>3000 mg/kg		Rat (Rattus norvegicus)	
Oral	ATE		1689 mg/kg bw			
Distillates (petroleu	um), hydrotreat	ed heavy paraffinic				
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC50	OECD 403	5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD50	OECD 402	5000 mg/kg		Rabbit	
Oral	LD50	OECD 401	5000 mg/kg		Rat (Rattus norvegicus)	
Distillates (petroleu	um), hydrotreat	ed light paraffinic				

Route of exposure<br/>OralParameterMethodValueExposure<br/>timeSpeciesSexOralLD50OECD 401>5000 mg/kg bwRat (Rattus<br/>norvegicus)Rat (Rattus<br/>norvegicus)



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date	10th March 2023		
Revision date		Version	1.0

Distillates (petroleu	Distillates (petroleum), hydrotreated light paraffinic								
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex			
Dermal	LD50	OECD 402	>2000 mg/kg bw		Rabbit				
Inhalation (dust/mist)	LC50	OECD 403	>5.53 mg/l		Rat (Rattus norvegicus)				
Distillates (petroleu	um), solvent-dev	waxed heavy paraf	finic						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex			

· · · · · · · · · · · · · · · ·				time		
Inhalation	LC50	OECD 403	5.53 mg/l	4 hours	Rat (Rattus	
					norvegicus)	
Dermal	LD50	OECD 402	>5000 mg/kg		Rabbit	
Oral	LD50	OECD 401	>5000 mg/kg		Rat (Rattus	
					norvegicus)	

# Skin corrosion/irritation

Based on available data the classification criteria are not met.

Amines, C16-18 and C16-18-unsatd. alkyl

Route of exposure	Result	Method	Exposure time	Species
Skin	Irritating	OECD 404		Rabbit
Distillates (petroleur	m), hydrotreated heavy	paraffinic		
Route of exposure	Result	Method	Exposure time	Species
Dermal Not irritating		OECD 404		Rabbit

**OECD 405** 

# Not irritating Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit
Eye	Not irritating	OECD 405		Rabbit

## Serious eye damage/irritation

Based on available data the classification criteria are not met.

### Sensitization

Eye

Amines, C10-C14-tert-alkyl

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Sensitizing			Guinea-pig (Cavia aperea f. porcellus)	

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex		
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)			
Distillates (petroleum), solvent-dewaxed heavy paraffinic							

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

# Respiratory or skin sensitisation

May cause an allergic skin reaction.

Rabbit



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

1.0

### Mutagenicity

Amines, C10-C14-tert-alkyl

Ammes, 610 614										
Result	Method	Exposure time	Specific target organ	Species	Sex					
Negative	OECD 471			Bacteria (Salmonella typhimurium)						
Distillates (petrol	leum), hydrotreated hea	vy paraffinic								
Result	Method	Exposure time	Specific target organ	Species	Sex					
Negative	OECD 471			Bacteria (Salmonella typhimurium)						
Negative	OECD 473									
Negative	OECD 476									
Negative	OECD 474									

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative, Not sensitizing	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473				

# Germ cell mutagenicity

Based on available data the classification criteria are not met.

# Carcinogenicity

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Route expos		Parameter	Method	Value	Exposure time	Specific target organ	Result	Species	Sex
		NOAEL	OECD 451		78 weeks	Skin	Negative	Mouse	
Distill	Distillates (petroleum), solvent-dewaxed beavy paraffinic								

ſ	Route of				Exposure	Specific			
	exposure	Parameter	Method	Value	time	target organ	Result	Species	Sex
[		NOAEL	OECD 451		78 weeks		Negative	Mouse	

# Reproductive toxicity

Based on available data the classification criteria are not met.

### Amines, C10-C14-tert-alkyl

Effect	Parameter	Method	Value	Result	Species	Sex
		OECD 415		Maternal toxicity	Rat (Rattus norvegicus)	

Amines, C16-18 and C16-18-unsatd. alkyl

Effect	Parameter	Method	Value	Result	Species	Sex
Effects on fertility		OECD 421		Maternal toxicity	Rat (Rattus norvegicus)	
Distillates (petroleum), hydrotreated heavy paraffinic						

Effect	Parameter	Method	Value	Result	Species	Sex
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

1.0

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
		OECD 421		Negative	Rat (Rattus norvegicus)	
		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus	

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

## Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

# Repeated dose toxicity

Amines, C10-C14-tert-alkyl

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 410	20 mg/kg	21/28 days	Rat (Rattus norvegicus)	
Inhalation	NOAEL		OECD 412	19 mg/kg	28 days	Rat (Rattus norvegicus)	

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 411	30 mg/kg		Rat (Rattus norvegicus)	
Dermal	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Skin	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.05 mg/l	13 weeks	Rat (Rattus norvegicus)	

## Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 12: Ecological information**

12.1. Toxicity



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

1.0

Acute toxicity

Toxic to aquatic life with long lasting effects.

Amines, C10-C14-tert-alkyl

Method	Value	Exposure time	Species	Environmen t
	0.44 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
	2.5 mg/l	48 hours	Daphnia (Daphnia magna)	
	63.5 mg/l	30 minutes	Microorganisms (Photobacterium phosphoreum)	
	1.3 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
	0.078 mg/l	96 days	Fish (Oncorhynchus mykiss)	
and C16-18-unsa	td. alkyl			
Method	Value	Exposure time	Species	Environmen t
	0.04 mg/l	96 hours	Algae and other aquatic plants	
	0.011 mg/l	48 hours	Daphnia (Daphnia magna)	
	222.5 mg/l	3 hours	Daphnia (Daphnia magna)	
OECD 203	>0.01-0.1 mg/l	96 hours	Fish (Pimephales promelas)	
OECD 202	>0.01-0.1 mg/l	48 hours	Daphnia (Daphnia magna)	
OECD 201	>0.01-0.1 mg/l	72 hours	Algae (Selenastrum capricornutum)	
	>500			
oleum), hydrotreat	ed heavy paraffinic			
Method	Value	Exposure time	Species	Environmen t
	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
	>100 mg/l	96 hours	Fish (Pimephales promelas)	
oleum), hydrotreat	ed light paraffinic			
Method	Value	Exposure time	Species	Environmen t
OECD 203	>100 mg/l	96 hours	Fish (Pimephales promelas)	
OECD 202	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
oleum), solvent-de	waxed heavy paraffinic			
Method	Value	Exposure time	Species	Environmen t
	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
	>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
	Method Method Method Method Method OECD 203 OECD 203 OECD 201 OECD 203 OECD 203 OECD 203 OECD 203 OECD 203 OECD 203 OECD 203	MethodValueMethod0.44 mg/l0.44 mg/l2.5 mg/l63.5 mg/l63.5 mg/l1.3 mg/l0.078 mg/l3 and C16-18-unsatd. alkylMethodValue0.011 mg/l222.5 mg/l0ECD 203>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 202>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 201>1000 mg/l0ECD 203>1000 mg/l0ECD 201>100 mg/l0ECD 203>100 mg/l	MethodValueExposure time0.44 mg/l72 hours2.5 mg/l48 hours63.5 mg/l30 minutes1.3 mg/l96 hours0.078 mg/l96 days3 and C16-18-unsatd. alkyl96 hoursMethodValueExposure time0.011 mg/l96 hours0.011 mg/l96 hours0ECD 203>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 201>0.01-0.1 mg/l0ECD 202>1.00 mg/l0ECD 203>1.00 mg/l0ECD 201>1.00 mg/l0ECD 202>1.00 mg/l0Eum), hydrotreated heavy paraffinicMethodValueExposure time0Eum), hydrotreated light paraffinicMethodValue0ECD 202>1000 mg/l96 hours0EU 203>100 mg/l96 hours0Eum), hydrotreated light paraffinicMethodValue0EU 203>1000 mg/l48 hours0EU 202>10000 mg/l48 hours0EU 202>10000 mg/l48 hours0EU 202>10000 mg/l48 hours	Method Value Exposure time Species   0.44 mg/i 72 hours Algae and other aquatic plants (Pseudokirchareriella subcapiteta)   2.5 mg/l 48 hours Daphnia (Daphnia magna)   63.5 mg/l 30 minutes Microorganisms (Photobacterium phosphoreum)   1.3 mg/l 96 hours Fish (Oncorhynchus mykiss)   0.078 mg/l 96 days Fish (Oncorhynchus mykiss)   and C16-18-unsatd. alkyl Exposure time Species   0.011 mg/l 96 hours Algae and other aquatic plants   0.011 mg/l 96 hours Daphnia (Daphnia magna)   0.0222.5 mg/l 3 hours Daphnia (Daphnia magna)   0ECD 203 >0.01-0.1 mg/l 48 hours Daphnia (Daphnia magna)   0ECD 202 >0.01-0.1 mg/l 48 hours Daphnia (Daphnia magna)   0ECD 201 >0.01-0.1 mg/l 72 hours Algae (Selenastrum cagnic)   0ECD 201 >0.01-0.1 mg/l 72 hours Algae (Selenastrum cagnic)   0ECD 201 >0.01-0.1 mg/l 72 hours Algae (Selenastrum cagnic)   0eum), hydrotreated heavy paraffinic Method



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

1.0

## **Chronic toxicity**

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	
Distillates (petroleu	um), solvent-dewaxed	l heavy paraffinic		
Parameter	Value	Exposure time	Species	Environment
NOEL	>100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella	

			subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

# 12.2. Persistence and degradability

## Biodegradability

Amines, C10-C14-tert-alkyl

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301D	21.8 %	28 days		Hardly biodegradable
Distillates (petro	leum), hydrotreated l	neavy paraffinic			
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable
Distillates (petro	leum), solvent-dewax	ed heavy paraffinic		-	
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

# not available

12.3. Bioaccumulative potential

Amines,	C10-C1	4-tert-alky	<b>'</b>

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		2.9				
Amines, C16-18 and C16-18-unsatd. alkyl						
Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
	OECD 301B	66 %	28 days			

Not available.

# 12.4. Mobility in soil

Not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# **12.6.** Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date Revision date 10th March 2023

Version

12.7. Other adverse effects

Not available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## Waste type code

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

#### 14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es)
- not relevant 14.4. Packing group
- not relevant 14.5. Environmental hazards
- not relevant 14.6. Special precautions for user

Reference in the Sections 4 to 8.

**14.7.** Maritime transport in bulk according to IMO instruments not relevant

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available

### **SECTION 16: Other information**

#### A list of standard risk phrases used in the safety data sheet

11202	Harmful if swallowed.
H302	Harmiul II Swallowed.

- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date	10th March 2023					
Revision date		Version	1.0			
H317	May cause an allergic ski					
H318		May cause an allergic skin reaction. Causes serious eye damage.				
H330	Fatal if inhaled.	, 5				
H335		May cause respiratory irritation.				
H373		May cause respiratory initiation. May cause damage to organs through prolonged or repeated exposure.				
H400	Very toxic to aquatic life.					
H410		Very toxic to aquatic life with long lasting effects.				
H411		Toxic to aquatic life with long lasting effects.				
	or safe handling used in the safety data	5 5				
P101			container or label at hand.			
P102		Keep out of reach of children.				
P261		Avoid breathing vapours.				
P280	Wear protective gloves.					
P333+P313		If skin irritation or rash occurs: Get medical advice/attention.				
P362+P364		Take off contaminated clothing and wash it before reuse.				
P391	Collect spillage.					
P501		Dispose of contents/container to in accordance with national regulations.				
Other impor	tant information about human health p	otection	-			
The product n as per the Sec	nust not be - unless specifically approved b ction 1. The user is responsible for adherence	y the manufacture to all related he		than		
-	eviations and acronyms used in the safe	-				
ADR	European agreement con road	cerning the intern	national carriage of dangerous goods by	У		
BCF	Bioconcentration Factor					
CAS	Chemical Abstracts Servio	ce				
CLP	Regulation (EC) No 1272/ substance and mixtures	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures				
EC	Identification code for each	ch substance liste	ed in EINECS			
EC50	Concentration of a substa	nce when it is aff	ected 50% of the population			
EINECS	European Inventory of Ex	isting Commercia	al Chemical Substances			
ELso	Effective Loading for 50%	o of the tested org	ganisms			
EmS	Emergency plan					
EU	European Union					
EuPCS	European Product Catego					
IATA	•	International Air Transport Association				
IBC	International Code For Th Dangerous Chemicals	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals				
ICAO	International Civil Aviatio	n Organization				
IMDG	International Maritime Da	International Maritime Dangerous Goods				
IMO	International Maritime Or	International Maritime Organization				
INCI	International Nomenclatu	International Nomenclature of Cosmetic Ingredients				
ISO		International Organization for Standardization				
IUPAC	International Union of Pu		•			
LC50	Lethal concentration of a population	substance in whic	ch it can be expected death of 50% of	the		
LD50	Lethal dose of a substance population	e in which it can l	be expected death of 50% of the			
LL50	Lethal Loading for 50% o	f tested organism	IS			
LOAEL	Lowest observed adverse	effect level				
log Kow	Octanol-water partition co	pefficient				
NOAEC	No observed adverse effe	No observed adverse effect concentration				
NOAEL	No observed adverse effe	No observed adverse effect level				
NOEL	No observed effect level					
OEL	Occupational Exposure Li	Occupational Exposure Limits				
PBT	Persistent, Bioaccumulati	Persistent, Bioaccumulative and Toxic				
ppm	Parts per million	Parts per million				



according to Commission Regulation (EU) 2020/878 as amended

# Hipospec GL-5 75W/80 semisynthetic

Creation date	10th March 2023				
Revision date	Version 1.0				
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals				
RID	Agreement on the transport of dangerous goods by rail				
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations				
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials				
VOC	Volatile organic compounds				
vPvB	Very Persistent and very Bioaccumulative				
Acute Tox.	Acute toxicity				
Aquatic Acute	Hazardous to the aquatic environment				
Aquatic Chronic	Hazardous to the aquatic environment (chronic)				
Asp. Tox.	Aspiration hazard				
Eye Dam.	Serious eye damage				
Skin Corr.	Skin corrosion				
Skin Sens.	Skin sensitization				
STOT RE	Specific target organ toxicity - repeated exposure				
STOT SE	Specific target organ toxicity - single exposure				
Training guidelin	es				
The Commentation of the second second					

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use** 

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

# More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.