



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date 10th March 2023  
Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture Hipospec GL-5 75W/140 synthetic mixture  
UFI 9NG0-20AU-X005-78VE
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Gear Oil.  
For specific application advice see appropriate Technical Data Sheet or consult our company representative.  
**Mixture uses advised against**  
Not defined.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name SPECOL Sp. z o.o.  
Address ul. Kluczborska 31, Chorzów, 41-508  
Poland  
VAT Reg No PL6272453121  
Phone 32 245 91 33  
E-mail info@specol.com.pl  
Web address www.specol.com.pl
- Competent person responsible for the safety data sheet**  
Name SPECOL Sp. z o.o.  
E-mail info@specol.com.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.
- Skin Sens. 1A, H317  
Aquatic Chronic 2, H411
- Full text of all classifications and hazard statements is given in the section 16.

- 2.2. Label elements**  
**Hazard pictogram**



**Signal word**  
Warning

**Hazardous substances**  
Amines, C10-C14-tert-alkyl

**Hazard statements**  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P261 Avoid breathing vapours.  
P280 Wear protective gloves.



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date 10th March 2023  
Revision date Version 1.0

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
P501 Dispose of contents/container to in accordance with national regulations.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-468-00-3 CAS: 64742-55-8 EC: 265-158-7	Distillates (petroleum), hydrotreated light paraffinic	≥9	not classified as dangerous	1, 2
CAS: 68937-96-2 EC: 273-103-3	Polysulfides, di-tert-Bu	2,6-3	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	0,2-0,4	not classified as dangerous	
EC: 701-175-2	Amines, C10-C14-tert-alkyl	0,12-0,2	Acute Tox. 4, H302 Acute Tox. 3, H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 1, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
CAS: 1213789-63-9 EC: 627-034-4	Amines, C16-18 and C16-18-unsatd. alkyl	0,04-0,12	Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Corr. 1B, H314 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) Specific concentration limit: ATE Oral = 1689 mg/kg bw	
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,04-0,12	Asp. Tox. 1, H304	

#### Notes

- Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
- Fulfilled Note L

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

### **If inhaled**

Terminate the exposure immediately; move the affected person to fresh air.

### **If on skin**

Remove contaminated clothes.

### **If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

### **If swallowed**

Rinse out the mouth with clean water. In the event of issues, find medical help.

## **4.2. Most important symptoms and effects, both acute and delayed**

### **If inhaled**

Not expected.

### **If on skin**

Not expected.

### **If in eyes**

Not expected.

### **If swallowed**

Not expected.

## **4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Accommodate extinguishing components to the location of fire.

#### **Unsuitable extinguishing media**

not available

### **5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### **5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Follow the instructions in the Sections 7 and 8.

### **6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

### **6.3. Methods and material for containment and cleaning up**

After removal of the product, wash the contaminated site with plenty of water.

### **6.4. Reference to other sections**

See the Section 7, 8 and 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### **7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

### **7.3. Specific end use(s)**

not available



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

##### DNEL

Amines, C10-C14-tert-alkyl

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Consumers	Oral	0.35 mg/kg	Chronic effects local		

Amines, C16-18 and C16-18-unsatd. alkyl

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.09 mg/kg	Chronic effects local		
Consumers	Oral	0.04 mg/kg	Chronic effects local		
Workers	Inhalation	0.38 mg/m <sup>3</sup>	Chronic effects systemic		
Workers	Dermal	0.06 %	Chronic effects local		

##### PNEC

Amines, C10-C14-tert-alkyl

Route of exposure	Value	Value determination	Source
Drinking water	0.001 mg/l		

Amines, C16-18 and C16-18-unsatd. alkyl

Route of exposure	Value	Value determination	Source
Drinking water	0.00026 mg/l		
Marine water	0.000026 mg/l		
Water (intermittent release)	0.0016 mg/l		
Microorganisms in sewage treatment	0.55 mg/l		
Freshwater sediment	0.1794 mg/kg		
Sea sediments	0.01794 mg/kg		
Soil (agricultural)	10 mg/kg		
Oral	0.22 mg/kg		

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

##### Eye/face protection

It is not needed.

##### Skin protection

When handling in long-term or repeatedly, use protective gloves.

##### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

##### Thermal hazard

Not available.

##### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date 10th March 2023  
Revision date Version 1.0

Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	225 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	140 mm <sup>2</sup> /s at 40 °C
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,860-0,870 g/cm <sup>3</sup> at 15 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	data not available
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol (CAS: 91648-65-6)	liquid
Amines, C16-18 and C16-18-unsatd. alkyl (CAS: 1213789-63-9)	liquid
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)	liquid
Methyl-1H-benzotriazole (CAS: 29385-43-1)	solid: bulk
Methyl-1H-benzotriazole (CAS: 29385-43-1)	solid: particulate/powder
Phosphoric acid, mono- and bis(branched and linear pentyl) esters (CAS: 84418-71-3)	liquid

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

### Acute toxicity

Based on available data the classification criteria are not met.

Amines, C10-C14-tert-alkyl

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	OECD 403	1.19 mg/ml	4 hours	Rat ( <i>Rattus norvegicus</i> )	
Dermal	LD <sub>50</sub>	OECD 402	251 mg/kg		Rat ( <i>Rattus norvegicus</i> )	
Oral	LD <sub>50</sub>	OECD 401	612 mg/kg		Rat ( <i>Rattus norvegicus</i> )	

Amines, C16-18 and C16-18-unsatd. alkyl

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 401	1689 mg/kg		Rat ( <i>Rattus norvegicus</i> )	
Inhalation	LC <sub>50</sub>	OECD 433	>22 mg/l	1 hour	Rat ( <i>Rattus norvegicus</i> )	
Dermal	LD <sub>50</sub>	OECD 434	5000 mg/kg	1 hour	Rabbit	
Oral	LD <sub>50</sub>	OECD 420	>3000 mg/kg		Rat ( <i>Rattus norvegicus</i> )	
Oral	ATE		1689 mg/kg bw			

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	OECD 403	5.53 mg/l	4 hours	Rat ( <i>Rattus norvegicus</i> )	
Skin	LD <sub>50</sub>	OECD 402	5000 mg/kg		Rabbit	
Oral	LD <sub>50</sub>	OECD 401	5000 mg/kg		Rat ( <i>Rattus norvegicus</i> )	

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	OECD 403	>5.53 mg/l	4 hours	Rat ( <i>Rattus norvegicus</i> )	
Dermal	LD <sub>50</sub>	OECD 402	>5000 mg/kg		Rabbit	
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg		Rat ( <i>Rattus norvegicus</i> )	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>	OECD 403	5.53 mg/l	4 hours	Rat ( <i>Rattus norvegicus</i> )	
Dermal	LD <sub>50</sub>	OECD 402	>5000 mg/kg		Rabbit	
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg		Rat ( <i>Rattus norvegicus</i> )	

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

Amines, C16-18 and C16-18-unsatd. alkyl

Route of exposure	Result	Method	Exposure time	Species
Skin	Irritating	OECD 404		Rabbit

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit
Eye	Not irritating	OECD 405		Rabbit

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

### Sensitization

Amines, C10-C14-tert-alkyl

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Sensitizing			Guinea-pig ( <i>Cavia aperea f. porcellus</i> )	

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig ( <i>Cavia aperea f. porcellus</i> )	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not sensitizing	OECD 406		Guinea-pig ( <i>Cavia aperea f. porcellus</i> )	

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Mutagenicity

Amines, C10-C14-tert-alkyl

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria ( <i>Salmonella typhimurium</i> )	

Distillates (petroleum), hydrotreated heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria ( <i>Salmonella typhimurium</i> )	
Negative	OECD 473				
Negative	OECD 476				
Negative	OECD 474				

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative, Not sensitizing	OECD 471			Bacteria ( <i>Salmonella typhimurium</i> )	
Negative	OECD 473				



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Specific target organ	Result	Species	Sex
	NOAEL	OECD 451		78 weeks	Skin	Negative	Mouse	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Specific target organ	Result	Species	Sex
	NOAEL	OECD 451		78 weeks		Negative	Mouse	

### Reproductive toxicity

Based on available data the classification criteria are not met.

Amines, C10-C14-tert-alkyl

Effect	Parameter	Method	Value	Result	Species	Sex
		OECD 415		Maternal toxicity	Rat (Rattus norvegicus)	

Amines, C16-18 and C16-18-unsatd. alkyl

Effect	Parameter	Method	Value	Result	Species	Sex
Effects on fertility		OECD 421		Maternal toxicity	Rat (Rattus norvegicus)	

Distillates (petroleum), hydrotreated heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
		OECD 421		Negative	Rat (Rattus norvegicus)	
		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Repeated dose toxicity

Amines, C10-C14-tert-alkyl

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 410	20 mg/kg	21/28 days	Rat (Rattus norvegicus)	
Inhalation	NOAEL		OECD 412	19 mg/kg	28 days	Rat (Rattus norvegicus)	





# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

Distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	LOAEL		OECD 408	125 mg/kg	90 days	Rat ( <i>Rattus norvegicus</i> )	
Dermal	NOAEL		OECD 411	30 mg/kg		Rat ( <i>Rattus norvegicus</i> )	
Dermal	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.22 mg/l	4 weeks	Rat ( <i>Rattus norvegicus</i> )	
Inhalation	NOAEL			0.15 mg/l	13 weeks	Rat ( <i>Rattus norvegicus</i> )	

Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 408	125 mg/kg	90 days	Rat ( <i>Rattus norvegicus</i> )	
Skin	NOAEL		OECD 411	30 mg/kg	90 days	Rat ( <i>Rattus norvegicus</i> )	
Skin	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	
Inhalation (dust/mist)	NOAEL			0.15 mg/l	13 weeks	Rat ( <i>Rattus norvegicus</i> )	
Inhalation (dust/mist)	NOAEL			0.22 mg/l	4 weeks	Rat ( <i>Rattus norvegicus</i> )	
Inhalation (dust/mist)	NOAEL		OECD 412	0.05 mg/l	28 days	Rat ( <i>Rattus norvegicus</i> )	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Skin	NOAEL		OECD 410	1000 mg/kg		Rabbit	
Inhalation	NOAEL			0.05 mg/l	13 weeks	Rat ( <i>Rattus norvegicus</i> )	

### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

Amines, C10-C14-tert-alkyl

Parameter	Method	Value	Exposure time	Species	Environment
EL 50		0.44 mg/l	72 hours	Algae and other aquatic plants ( <i>Pseudokirchneriella subcapitata</i> )	
EL 50		2.5 mg/l	48 hours	Daphnia ( <i>Daphnia magna</i> )	
EL 50		63.5 mg/l	30 minutes	Microorganisms ( <i>Photobacterium phosphoreum</i> )	



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

### Amines, C10-C14-tert-alkyl

Parameter	Method	Value	Exposure time	Species	Environment
LL <sub>50</sub>		1.3 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
NOAEC		0.078 mg/l	96 days	Fish (Oncorhynchus mykiss)	

### Amines, C16-18 and C16-18-unsatd. alkyl

Parameter	Method	Value	Exposure time	Species	Environment
EL <sub>50</sub>		0.04 mg/l	96 hours	Algae and other aquatic plants	
EL <sub>50</sub>		0.011 mg/l	48 hours	Daphnia (Daphnia magna)	
EL <sub>50</sub>		222.5 mg/l	3 hours	Daphnia (Daphnia magna)	
LC <sub>50</sub>	OECD 203	>0.01-0.1 mg/l	96 hours	Fish (Pimephales promelas)	
EC <sub>50</sub>	OECD 202	>0.01-0.1 mg/l	48 hours	Daphnia (Daphnia magna)	
EC <sub>50</sub>	OECD 201	>0.01-0.1 mg/l	72 hours	Algae (Selenastrum capricornutum)	
BCF		>500			

### Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Method	Value	Exposure time	Species	Environment
EL <sub>50</sub>		>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>		>100 mg/l	96 hours	Fish (Pimephales promelas)	

### Distillates (petroleum), hydrotreated light paraffinic

Parameter	Method	Value	Exposure time	Species	Environment
EL <sub>50</sub>		>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>		>100 mg/l	96 hours	Fish (Pimephales promelas)	

### Distillates (petroleum), solvent-dewaxed heavy paraffinic

Parameter	Method	Value	Exposure time	Species	Environment
EL <sub>50</sub>		>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>		>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	

### Chronic toxicity

#### Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date

10th March 2023

Revision date

Version

1.0

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	≥1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Parameter	Value	Exposure time	Species	Environment
NOEL	>100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

### 12.2. Persistence and degradability

#### Biodegradability

Amines, C10-C14-tert-alkyl

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301D	21.8 %	28 days		Hardly biodegradable

Distillates (petroleum), hydrotreated heavy paraffinic

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

Distillates (petroleum), hydrotreated light paraffinic

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

not available

### 12.3. Bioaccumulative potential

Amines, C10-C14-tert-alkyl

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow		2.9				

Amines, C16-18 and C16-18-unsatd. alkyl

Parameter	Method	Value	Exposure time	Species	Environment	Temperature [°C]
	OECD 301B	66 %	28 days			

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date	10th March 2023	Version	1.0
Revision date			

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

13 02 06 synthetic engine, gear and lubricating oils \*

(\* ) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

## SECTION 14: Transport information

### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

### 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

not available

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H302 Harmful if swallowed.



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date	10th March 2023	Version	1.0
Revision date			

H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing vapours.
P280	Wear protective gloves.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to in accordance with national regulations.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>50</sub>	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>50</sub>	Lethal Loading for 50% of tested organisms
LOAEL	Lowest observed adverse effect level
log K <sub>ow</sub>	Octanol-water partition coefficient
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEL	No observed effect level



# SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

## Hipospec GL-5 75W/140 synthetic

Creation date 10th March 2023  
Revision date Version 1.0

OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Eye Dam.	Serious eye damage
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.