



Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 9-10-2019 Revision date: 26-11-2021 Supersedes: 28-12-2020 version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Automatic Transmission Fluid High Torque
Product code : 16000HT
Type of product : Other engine, gear and lubricating oils.
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use, Industrial use
Industrial/Professional use spec : Used in closed systems
Use of the substance/mixture : Lubricants and additives
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft Delft - Nederland
T +31 (0)15 2514030
support@mpmoil.nl - www.mpmoil.com

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

CLP Signal word : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of Contents and container to an approved waste disposal plant.
EUH-statements : EUH208 - Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates(petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	≥ 75 – ≤ 95	Asp. Tox. 1, H304
Bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	≥ 1 – ≤ 2,49	Aquatic Chronic 4, H413
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	(CAS-No.) 125643-61-0 (EC-No.) 406-040-9 (EC Index-No.) 607-530-00-7 (REACH-no) 01-0000015551-76	≥ 1 – ≤ 2,49	Aquatic Chronic 4, H413
Isooctadecanoic acid, reaction products with tetraethylenepentamine	(CAS-No.) 68784-17-8 (EC-No.) 701-204-9 (REACH-no) 01-2119960832-33	≥ 0,1 – ≤ 0,99	Skin Irrit. 2, H315 Eye Irrit. 2, H319
Reaction product of alkylthioalcohol and substituted phosphorous compound	(EC-No.) 424-820-7 (REACH-no) 01-0000017126-75	≥ 0,1 – ≤ 0,24	Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate	(CAS-No.) 93882-40-7 (EC-No.) 299-434-3 (REACH-no) 01-2120735527-50	≥ 0,01 – ≤ 0,15	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich	(CAS-No.) 398141-87-2 (EC-No.) 800-172-4 (REACH-no) 01-2119969520-35	≥ 0,01 – ≤ 0,15	Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation	: Not required.
After skin contact	: Wash skin with mild soap and water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
After ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO ₂ .
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.

Other information : Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a closed container.

Storage temperature : ≤ 40 °C

Storage area : Store in dry, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m³ oilspray (TWA, 8 hour workday) is recommended.

8.2. Exposure controls

Personal protective equipment:

Gloves. Safety glasses.

Hand protection:

Protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR), Chloroprene rubber (CR)	6 (> 480 minutes)	> 0,4		EN ISO 374

Eye protection:

Safety goggles

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily liquid.
Colour	: Red.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 210 °C @ ASTM D92
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 849 kg/m ³ @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 33 mm ² /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Bis(nonylphenyl)amine (36878-20-3)

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 oral	> 2000 mg/kg OECD 402

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LD50 oral rat	> 2000 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)

Isooctadecanoic acid, reaction products with tetraethylenepentamine (68784-17-8)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Reaction product of alkylthioalcohol and substituted phosphorous compound

LD50 oral rat	> 2000 mg/kg 67/548/EEG Annex V,B1
LD50 dermal rat	> 500 mg/kg 67/548/EEG Annex V, B3

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

LD50 oral	> 10000 mg/kg
-----------	---------------

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

LD50 dermal rabbit	4000 – 8000 mg/kg bodyweight US 16 CFR 1500.3 Federal Hazardous Substances Act
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Isooctadecanoic acid, reaction products with tetraethylenepentamine (68784-17-8)

LOAEL (oral, rat)	> 1000 mg/kg bodyweight OECD 421
-------------------	----------------------------------

STOT-repeated exposure : Not classified

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

NOAEL (oral, rat, 90 days)	5 mg/kg bodyweight OECD 407
----------------------------	-----------------------------

Isooctadecanoic acid, reaction products with tetraethylenepentamine (68784-17-8)

NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight OECD 407
----------------------------	----------------------------------

Aspiration hazard : Not classified

Automatic Transmission Fluid High Torque

Viscosity, kinematic	33 mm ² /s @ 40°C
Other information	: When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Bis(nonylphenyl)amine (36878-20-3)

LC50 fish 1	> 100 mg/l OECD 203 (Danio rerio @96h)
EC50 Daphnia 1	> 100 mg/l OECD 202 (Daphnia magna)

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EC50 72h - Algae [1]	> 100 mg/l OECD 201 (Desmodesmus subspicatus)
----------------------	---

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LC50 fish 1	74 mg/l @96h
LC50 fish 2	100 mg/l @ 14d
EC50 Daphnia 1	4,3 mg/l @ 24 h
EC50 Daphnia 2	100 mg/l @ 48 h
EC50 72h - Algae [1]	3 mg/l
NOEC (chronic)	≤ 0,01 mg/l Daphnia magna @21d
NOEC chronic fish	0,5 mg/l @ 36 d
NOEC chronic algae	3 mg/l @ 72 h

Isooctadecanoic acid, reaction products with tetraethylenepentamine (68784-17-8)

LC50 fish 1	> 1000 mg/l OECD 203
EC50 Daphnia 1	> 1000 mg/l OECD 202

Reaction product of alkylthioalcohol and substituted phosphorous compound

LC50 fish 1	1,5 mg/l OECD203 - Oncorhynchus mykiss
EC50 Daphnia 1	0,09 mg/l OECD 202 - EL50
EC50 72h - Algae [1]	0,31 mg/l 67/548/EEG Annex V,C3
NOEC (chronic)	0,14 mg/l Daphnia
NOEC chronic crustacea	0,14 (0,01 – 0,1) mg/l

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

LC50 fish 1	> 1000 mg/l 96h Cyprinodon variegatus OECD 203
LC50 fish 2	> 100 mg/l 96h Oryzias latipes OECD 203
EC50 Daphnia 1	9,5 mg/l OECD 202
EC50 72h - Algae [1]	> 100 mg/l Pseudokirchneriella subcapitata- OECD 201

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

LC50 fish 1	2,4 mg/l Oncorhynchus mykiss
LC50 fish 2	3,3 mg/l Cyprinodon variegatus
EC50 Daphnia 1	4,6 mg/l Daphnia Magna
EC50 72h - Algae [1]	63 mg/l Selenastrum capricornutum
NOEC chronic fish	1 mg/l @4d Oncorhynchus mykiss
NOEC chronic crustacea	0,63 mg/l 2d Daphnia magna
NOEC chronic algae	0,313 mg/l 3d Selenastrum capricornutum

12.2. Persistence and degradability

Bis(nonylphenyl)amine (36878-20-3)

Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % @28d

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % @28 d

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Isooctadecanoic acid, reaction products with tetraethylenepentamine (68784-17-8)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Reaction product of alkylthioalcohol and substituted phosphorous compound

Persistence and degradability	Not readily biodegradable.
Biodegradation	52,9 % @60d OECD 301B - 10mg/l

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

Persistence and degradability	Not readily biodegradable.
Biodegradation	11 – 14 % OECD 301

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

Persistence and degradability	Not readily biodegradable.
BOD (% of ThOD)	9,6 % ThOD Thod 28d OECD TG 301F

12.3. Bioaccumulative potential

Bis(nonylphenyl)amine (36878-20-3)

Log Pow	> 7,6
Bioaccumulative potential	Bioaccumulation possible.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

BCF fish 1	260 mg/kg OECD 305 (Oncorhynchus mykiss, 35d)
Bioconcentration factor (BCF REACH)	258 (OECD 305 method)
Log Pow	9,2
Bioaccumulative potential	Moderately bioaccumulative.

Reaction product of alkylthioalcohol and substituted phosphorous compound

Bioaccumulative potential	Bioaccumulation possible.
---------------------------	---------------------------

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

Bioaccumulative potential	Bioaccumulation possible.
---------------------------	---------------------------

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

Bioconcentration factor (BCF REACH)	27,54
Log Kow	4,1
Bioaccumulative potential	Bioaccumulation possible.

12.4. Mobility in soil

Bis(nonylphenyl)amine (36878-20-3)

Soil	Adsorbs into the soil.
------	------------------------

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Log Koc	> 2000
---------	--------

Reaction product of alkylthioalcohol and substituted phosphorous compound

Soil	Adsorbs into the soil.
------	------------------------

4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate (93882-40-7)

Soil	Adsorbs into the soil.
------	------------------------

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy)derivs., C10-rich (398141-87-2)

Soil Adsorbs into the soil.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations : Dispose of contents/container to Remove to an authorized waste treatment plant.
European List of Waste (LoW) code : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
14.1. UN number	
Not applicable	Not applicable
14.2. UN proper shipping name	
Not applicable	Not applicable
14.3. Transport hazard class(es)	
Not applicable	Not applicable
14.4. Packing group	
Not applicable	Not applicable
14.5. Environmental hazards	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No
No supplementary information available	

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Type of product	Added	
	Comments (on top of composition)	Added	
1.1	Product group	Added	
1.1	Name	Added	
1.2	Industrial/Professional use spec	Added	
1.2	Main use category	Modified	
1.2	Function or use category	Modified	
3	Composition/information on ingredients	Modified	
4.1	After skin contact	Modified	
4.1	After inhalation	Modified	
4.1	After ingestion	Modified	
4.2	After inhalation	Added	
4.2	After ingestion	Added	
4.2	After skin contact	Modified	
4.2	After eye contact	Modified	
5.1	Suitable extinguishing media	Modified	
5.3	Precautionary measures fire	Added	
5.3	Firefighting instructions	Added	
5.3	Protection during firefighting	Modified	
6.1	Protective equipment	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Handling temperature	Added	
7.1	Additional hazards when processed	Modified	
7.1	Hygiene measures	Modified	
7.2	Technical measures	Modified	
7.2	Storage temperature	Modified	
7.2	Storage area	Modified	
8.1	Additional information	Modified	
8.2	Personal protective equipment	Modified	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Skin and body protection	Modified	
9.1	Viscosity, kinematic	Modified	
9.1	Flash point	Modified	
9.1	Density	Modified	
9.1	Solubility	Modified	
9.1	Appearance	Modified	

Automatic Transmission Fluid High Torque

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.3	Possibility of hazardous reactions	Added	
10.4	Conditions to avoid	Added	
10.5	Incompatible materials	Modified	
10.6	Hazardous decomposition products	Modified	

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains 4,4'-thiodiethylene hydrogen -2-octadecenylsuccinate. May produce an allergic reaction.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.