



Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 2-7-2019 Revision date: 29-7-2021 Supersedes: 26-10-2020 version: 8.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot
Product code : 05000C2
Type of product : Other engine, gear and lubricating oils.
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use
Industrial/Professional use spec : Non-dispersive use
Used in closed systems
Use of the substance/mixture : Automotive care products
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft Delft - Nederland
T +31 (0)15 2514030 - F +31 (0)15 2514031
support@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.
Extra phrases : This material and its container must be disposed of in a safe way, and as per local legislation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Base oil - not specified	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	≥ 35 – ≤ 55	Asp. Tox. 1, H304
Reaction products of benzeneamine, N-phenyl- with nonene (branched)	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	≥ 1 – ≤ 9,9	Aquatic Chronic 4, H413
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	(CAS-No.) 125643-61-0 (EC-No.) 406-040-9 (EC Index-No.) 607-530-00-7 (REACH-no) 01-0000015551-76	≥ 1 – ≤ 4,9	Aquatic Chronic 4, H413
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	≥ 0,1 – ≤ 0,99	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
phenol, dodecyl-, branched	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49	≥ 0,01 – ≤ 0,049	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts	(CAS-No.) 84605-29-8 (EC-No.) 283-392-8 (REACH-no) 01-2119493626-26	(6,25 ≤ C < 100) Skin Irrit. 2, H315 (10 ≤ C < 12,5) Eye Irrit. 2, H319 (12,5 ≤ C < 100) Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation	: Not required.
After skin contact	: Wash skin with mild soap and water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
After ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO ₂ .
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.

Other information : Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a closed container.

Storage temperature : ≤ 40 °C

Storage area : Store in dry, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m³ oilspray (TWA, 8 hour workday) is recommended.

8.2. Exposure controls

Personal protective equipment:

Gloves. Safety glasses.

Hand protection:

Protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,35		EN ISO 374

Eye protection:

Safety goggles

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Personal protective equipment symbol(s):



Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily liquid.
Colour	: Amber.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 232 °C @ ASTM D92
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 856 kg/m ³ @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 57 mm ² /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Reaction products of benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

LD50 oral rat	> 5000 mg/m ³ (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)

Base oil - not specified (64742-54-7)

LD50 oral rat	> 5000 mg/kg bodyweight
---------------	-------------------------

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LD50 oral rat	> 2000 mg/kg OECD 401
---------------	-----------------------

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LD50 dermal rat	> 2000 mg/kg OECD 402
-----------------	-----------------------

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

LD50 oral rat	3150 mg/kg OECD 401
LD50 dermal rat	> 2002 mg/kg OECD 402
LC50 Inhalation - Rat	> 2,3 mg/l/4h OECD 403
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Base oil - not specified (64742-54-7)

LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight
----------------------------	----------------------

Aspiration hazard : Not classified

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Viscosity, kinematic	57 mm ² /s @ 40°C
----------------------	------------------------------

SECTION 12: Ecological information

12.1. Toxicity

General	: This product contains one or more components that have a branched alkyl phenol impurity very toxic to aquatic organisms (listed in Chapter 3). The components that contain the impurity have been tested and are not toxic to it aquatic organisms. Therefore, the data in Chapter 3 on the alkylphenol impurity cannot be used to classify the product whatever concerns the toxicity to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Reaction products of benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

LC50 fish 1	100 mg/l OECD 203 (Danio rerio @96h)
EC50 Daphnia 1	> 100 mg/l OECD 202 (Daphnia magna @48h)
EC50 other aquatic organisms 1	> 100 mg/l OECD 201 (Desmodesmus subspicatus @72h)

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

LC50 fish 1	> 74 mg/l OECD 203, (Danio rerio, 96h)
EC50 Daphnia 1	> 100 mg/l OECD 202, (Daphnia magna, 24h)
EC50 72h - Algae [1]	> 3 mg/l > 3 mg/l OECD 201, (Desmodesmus subspicatus, 72h)

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

LC50 fish 1	4,5 mg/l Oncorhynchus mykiss
LC50 fish 2	46 mg/l Cyprinodon variegatus
LC50 other aquatic organisms 1	10000 mg/l @0,1d - Chlorophyta
EC50 Daphnia 1	23 mg/l OECD 202
EC50 Daphnia 2	0,8 mg/l @21d
EC50 other aquatic organisms 2	10000 mg/l @0.1d - Chlorophyta
EC50 72h - Algae [1]	21 mg/l @3d - Chlorophyta
ErC50 (algae)	21 mg/l 72h Desmodesmus subspicatus OECD 201

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

NOEC (acute)	1,8 mg/l @4d - Oncorhynchus mykiss
NOEC (chronic)	> 10 mg/l @2d - Daphnia
NOEC chronic fish	0,4 mg/l @21d - Daphnia
NOEC chronic algae	10 mg/l @3d - Chlorophyta
NOEC (acute)	1.8 mg/l OECD 203 (Oncorhynchus mykiss)

12.2. Persistence and degradability

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
-------------------------------	--

Reaction products of benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

Biodegradation	1 % @28d
----------------	----------

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Persistence and degradability	The product is not biodegradable.
-------------------------------	-----------------------------------

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

Biodegradation	1,5 % @28d OECD TG 301 B
----------------	--------------------------

phenol, dodecyl-, branched (121158-58-5)

Biodegradation	25 % Sturm-test @28d
----------------	----------------------

12.3. Bioaccumulative potential

Reaction products of benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

Log Pow	> 7,6
Bioaccumulative potential	Bioaccumulative potential.

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

BCF fish 1	260 OECD 305 (Oncorhynchus mykiss, 35d)
Log Pow	9,2

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)

Log Kow	0,56 Measurements
---------	-------------------

phenol, dodecyl-, branched (121158-58-5)

Bioconcentration factor (BCF REACH)	2,9 @27d
Log Kow	7,1 @0,1d

12.4. Mobility in soil

Reaction products of benzeneamine, N-phenyl- with nonene (branched) (36878-20-3)

Soil	Adsorbs into the soil.
------	------------------------

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

Soil	Adsorbs into the soil.
------	------------------------

12.5. Results of PBT and vPvB assessment

Component

Phosphorodithioic acid, mixed 0,0-bis(1,3-dimethylbutyl and iso-Pr)esters, zinc salts (84605-29-8)	The product does not meet the PBT and vPvB classification criteria
--	--

12.6. Other adverse effects

No additional information available

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
14.1. UN number	
Not applicable	Not applicable
14.2. UN proper shipping name	
Not applicable	Not applicable
14.3. Transport hazard class(es)	
Not applicable	Not applicable
14.4. Packing group	
Not applicable	Not applicable
14.5. Environmental hazards	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No
No supplementary information available	

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Comments (on top of composition)	Added	
	Type of product	Modified	

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1.2	Industrial/Professional use spec	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	
2.2	EUH-statements	Modified	
3	Composition/information on ingredients	Modified	
4.1	After skin contact	Modified	
4.1	After inhalation	Modified	
4.1	After ingestion	Modified	
4.2	After skin contact	Added	
4.2	After inhalation	Added	
4.2	After ingestion	Added	
4.2	After eye contact	Added	
5.3	Precautionary measures fire	Added	
5.3	Firefighting instructions	Added	
6.2	Environmental precautions	Modified	
6.3	For containment	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Additional hazards when processed	Added	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Technical measures	Added	
7.2	Storage temperature	Modified	
7.2	Storage area	Modified	
8.2	Eye protection	Added	
8.2	Personal protective equipment	Modified	
8.2	Hand protection	Modified	
9.1	Viscosity, kinematic	Modified	
9.1	Flash point	Modified	
9.1	Appearance	Modified	
9.1	Density	Modified	
10.2	Chemical stability	Modified	
10.3	Possibility of hazardous reactions	Modified	
10.4	Conditions to avoid	Added	
11.1	Reason for no classification	Added	
12.1	General	Added	
12.2	Persistence and degradability	Added	
13.1	Additional information	Added	

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4

Motor Oil 5W-30 Premium Synthetic C2 Citroën / Peugeot

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.