

ersion: 6.0	Revision Date: 11	.02.2020	Print Date: 22/09/2022		
Conforms to EU Regulation 1907/2006/EC as amended SDSGHS_GB SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1 Product identifier					
		M ALL CLIMATE C2/C3 Blend Motor Oil	3 5W30		
Product code	: 881923				
1.3 Details of the supplie sheet Ellis Enterprises B.V., an a	-		phone number 01-859-202-3865, or contact y telephone number at 112		
sheet	-	00-800-825-8654 / 0	01-859-202-3865, or contact		
Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the		Product Information			
	s rectricitatios, or				
contact your local CSR co	ntact person	contact your local CS	SR contact person		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request.



Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7 265-157-1 01-2119484627-25-xxxx	Asp. Tox.1; H304	>= 50,00 - < 60,00
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8 265-158-7 01-2119487077-29-xxxx	Asp. Tox.1; H304	>= 2,50 - < 5,00
Zinc alkyldithiophosphate	68649-42-3 272-028-3	Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Chronic2; H411	>= 1,00 - < 2,50
bis(nonylphenyl)amine	36878-20-3 253-249-4 01-2119488911-28-xxxx	Aquatic Chronic4; H413	>= 1,00 - < 2,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice	: No hazards which require special first aid measures.		
If inhaled	: If breathed in, move person into fresh air. If unconscious, place in recovery position and seek medical advice.		



Synthetic Blend Motor Oil

Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022		
	If symptoms persist, call a physic	ian.		
In case of skin contact	: Remove contaminated clothing. If medical attention. If on skin, rinse well with water. Wash contaminated clothing befo			
In case of eye contact	: Flush eyes with water as a precat Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a			
If swallowed	: Do not give milk or alcoholic beve Never give anything by mouth to If symptoms persist, call a physic	an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	: No symptoms known or expected	I.		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	: No hazards which require special			
SECTION 5: Firefighting measures				
5.1 Extinguishing media				

5.1 Extinguishing media

Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Nitrogen oxides (NOx) carbon dioxide



Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-conta	ined breathing apparatus.
Specific extinguishing methods	: Product is compatible with standar	d fire-fighting agents.
Further information	: Standard procedure for chemical fi	res.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
6.2 Environmental precautions Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for cont Methods for cleaning up		nment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against		Normal measures for preventive fire protection

Advice on protection against : Normal measures for preventive fire protection.



SAFETY DATA SHEET Valvoline[™] ALL CLIMATE C2/C3 5W30

Synthetic Blend Motor Oil

Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022		
fire and explosion				
Hygiene measures	: Wash hands before breaks and at the en using do not eat or drink. When using do			
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage areas and containers	: Keep container tightly closed in a dry and place.	d well-ventilated		
Other data	: No decomposition if stored and applied a	s directed.		
7.3 Specific end use(s)				
Specific use(s)	: No data available			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	: Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	: Wear as appropriate: Impervious clothing Safety shoes Choose body protection according to the amount and concentration of the dangerous substance at the work place.



SAFETY DATA SHEET

Valvoline[™] ALL CLIMATE C2/C3 5W30 Synthetic Blend Motor Oil

Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily
Odour Threshold	:	No data available
рН	:	Not applicable
Pour point	:	< -36 °C
Boiling point/boiling range	:	No data available
Flash point	:	223 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	ca. 0,852 g/cm3 (15,6 °C)
Bulk density	:	Not applicable
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available



Valvoline™ ALL CLIMATE C2/C3 5W30 Synthetic Blend Motor Oil

Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: < 6.400 mPa.s (-30 °C)	
Viscosity, kinematic	: 73 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information		
Self-ignition	: No data available	
SECTION 10: Stability and re	activity	

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known. products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
-		Eve Contact



SAFETY DATA SHEET

Valvoline[™] ALL CLIMATE C2/C3 5W30 Synthetic Blend Motor Oil

Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

Ingestion

Acute toxicity

Not classified based on available information.

Components:

HEAVY PARAFFINIC DISTILLATE:		
Acute oral toxicity	: LD50 (Rat): > 15 g/kg	
Acute dermal toxicity	: LD50 (Rabbit): > 5 g/kg	

Components:

ZINC DIALKYL DITHIOPHOSPHATE:

Acute oral toxicity	: LD50 (Rat): > 2.000 - 5.000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS.

Components:

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Remarks: No mortality observed at this dose.
Acute dermal toxicity	 LD50 (Rat): > 2.000 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS. Remarks: Information given is based on data obtained from similar substances.

Skin corrosion/irritation

Not classified based on available information.

Components:

...

HEAVY PARAFFINIC DISTILLATE:

Result: Slight, transient irritation

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Result: Slight, transient irritation

ZINC DIALKYL DITHIOPHOSPHATE: Result: Irritating to skin.

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED): Species: Rabbit



Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

Result: Mild skin irritation

Remarks: Information given is based on data obtained from similar substances.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

HEAVY PARAFFINIC DISTILLATE:

Result: No eye irritation

HYDROTREATED LIGHT PARAFFINIC DISTILLATE: Result: Slight, transient irritation

ZINC DIALKYL DITHIOPHOSPHATE:

Result: Corrosive

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Rabbit Result: Slight, transient irritation Remarks: Information given is based on data obtained from similar substances.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

ZINC DIALKYL DITHIOPHOSPHATE:

Assessment: Does not cause skin sensitisation.

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406 Remarks: Information given is based on data obtained from similar substances.

Germ cell mutagenicity

Not classified based on available information.

Components: REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):



rsion: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022
Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhim Metabolic activation: with and with Result: negative	
Carcinogenicity Not classified based on ava	ailable information.	
<u>Components:</u> HYDROTREATED LIGHT	PARAFFINIC DISTILLATE:	
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part	
Reproductive toxicity Not classified based on ava	ailable information.	
STOT - single exposure Not classified based on ava	ailable information.	
STOT - repeated exposur Not classified based on ava		
Aspiration toxicity Not classified based on available	ailable information.	
Components: HEAVY PARAFFINIC DIS	TILLATE:	
May be fatal if swallowed a	ind enters airways.	
HYDROTREATED LIGHT May be fatal if swallowed a	PARAFFINIC DISTILLATE: and enters airways.	
Further information		
Product:		
Remarks: No data available	e	

12.1 Toxicity

Components:Distillates (petroleum), hydrotreated heavy paraffinicToxicity to fish:LL50 (Fish): > 100 mg/l



SAFETY DATA SHEET

Valvoline[™] ALL CLIMATE C2/C3 5W30 Synthetic Blend Motor Oil

Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022
	Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Aquatic invertebrates): > 10.000 Exposure time: 48 h) mg/l
Toxicity to algae	: EL50 (Algae, algal mat (Algae)): > 100 Exposure time: 72 h) mg/l
Toxicity to fish (Chronic toxicity)	: NOEC: 10 mg/l Species: Fish	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 10 mg/l Species: Aquatic invertebrates	
Zinc alkyldithiophosphate Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	: Toxic to aquatic life.	
Long-term (chronic) aquatic hazard	: Toxic to aquatic life with long lasting e	ffects.
bis(nonylphenyl)amine		
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 Exposure time: 96 h Test Type: static test Remarks: Information given is based o similar substances.	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): Exposure time: 48 h Test Type: static test Test substance: WAF	> 100 mg/l
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata End point: Growth inhibition Exposure time: 72 h Test Type: static test	a (algae)): 600 mg/l
-		

12.2 Persistence and degradability

Components:

Zinc alkyldithiophosphate	
Biodegradability	: Result: Not readily biodegradable.
	Biodegradation: 1,5 %
	Exposure time: 28 d



Synthetic Blend Motor Oil

Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022
bis(nonylphenyl)amine		
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B	
12.3 Bioaccumulative potential		
<u>Components:</u> bis(nonylphenyl)amine Partition coefficient: n- octanol/water	: log Pow: > 7,5	

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

12.6 Other adverse effects

Product:	
Additional ecological information	: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.



Synthetic Blend Motor Oil

Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	ation specific for the substance or mixture : Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable



SAFETY DATA SHEET Valvoline[™] ALL CLIMATE C2/C3 5W30

Synthetic Blend Motor Oil

Version: 6.0	Revision Date: 11.02.2020	Print Date: 22/09/2022
Regulation (EC) No 649/2012 Parliament and the Council of import of dangerous chemica	oncerning the export and DITHIOPHC	
REACH - Restrictions on the the market and use of certair preparations and articles (An	dangerous substances,	le
Seveso III: Directive 2012/18 major-accident hazards invol	EU of the European Parliament and of the Co ving dangerous substances. Not applicable	ouncil on the control of
The components of this pro DSL	educt are reported in the following inventors: All components of this product are on the	
AICS	: On the inventory, or in compliance with	the inventory
ENCS	: On the inventory, or in compliance with	the inventory
KECI	: On the inventory, or in compliance with	the inventory
PICCS	: On the inventory, or in compliance with	the inventory
IECSC	: On the inventory, or in compliance with	the inventory
TCSI	: On the inventory, or in compliance with	the inventory
TSCA	: Not On TSCA Inventory	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available



Synthetic Blend Motor Oil

Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

SECTION 16: Other information

Further information

Internal information : 000000272309

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA). ICAO : International Civil Aviation Organization



SAFETY DATA SHEET Valvoline[™] ALL CLIMATE C2/C3 5W30

Valvoline [™] ALL CLIMATE C2/C3 5W30 Synthetic Blend Motor Oil

Version: 6.0

Revision Date: 11.02.2020

Print Date: 22/09/2022

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization" IMDG : International Maritime Code for Dangerous Goods ISO : International Organization for Standardization logPow : octanol-water partition coefficient LCxx : Lethal Concentration, for xx percent of test population LDxx : Lethal Dose, for xx percent of test population. ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development **OEL** : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent, Bioaccumulative and Toxic **PPE : Personal Protective Equipment** STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging

CSA : Chemical Safety Assessment

CSR : Chemical Safety Report

DNEL : Derived No Effect Level.

EINECS : European Inventory of Existing Commercial Chemical Substances.

ELINCS : European List of Notified Chemical Substances

PEC : Predicted Effect Concentration

PEL : Permissible Exposure Limits

PNEC : Predicted No Effect Concentration

R-phrase : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase

WGK : German Water Hazard Class