

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Preparation name: SP +
1. 1. 1. Contains:
 - HYDROCARBURES, C10-C13, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES
 - Distillates (petroleum), hydrotreated light; Kerosine - unspecified
 - Hydrocarbons, C10, aromatics, >1% naphtalène
 - cumene [1]; propylbenzene [2]
1. 1. 2. Product code nr: MT007
1. 1. 3. Other means of identification: UFI : YK00-10ER-H00J-TF8V
1. 2. Details of the supplier of the safety data sheet: SELD
6 rue Jules Guesde – ZI du Pontet
F-69360 Saint Symphorien d'Ozon
France
Phone: +33 (0)4 37 25 16 16
Fax: +33 (0)4 78 21 80 70
E-mail: contact@seld-production.com
1. 3. Emergency telephone number: UK - National Poisons Information Service Phone: 44 / 191 22 5131
1. 4. Relevant identified uses of the substance or mixture and uses advised against: Additive Gasoline Lubricating and Antioxydant Substitute of Lead

2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or mixture:
 - * Asp. Tox. 1 / GHS08 - H304 *
 - * Skin Irrit. 2 / GHS07 - H315 *
 - * Irr. oc. 2A / GHS07 - H319 *
 - * Aquatic. Chronic 3 / H412 *
2. 2. Label elements:
-  
Danger
2. 2. 1. Symbol(s) and signal word: .
2. 2. 2. Contains:
 - HYDROCARBURES, C10-C13, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES
 - Distillates (petroleum), hydrotreated light; Kerosine - unspecified
 - Hydrocarbons, C10, aromatics, >1% naphtalène
 - cumene [1]; propylbenzene [2]
2. 2. 3. Hazard statement: H315 Causes skin irritation.
H319 Causes serious eye irritation.
H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.
2. 2. 4. Prevention: P264 Wash Hands thoroughly after handling.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P273 Avoid release to the environment.
2. 2. 5. Response: P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P321a Specific treatment (see item nr 4.3.).
P332+P313 If skin irritation occurs: Get medical advice / attention.
P362 Take off contaminated clothing.
P364 And wash it before reuse.
P305 IF IN EYES:
P351 Rinse cautiously with water for several minutes.
P338 Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice / attention.
P301 IF SWALLOWED:
P310a Immediately call a POISON CENTER / doctor.

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

	P331 Do NOT induce vomiting.
2. 2. 6. Storage:	P405 Store locked up.
2. 2. 7. Disposal:	P501a Dispose of contents / container in accordance with local / regional / national / international regulation
2. 3. Further information(s):	EUH 066 - Repeated exposure may cause skin dryness or cracking.
2. 4. Most important hazards:	Irritating to eyes and skin. Vapours may cause drowsiness and dizziness
2. 5. Other hazards:	React with strong acids and oxidising compounds.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3. 1. Component(s) contributing to the hazard:	• HYDROCARBURES, C10-C13, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES - CE nr: 918-481-9 - REACH registration number : 01-2119457273-39xxx - Conc. (weight %) :Conc. (% pds) : % 60 < C <= 70 - GHS (Globally Harmonized System) * GHS08 * Tox. asp. 1 - H304 - Miscellaneous : - LD50 / Dermal / Rat = =>2000 mg/kg - LD50 / Oral / Rat = =>5000 mg/kg - LC50 / 96h / Oncorhynchus mykiss = =>1000 mg/l - CE50 / 48h / Daphnia magna = =>1000 mg/l - CEr50 / 72h / Pseudokirchneriella subcapita = <=1000 mg/l - Additional phrase(s) - EUH 066 - Repeated exposure may cause skin dryness or cracking. • Mixture of compose organo-potassic - CAS nr: 07491-09-0 - Conc. (weight %) :Conc. (% pds) : % 5 < C <= 10 - GHS (Globally Harmonized System) * GHS07 * Irr. cut. 2 - H315 * Irr. oc. 2 - H319 * Irr. oc. 2A • Distillates (petroleum), hydrotreated light; Kerosine - unspecified - Id nr: 649-422-00-2 - CE nr: 265-149-8 - CAS nr: 64742-47-8 - Conc. (weight %) :Conc. (% pds) : % 5 < C <= 10 - GHS (Globally Harmonized System) * GHS08 * Tox. asp. 1 - H304 • propan-2-ol; isopropyl alcohol; isopropanol - Id nr: 603-117-00-0 - CE nr: 200-661-7 - CAS nr: 67-63-0 - REACH registration number : 01-2119457558-25-XXXX - Conc. (weight %) :Conc. (% pds) : % 1 < C <= 5 - GHS (Globally Harmonized System) * GHS02 * Liq. infl. 2 - H225 * GHS07 * STOT un. 3. - H336 * Irr. oc. 2 - H319 - Miscellaneous : - LD50 / Dermal / Rabbit = 13900 mg/kg - LD50 / Oral / Rat = 5840 mg/kg - LC50 / 24h / Shellfishes = 9714 mg/l - LC50 / 96h / Fish = 9640 mg/l - LC50 / Inhalation (vapours) / 6h / Rat = >25000 mg/l - Exposure limit values - T.L.V. ppm = 250 - T.L.V. mg/m³ = 650 • Hydrocarbons, C10, aromatics, >1% naphtalène - CE nr: 919-284-0 - REACH registration number : 01-2119463588-24 - Conc. (weight %) :Conc. (% pds) : % 1 < C <= 5 - GHS (Globally Harmonized System) * GHS07 * STOT un. 3. - H336 * GHS08 * Tox. asp. 1 - H304 * Canc. 2 - H351
--	--

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

* GHS09 * Tox. aq. chron. 2 - H411
- Miscellaneous :
LE50 / 48h / Daphnia magna = >3<=10 mg/l
LE50 / 72h / Pseudokirchneriella subcapita = 11 mg/l
DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 2.5 mg/l
LL50 / 96h / Oncorhynchus mykiss = >2<=5 mg/l
LD50 / Ingestion / Rat = >5000 mg/kg
LD50 / Dermal / Rabbit = >2000 mg/kg
LC50 / Inhalation (vapours) / Rat = >4688 mg/m3
Additional phrase(s)
EUH 066 - Repeated exposure may cause skin dryness or cracking.

• polyolefin alkyl phenol alkylamine
- Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5
- GHS (Globally Harmonized System)
* GHS07 * Irr. cut. 2 - H315 * Irr. oc. 2 - H319 * Irr. oc. 2A

• cumene [1]; propylbenzene [2]
- Id nr: 601-024-00-X - CE nr: 202-704-5 - CAS nr: 98-82-8
- Conc. (weight %) : Conc. (% pds) : % 0 < C <= 1
- GHS (Globally Harmonized System)
* GHS02 * Liq. infl. 3 - H226
* GHS07 * STOT un. 3 - H335
* GHS08 * Tox. asp. 1 - H304
* GHS09 * Tox. aq. chron. 2 - H411
- Miscellaneous :
Exposure limit values
T.L.V. ppm = 20 - T.L.V. mg/m³ = 100 - S.T.E.L ppm = 50 - S.T.E.L mg/m³ = 250

• naphthalene
- Id nr: 601-052-00-2 - CE nr: 202-049-5 - CAS nr: 91-20-3
- Conc. (weight %) : Conc. (% pds) : % 0 < C <= 1
- GHS (Globally Harmonized System)
* GHS07 * Tox. aiguë 4 - H302
* GHS08 * Canc. 2 - H351
* GHS09 * Tox. aq. chron. 1 - H410
- Miscellaneous :
Exposure limit values
T.L.V. ppm = 10 - T.L.V. mg/m³ = 50 - S.T.E.L ppm = 15 - S.T.E.L mg/m³ = 79

• mesitylene; 1,3,5-trimethylbenzene
- Id nr: 601-025-00-5 - CE nr: 203-604-4 - CAS nr: 108-67-8
- Conc. (weight %) : Conc. (% pds) : % 0 < C <= 1
- GHS (Globally Harmonized System)
* GHS02 * Liq. infl. 3 - H226
* GHS07 * STOT un. 3 - H335
* GHS09 * Tox. aq. chron. 2 - H411
Remarks: (STOT SE 3; H335; C >= 25%)
- Miscellaneous :
Exposure limit values
T.L.V. ppm = 20 - T.L.V. mg/m³ = 100

• 1,2,4-trimethylbenzene
- Id nr: 601-043-00-3 - CE nr: 202-436-9 - CAS nr: 95-63-6
- Conc. (weight %) : Conc. (% pds) : % 0 < C <= 1
- GHS (Globally Harmonized System)
* GHS02 * Liq. infl. 3 - H226
* GHS07 * Tox. aiguë 4 - H332 * STOT un. 3 - H335 * Irr. cut. 2 - H315 * Irr. oc. 2 - H319
* GHS09 * Tox. aq. chron. 2 - H411
- Miscellaneous :
Exposure limit values
T.L.V. ppm = 20 - T.L.V. mg/m³ = 100

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

• o-xylene [1]; p-xylene [2]; m-xylene [3]; xylene [4]
- Id nr: 601-022-00-9 - CE nr: 215-535-7 - CAS nr: 1330-20-7
- Conc. (weight %) : Conc. (% pds) : % 0 < C ≤ 1
- GHS (Globally Harmonized System)
* GHS02 * Liq. infl. 3 - H226
* GHS07 * Tox. aiguë 4 - H312 - H332 * Irr. cut. 2 - H315
Remarks:((*))
- Miscellaneous :
Exposure limit values
T.L.V. ppm = 50 - T.L.V. mg/m³ = 221 - S.T.E.L ppm = 100 - S.T.E.L mg/m³ = 442

The wording of the sentences are mentioned at heading 16.

4. FIRST AID MEASURES

4. 1. Description of first aid measures:

4. 1. 1. General advice: Never give anything by mouth to an unconscious person.
In all cases of doubt, or when symptoms persist, seek medical attention.
For symptom description, see item 11.
4. 1. 2. Inhalation: - Take victim to fresh air, in a quiet place, in an half laying position and if necessary take medical advice.
- Artificial respiration and/or oxygen if necessary.
4. 1. 3. Skin contact: - Take off immediately all contaminated clothing.
- Wash off with soap and plenty of water.
- If skin irritation persists, take medical advice.
4. 1. 4. Eye contact: Rinse immediately with plenty of water, also under eyelids, taking contact lenses off.
If eye irritation persists, take medical advice.
4. 1. 5. Ingestion: - Do NOT induce vomiting.
- Rinse mouth, do not drink anything, keep quiet, and go immediately to hospital or to a doctor.

4. 2. Most important symptoms and effects, both acute and delayed:

4. 2. 1. Inhalation: Irritating to the respiratory system, may cause throat pain and cough.
Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, breathing arrest.
4. 2. 2. Skin contact: Components of the product may be absorbed into the body through the skin.
Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.
4. 2. 3. Eyes contact: mild eye irritation (pain, redness)
4. 2. 4. Ingestion: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea. (abdominal pain)

4. 3. Indication of any immediate medical attention and special treatment needed :

In all cases of doubt, or when symptoms persist, seek medical attention.

5. FIREFIGHTING MEASURES

5. 1. Extinguishing media: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂), water spray, sand, earth.
5. 2. Special hazards arising from the substance or mixture: In case of fire and/or explosion do not breathe fumes.
In case of fire, product decomposes in: toxic compounds, carbon oxides (CO and CO₂), nitrogen oxides (NO_x) and smokes.
Vapours are heavier than air and spread above ground.
Concerning product toxicity, see item 11 and about product stability and reactivity see item 10.
5. 3. Advice for firefighters: Use a self-contained breathing apparatus and also a protective suit.

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

5. 4. Extinguishing media which must NOT be used for safety reasons: Do not use water jet.

6. ACCIDENTAL RELEASE MEASURES

6. 1. Personal precautions, protective equipment and emergency procedures: Avoid contact with skin, eyes, or clothing.
Ensure adequate ventilation.
Remove all sources of ignition.
6. 2. Environmental precautions: Prevent liquid from entering sewers, watercourses, underground or low areas. Relevant water authorities should be notified of any large spillage to water course or drain.
6. 3. Methods and material for containment and cleaning up: Soak up with absorbent material (for example sand, saw dust, neutral absorbent granule, silica gel).
Shovel into suitable and closed container for disposal.
Dispose as hazardous waste. (see item nr 13)
6. 4. Reference to other sections: Concerning personal protective equipment to use, see item 8.
Concerning disposal elimination after cleaning, see item 13.

7. HANDLING AND STORAGE

7. 1. Handling:
7. 1. 1. Precautions for safe handling: Avoid all eyes and skin contact and do not breathe vapour and mist.
Do not eat, drink and do not smoke in areas where product is used.
Wear personal protective equipment (see item 8).
7. 1. 2. Technical condition(s): Maximum handling temperature: 50°C.
Provide for appropriate exhaust ventilation at places of vapours accumulation.
7. 1. 3. Safe handling advice(s): Opened containers must be carefully closed and kept upright to avoid leakage.
7. 2. Storage:
7. 2. 1. Conditions for safe storage, including any incompatibilities: Keep out of the reach of children.
7. 2. 2. Technical condition(s): Not flammable and waterproof underground retention basin.
7. 2. 3. Storage condition(s): Keep container tightly closed and at a temperature not exceeding (°C): 50°C
Keep away from sources of ignition - No smoking.
Keep container in a well ventilated place.
7. 2. 4. Separation of incompatible product(s): Keep away from: strong acids, and oxidising compounds.
7. 2. 5. Packaging / tank material: made of the same material as the supply container.
7. 2. 6. Unsuitable packaging materials: - Avoid certain plastics which are soluble in product.
- rubbers
7. 3. Specific end use(s): None reasonably foreseeable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8. 1. Control parameters:
8. 1. 1. Exposure limit(s):
- propan-2-ol; isopropyl alcohol; isopropanol :
T.L.V. ppm = 250 - T.L.V. mg/m³ = 650
 - cumene [1]; propylbenzene [2] :
T.L.V. ppm = 20 - T.L.V. mg/m³ = 100 - S.T.E.L ppm = 50 - S.T.E.L mg/m³ = 250
 - naphthalene :
T.L.V. ppm = 10 - T.L.V. mg/m³ = 50 - S.T.E.L ppm = 15 - S.T.E.L mg/m³ = 79
 - mesitylene; 1,3,5-trimethylbenzene :
T.L.V. ppm = 20 - T.L.V. mg/m³ = 100
 - 1,2,4-trimethylbenzene :
T.L.V. ppm = 20 - T.L.V. mg/m³ = 100
 - o-xylene [1]; p-xylene [2]; m-xylene [3]; xylene [4] :

SAFETY DATA SHEET

SP +

Version:6

Review date: 9/04/2021

RE EC/2016-918 - CLP 1272/2008

T.L.V. ppm = 50 - T.L.V. mg/m³ = 221 - S.T.E.L ppm = 100 - S.T.E.L mg/m³ = 442

- | | |
|--|---|
| 8. 1. 2. Biological index: | No data available. |
| 8. 2. Exposure controls: | |
| 8. 2. 1. Appropriate engineering controls: | Ensure adequate ventilation, especially in confined areas.
To protect against splashes from pouring. |
| 8. 2. 2. Eye protection: | safety glasses |
| 8. 2. 3. Respiratory protection: | Not necessary with sufficient ventilation. |
| 8. 2. 4. Hand protection: | nitrile rubber gloves |
| 8. 2. 5. Skin and body protection: | Wear suitable protective clothing |
| 8. 3. Environmental exposure controls: | No available information on preparation. |
| 8. 4. Hygiene measure(s): | Do not eat, drink, or smoke during work.
Keep away from food, drink and animal feed. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and chemical properties:

- | | |
|--|---|
| 9. 1. 1. Physical state: | liquid |
| 9. 1. 2. Colour: | amber |
| 9. 1. 3. Odour: | hydrocarbon-like |
| 9. 1. 4. Melting point / freezing point: | No available information on preparation. |
| 9. 1. 5. Boiling point or initial boiling point and boiling range: | Not determined. |
| 9. 1. 6. Flammability: | No available information on preparation. |
| 9. 1. 7. Lower and upper explosion limit: | No data available. |
| 9. 1. 8. Flash point: | > 62°C |
| 9. 1. 9. Auto-ignition temperature: | No available information on preparation. |
| 9. 1. 10. Decomposition temperature: | No available information on preparation. |
| 9. 1. 11. pH: | Not applicable. |
| 9. 1. 12. Solubility: | No available information on preparation. |
| 9. 1. 13. Water solubility: | immiscible |
| 9. 1. 14. Fat solubility: | completely soluble |
| 9. 1. 15. Solvent solubility: | soluble in most organic solvents and hydrocarbons |
| 9. 1. 16. Partition coefficient n-octanol/water (log value): | No available information on preparation. |
| 9. 1. 17. Vapour pressure: | No available information on preparation. |
| 9. 1. 18. Relative vapour density: | No available information on preparation. |
| 9. 1. 19. Density and/or relative density: | 0.8478 |
| 9. 1. 20. Particle characteristics: | No available information on preparation. |
| 9. 1. 21. Kinematic viscosity: | Not determined. |
| 9. 2. Other information: | |

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

10. STABILITY AND REACTIVITY

- | | |
|--|---|
| 10. 1. Reactivity: | No decomposition if stored and applied as directed. |
| 10. 2. Chemical stability: | Stable in use and storage conditions as recommended in item 7. |
| 10. 3. Possibility of hazardous reactions: | Not waited |
| 10. 4. Conditions to avoid: | Do not expose at temperatures above 50°C |
| 10. 5. Incompatible materials: | Reacts violently with:: strong acids and oxidising compounds |
| 10. 6. Hazardous decomposition products: | Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide and nitrogen oxides (NOx). |

11. TOXICOLOGICAL INFORMATION

- | | |
|--|--|
| 11. 1. Information on hazard classes as defined in Regulation (EC) No 1272/2008: | No available information on preparation. |
| 11. 1. 1. Inhalation: | see item nr 3
- Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9)
:
- Isopropanol |
| 11. 1. 2. Skin contact: | see item nr 3
- Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9)
:
- Isopropanol |
| 11. 1. 3. Eyes contact: | No data available. |
| 11. 1. 4. Ingestion: | see item nr 3
- Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9)
:
- Isopropanol |
| 11. 1. 5. Sensitisation: | May cause sensitisation of susceptible persons by skin contact. |

12. ECOLOGICAL INFORMATION

- | | |
|--|--|
| 12. 1. Toxicity: | No data available. |
| 12. 2. Persistence and degradability: | Product has only a limited biodegradability in soil and water. |
| 12. 3. Bioaccumulative potential: | Cette préparation contient une substance UVCB. Les tests standards ne sont pas appropriés pour ce paramètre. |
| 12. 4. Mobility in soil: | Cette préparation contient une substance UVCB. Les tests standards ne sont pas appropriés pour ce paramètre. |
| 12. 5. Results of PBT and vPvB assessment: | This product n' is not a substance PBT or vPvB, or n' in does not contain. |
| 12. 6. Endocrine disrupting properties: | No available information on preparation. |
| 12. 7. Other adverse effects: | No expected harmful effects. |
| 12. 7. 1. Toxicity to fish: | see item nr 3
- Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9)
:
- Isopropanol |

SAFETY DATA SHEET

SP +

Version:6

Review date: 9/04/2021

RE EC/2016-918 - CLP 1272/2008

12. 8. General information(s): There is no data available on the product itself.

13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods: Collect all waste in suitable and labelled containers and dispose according to local legislation. Do not dispose of waste into sewer.
13. 2. Contaminated packaging: This container is uitsluitend bedoeld only to this product. Empty containers can be dumped according to local legislation.

14. TRANSPORT INFORMATION

14. 1. General information(s): Transport followed ADR, IMDG, IATA
14. 2. UN number or ID number: .
14. 6. Environmental hazards: May be dangerous for environment.
14. 7. Special precautions for user: Concerning personal protective equipment to use, see item 8.
14. 8. Maritime transport in bulk according to IMO instruments: Not applicable.

15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture: Payment 1907/2006 concerning the recording, the evaluation and the authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified.
15. 2. Chemical safety assessment: Not applicable.

16. OTHER INFORMATION

16. 1. Text of the phrases listed in section 3:
- H304 May be fatal if swallowed and enters airways.
H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H226 Flammable liquid and vapour.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.
H312 Harmful in contact with skin.
H302 Harmful if swallowed.
H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H410 Very toxic to aquatic life with long lasting effects.
16. 2. Important remarks: Information in this safety data sheet is based on actual knowledge in our possession and our experience.
It is recommended to pass the information of this safety data sheet, eventually in an appropriated form, to the users.
No liability will be accepted (except as otherwise provided by law) arising out of the use of information supplied in this data sheet.
16. 3. Restrictions: This information relates to the specific material designated and may not be valid in combination with other product(s).
16. 4. 1. First edition date: 13/07/2005
16. 4. 2. Previous revision date: 20/01/2019
16. 4. 3. Review date: 9/04/2021
16. 4. 4. Version: 6

SAFETY DATA SHEET

SP +

Version:6

Review date:9/04/2021

RE EC/2016-918 - CLP 1272/2008

16. 4. 5. Review chapter(s) n°:	1-9
16. 5. Written by:	seld