




1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Product identifier:
1. 1. 1. Preparation name: GRAISSE BLANCHE EXTREME PRESSION
1. 1. 2. UFI: KFWD-57NU-810S-2TH4
1. 1. 3. Product code nr: 430012
1. 2. Relevant identified uses of the substance or mixture and uses advised against: For more information, to consult the chart.
1. 3. Details of the supplier of the safety data sheet: SELD
6 rue Jules Guesde – ZI du Pontet
F-69360 Saint Symphorien d'Ozon
France
Phone: +33 (0)4 37 25 16 16
E-mail: contact@seld-production.com
1. 4. Emergency telephone number: UK - National Poisons Information Service Phone: 44 / 191 22 5131
.
.
.

2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or mixture: * Flam. Aerosol 1 / GHS02 - H222 *
* STOT SE 3 / GHS07 - H335 *
* Aquatic. Chronic 2 / GHS09 - H411 *
* Skin Irrit. 2 / GHS07 - H315 *
2. 2. Label elements:
-   
- Danger
2. 2. 1. Symbol(s) and signal word: .
2. 2. 2. Hazard statement: H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H411 Toxic to aquatic life with long lasting effects.
H335 May cause respiratory irritation.
2. 2. 3. Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P264 Wash Hands thoroughly after handling.
P280 Wear protective gloves / protective clothing / eye protection / face protection.
P273 Avoid release to the environment.
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
P271 Use only outdoors or in a well-ventilated area.
2. 2. 4. Response: P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P321a Specific treatment (see item nr 4.3.).
P332+P313 If skin irritation occurs: Get medical advice / attention.
P362 Take off contaminated clothing.
P364 And wash it before reuse.
P391 Collect spillage.
P304 IF INHALED:
P340 Remove person to fresh air and keep comfortable for breathing.
P312a Call a POISON CENTER / doctor if you feel unwell.
2. 2. 5. Storage: P410 Protect from sunlight.
P412 Do not expose to temperatures exceeding 50 °C / 122°F.

2. 2. 6. Disposal:	P403 Store in a well-ventilated place. P233 Keep container tightly closed. P405 Store locked up. P501a Dispose of contents / container in accordance with local / regional / national / international regulation
2. 3. Other hazards:	Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.

3. COMPOSITION / INFORMATION ON INGREDIENTS

3. 1. Component(s) contributing to the hazard:	<ul style="list-style-type: none"> Hydrocarbures, C6 isocalcanes, <5% n-hexane CE nr: 931-254-9 REACH registration number : 01-2119484651-34 Conc. (weight %) : Conc. (% pds) : % 70 < C <= 80 GHS (Globally Harmonized System) * GHS02 * Liq. infl. 2 - H225 * GHS07 * STOT un. 3 - H336 * STOT un. 3. * GHS08 * Tox. asp. 1 - H304 * Irr. cut. 2 - H315 * GHS09 * Tox. aq. chron. 2 - H411 Miscellaneous : LE50 / 48h / Daphnia magna = 31.9 mg/l DSEO-R(NOELR) / / Daphnia magna = 7.14 mg/l DSEO-R(NOELR) / / Oncorhynchus mykiss = 4.09 mg/l DSEO-R(NOELR) / 72h / Pseudokirchneriella subcapita = 3 mg/l LL50 / 96h / Oncorhynchus mykiss = 18.3 mg/l LD50 / Skin contact / 4h / Rabbit = >3350 mg/kg LD50 / Oral / Rat = > 16750 mg/kg LC50 / Inhalation (vapours) / 4h / Rat = 259354 mg/m3 <ul style="list-style-type: none"> Dioxyde de carbone CE nr: 204-696-9 - CAS nr: 124-38-9 Conc. (weight %) : Conc. (% pds) : % 1 < C <= 5 GHS (Globally Harmonized System) * GHS04 - Gaz comprimés * Gaz ss pr. - H280 Miscellaneous : Exposure limit values T.L.V. ppm = 5000 - T.L.V. mg/m³ = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m³ = 54000 <p>The wording of the sentences are mentioned at heading 16.</p>
--	---

4. FIRST AID MEASURES

4. 1. Description of first aid measures:	
4. 1. 1. General advice:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
4. 1. 2. Inhalation:	Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in the recovery position and seek medical advice.
4. 1. 3. Skin contact:	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleaner.
4. 1. 4. Eye contact:	Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.
4. 1. 5. Ingestion:	If swallowed, seek medical advice immediately and show this container or label.
4. 2. Most important symptoms and effects, both acute and delayed:	skin irritation

4. 2. 1. Inhalation:	narcotic effects
4. 2. 2. Skin contact:	Repeated or prolonged contact with the product may lead to removal of natural fats from the skin resulting in non-allergic contact dermatitis and absorption through the skin.
4. 2. 3. Eyes contact:	Splashes in the eyes may cause irritation and reversible local damage.
4. 2. 4. Ingestion:	May cause nausea, vomiting, sore throat, stomach-ache and eventually a perforation of the intestine.
4. 3. Indication of any immediate medical attention and special treatment needed :	In all cases of doubt, or when symptoms persist, seek medical attention.

5. FIREFIGHTING MEASURES

5. 1. Extinguishing media:	alcohol-resistant foam, carbon dioxide (CO2), powder, water spray.
5. 2. Special hazards arising from the substance or mixture:	Be careful of explosion risk. Decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Fire will produce dense black smoke.
5. 3. Advice for firefighters:	Use a self-contained breathing apparatus and also a protective suit.
5. 4. Specific method(s):	Cool closed containers exposed to fire with water spray.
5. 5. Extinguishing media which must NOT be used for safety reasons:	Do not use water jet.

6. ACCIDENTAL RELEASE MEASURES

6. 1. Personal precautions, protective equipment and emergency procedures:	Evacuate personnel to a safe area. Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8.
6. 2. Environmental precautions:	Prevent liquid from entering sewers, watercourses, underground or low areas.
6. 3. Methods and material for containment and cleaning up:	Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).
6. 4. Reference to other sections:	Concerning disposal elimination after cleaning, see item 13.

7. HANDLING AND STORAGE

7. 1. Handling:	
7. 1. 1. Precautions for safe handling:	Smoking, eating and drinking is prohibited in areas of storage and use. Avoid contact with skin and eyes. For personal protection, see Section 8.
7. 1. 2. Technical condition(s):	The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.
7. 2. Storage:	
7. 2. 1. Conditions for safe storage, including any incompatibilities:	Keep out of the reach of children. Keep away from open flames, hot surfaces and sources of ignition.
7. 2. 2. Storage condition(s):	Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Store at temperatures between 5°C and 50°C
7. 2. 3. Separation of incompatible product(s):	Store separately from oxidising agents and strongly alkaline and strongly acidic materials.
7. 2. 4. Packaging / tank material:	made of the same material as the supply container.

7. 3. Specific end use(s): None under normal use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8. 1. Control parameters:

8. 1. 1. Exposure limit(s):

• Dioxyde de carbone :
T.L.V. ppm = 5000 - T.L.V. mg/m³ = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m³ = 54000

8. 2. Exposure controls:

8. 2. 1. Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas.
If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn.

8. 2. 2. Eye protection:

Eye protection designed to protect against exposure to dusts should be worn when there is a likelihood of exposure.

8. 2. 3. Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment.

8. 2. 4. Hand protection:

Barrier creams may help to protect exposed areas of the skin but are not substitutes for full physical protection. They should not be applied once exposure has occurred.

8. 2. 5. Skin and body protection:

Wear suitable protective clothing

8. 3. Environmental exposure controls: ????

9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and chemical properties:

9. 1. 1. Physical state:

aerosol: liquid + propellant gas no flammable

9. 1. 2. Colour:

white

9. 1. 3. Odour:

hydrocarbon-like

9. 1. 4. Melting point / freezing point:

No data available.

9. 1. 5. Boiling point or initial boiling point and boiling range:

<0°C

9. 1. 6. Flammability:

No data available.

9. 1. 7. Lower and upper explosion limit:

1 à 8 volume %

9. 1. 8. Flash point:

<=21°C

9. 1. 9. Auto-ignition temperature:

????

9. 1. 10. Decomposition temperature:

No data available.

9. 1. 11. PH:

Not applicable.

9. 1. 12. Solubility:

No data available.

9. 1. 13. Water solubility:

insoluble

9. 1. 14. Fat solubility:

completely soluble

9. 1. 15. Solvent solubility:

soluble in most organic solvents

9. 1. 16. Partition coefficient n-octanol/water (log value):

No data available.

9. 1. 17. Vapour pressure:

No data available.

9. 1. 18. Relative vapour density:

No data available.

9. 1. 19. Density and/or relative

73.4 kg/m³ (20°C)

density:

9. 1. 20. Particle characteristics: No data available.

9. 1. 21. Kinematic viscosity: Not determined.

9. 2. Other information:

9. 3. Other information: Chemical heat of combustion: 31.3 KJ/g
Outdistance of ignition: 90 cm

10. STABILITY AND REACTIVITY

10. 1. Reactivity: No decomposition if stored normally.

10. 2. Chemical stability: Stable under the recommended storage and handling conditions. (See Section 7).

10. 3. Possibility of hazardous reactions: None under normal use.

10. 4. Conditions to avoid: Avoid temperature above 50°C

10. 5. Incompatible materials: Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction.

10. 6. Hazardous decomposition products: Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide..

11. TOXICOLOGICAL INFORMATION

11. 1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

11. 1. 1. General information(s): There is no data available on the product itself.

11. 1. 2. Inhalation: see item nr 3

11. 1. 3. Skin contact: see item nr 3

11. 1. 4. Eyes contact: No data available.

11. 1. 5. Ingestion: see item nr 3

11. 2. Information on other hazards: ????

12. ECOLOGICAL INFORMATION

12. 1. Toxicity: Ecological problems are not known or expected under normal use.

12. 2. Persistence and degradability: However the majority of the components of the new product are intrinsically biodegradable in the long term.

12. 3. Bioaccumulative potential: .

12. 4. Mobility in soil: .

12. 5. Results of PBT and vPvB assessment: Not applicable.

12. 6. Endocrine disrupting properties: No data available.

12. 7. Other adverse effects: No data available.

12. 7. 1. Toxicity to fish: see item nr 3

13. DISPOSAL CONSIDERATIONS

- | | |
|---------------------------------|--|
| 13. 1. Waste treatment methods: | Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.
Collect all waste in suitable and labelled containers and dispose according to local legislation. |
| 13. 2. Contaminated packaging: | Empty containers can be dumped according to local legislation. |

14. TRANSPORT INFORMATION

- | | |
|---|---|
| 14. 1. General information(s): | Transport followed ADR, IMDG, IATA |
| 14. 2. UN number or ID number: | 1950 |
| 14. 2. 1. UN proper shipping name: | AEROSOLS |
| 14. 3. Land (Road / Railway: ADR/RID): | |
| 14. 3. 1. Transport hazard class(es): | 2 |
| 14. 3. 2. ADR/RID-Labels: | 2.1 |
| 14. 3. 3. Classification code: | 5F |
| 14. 3. 4. Packing instructions: | P204 |
| 14. 4. Sea (IMDG): | |
| 14. 5. Air (ICAO/IATA): | |
| 14. 6. Environmental hazards: | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| 14. 7. Special precautions for user: | Concerning personal protective equipment to use, see item 8. |
| 14. 8. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: | Not applicable. |
| 14. 9. Maritime transport in bulk according to IMO instruments: | Not applicable. |

15. REGULATORY INFORMATION

- | | |
|--|--|
| 15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture: | Payment 1907/2006 concerning the recording, the evaluation and the authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified. |
| 15. 2. Chemical safety assessment: | Not applicable. |

16. OTHER INFORMATION

- | | |
|---|--|
| 16. 1. Text of the phrases listed in section 3: | H280 Contains gas under pressure; may explode if heated.
H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H411 Toxic to aquatic life with long lasting effects. |
| 16. 2. Important remarks: | As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.
The user is always responsible for ensuring that the requirements of relevant legislation are complied with.
The information contained in this safety data sheet is based on the present state of knowledge and current national legislation it provides guidance on health safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. |

SAFETY DATA SHEET

GRAISSE BLANCHE EXTREME PRESSION

Version: 10

Review date: 08/04/2022

RE EC/2016-918 - CLP 1272/2008

16. 3. Restrictions:	This information relates to the specific material designated and may not be valid in combination with other product(s).
16. 4. History:	
16. 4. 1. First edition date:	15/10/2002
16. 4. 2. Previous revision date:	17/06/2021
16. 4. 3. Review date:	08/04/2022
16. 4. 4. Version:	10
16. 4. 5. Review chapter(s) n°:	2
16. 5. Written by:	SELD