

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking


- 1.1 Product identifier
- Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml
- · UFI: S9EV-70JF-K00S-VTS5
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Epoxy resin adhesive
- 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SCT-Vertriebs GmbH Feldstrasse 154 22880 WEDEL DEUTSCHLAND +49 (0)4103 1211 0 info@sct-germany.de

· Further information obtainable from: Product safety department. · 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

| Skin Irrit. 2 | H315 Causes skin irritation. |
|---------------|---|
| Eye Irrit. 2 | H319 Causes serious eye irritation. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



· Signal word Warning

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

| | (Contd. of page 1 |
|---------------------------------------|---|
| | nining components of labelling: |
| | st: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) |
| Hazard statem | |
| H315 Causes s | |
| | serious eye irritation. |
| | se an allergic skin reaction. |
| | aquatic life with long lasting effects. |
| Precautionary | |
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read carefully and follow all instructions. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P264 | Wash thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves / eye protection / face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P305+P351+P3 | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P321 | Specific treatment (see on this label). |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P391 | Collect spillage. |
| P501 | Dispose of contents/container in accordance with local/regional/national/internationa regulations. |
| Additional info | |
| | ins epoxy constituents. May produce an allergic reaction. |
| | ackages where the contents do not exceed 125 ml |
| Hazard pictog | |
| • • • • • • • • • • • • • • • • • • • | |
| NY. | |
| く!〉く ≸ | |
| \vee \vee | |
| GHS07 GHS | 09 |
| 511001 0110 | |
| Signal word W | /arning |
| | |

· Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) e_{poxy} resin (number average molecular weight \leq 700) Hazard statements

H317 May cause an allergic skin reaction.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- Read carefully and follow all instructions. P103
- Avoid breathing dust/fume/gas/mist/vapours/spray. P261
- Contaminated work clothing should not be allowed out of the workplace. P272
- Wear protective gloves / eye protection / face protection. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 3)

IF



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2023

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

(Contd. of page 2)

- P321 Specific treatment (see on this label). P501 Dispose of contents/container in a
 - Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture: consisting of the following components.

| · Dangerous components: | | |
|--------------------------------------|---|---------|
| CAS: 25068-38-6 NLP: 500-033-5 | reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight \leq 700) | 10–<50% |
| | Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205 | |
| | Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$ | |
| | Skin Irrit. 2; H315: C ≥ 5 % | |
| CAS: 90-72-2 | 2,4,6-tris(dimethylaminomethyl)phenol | 1-<5% |
| EINECS: 202-013-9 | Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 | |
| · Not dangerous sub | stances | |
| CAS: 9051-49-4 Per NLP: 500-030-9 | ntaerythritol, propoxylated | 10-<45% |

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)

IE



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

(Contd. of page 3)

Foam Fire-extinguishing powder

Sand

- · For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Particular danger of slipping on leaked/spilled product.
 Wear protective clothing.
 6.2 Environmental precautions:
 Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

[—] İE



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

(Contd. of page 4)

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not determined.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
 General Information
 Colour:
 Odour:
 Odour threshold:
 Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 Flammability
- · Lower and upper explosion limit
- · Lower:

(Contd. on page 6)

IE -



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

| | (Contd. of page 5) |
|---|---|
| · Upper: | Not determined. |
| · Flash point: | Not applicable. |
| Decomposition temperature: | Not determined. |
| · pH | Not determined. |
| · Viscosity: | |
| Kinematic viscosity | Not determined. |
| · Dynamic: | Not determined. |
| · Solubility | |
| · water: | Not miscible or difficult to mix. |
| Partition coefficient n-octanol/water (log value) | |
| · Vapour pressure: | Not determined. |
| Density and/or relative density | |
| · Density: | Not determined. |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| • 9.2 Other information | |
| · Appearance: | |
| Form: | Liquid |
| Important information on protection of health | |
| and environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| · Solvent content: | ' ' |
| · VOC (EC) | 0.00 % |
| · Solids content: | >0-20 % |
| · Change in condition | |
| · Evaporation rate | Not determined. |
| · Information with regard to physical hazard | i |
| classes | |
| · Explosives | 10-<45% |
| [.] Flammable gases | 10-<45% |
| · Aerosols | 10-<45% |
| · Oxidising gases | 10-<45% |
| Gases under pressure | 10-<45% |
| Flammable liquids | 10-<45% |
| Flammable solids | 10-<45% |
| Self-reactive substances and mixtures | 10-<45% |
| Pyrophoric liquids | 10-<45% |
| Pyrophoric solids | 10-<45% |
| Self-heating substances and mixtures | 10-<45% |
| Substances and mixtures, which emit | |
| flammable gases in contact with water | 10-<45% |
| Oxidising liquids | 10-<45% |
| Oxidising solids | 10-<45% |
| Organic peroxides | 10-<45% |
| Corrosive to metals | 10-<45% |
| · Desensitised explosives | 10-<45% |

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

(Contd. of page 6)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Carbon monoxide Aldehyde Poisonous gases/vapours
- Carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >10,000-50,000 mg/kg

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

IE



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

(Contd. of page 7)

· 12.6 Endocrine disrupting properties

- For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP4 Irritant - skin irritation and eye damage

- HP13 Sensitising
- HP14 Ecotoxic

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

| SECTION 14: Transport information | | |
|--|--|--|
| 14.1 UN number or ID number ADR, IMDG, IATA | UN3082 | |
| 14.2 UN proper shipping name ADR | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)) | |
| ·IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)), MARINE POLLUTANT | |
| ·IATA | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A- (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)) | |
| | (Contd. on page 9) | |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2023 Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

| | (Contd. of page |
|---|---|
| 14.3 Transport hazard class(es) | |
| · ADR, IMDG, IATA | |
| · Class · Label | 9 Miscellaneous dangerous substances and articles. 9 |
| 14.4 Packing group ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA): | Product contains environmentally hazardou substances: reaction product: bisphenol-A (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) |
| 14.6 Special precautions for user Hazard identification number (Kemler co EMS Number: Stowage Category | Warning: Miscellaneous dangerous substances an articles. de): 90 F-A,S-F A |
| 14.7 Maritime transport in bulk according IMO instruments | g to Not applicable. |
| · Transport/Additional information: | |
| ADR Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 |
| · Tunnel restriction code | - |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN EPOXY RESIN (NUMBER AVERAGE MOLECULAN WEIGHT ≤ 700)), 9, III |

(Contd. on page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

(Contd. of page 9)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- EUH205 Contains epoxy constituents. May produce an allergic reaction.
- · Department issuing SDS: Product safety department.
- · Version number of previous version: 2107
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 11)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2023

Version number 2305 (replaces version 2107)

Revision: 22.07.2021

Trade name: MANNOL 9904 Epoxi-Plast 30g/24ml

(Contd. of page 10)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2