#### Printing date 19.05.2020

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 19.05.2020

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: PEMCO 0913 Antifreeze 913 (-40)
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- No further relevant information available.
- · Application of the substance / the mixture Heat transfer fluid
- 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: UAB "SCT Lubricants" Silutes PI. 119 LIT-95112 KLAIPEDA LITHUANIA renata@sct.lt

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: Giftinformationszentrum-Nord +49-551-19240

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements
- H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

#### Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.

(Contd. on page 2)

Revision: 19.05.2020

## Trade name: PEMCO 0913 Antifreeze 913 (-40)

	(Contd. of page 1)
P280	Wear eye protection / face protection.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	1-

· 2.3 Other hazards

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compor	nents:	
CAS: 107-21-1	ethanediol	44–52.3%
EINECS: 203-473-3	STOT RE 2, H373; Acute Tox. 4, H302	
	2,2'-oxybisethanol	0-8.25%
EINECS: 203-872-2	Acute Tox. 4, H302	
CAS: 3164-85-0	Potassium 2-ethylhexanoate	<1.1%
	Repr. 2, H361; Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 4, H413	
Additional informat	ion: For the wording of the listed hazard phrases refer to section 16	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### - Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Fire-extinguishing powder

(Contd. on page 3)



Printing date 19.05.2020

Version number 2

GB

Version number 2

Revision: 19.05.2020

## Trade name: PEMCO 0913 Antifreeze 913 (-40)

(Contd. of page 2)

Sand

• 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

# **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Ensure adequate ventilation
 Particular danger of slipping on leaked/spilled product.
 Wear protective clothing.
 6.2 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

#### · 8.1 Control parameters

# · Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethanediol (52.25%)

WEL Short-term value: 104\*\* mg/m<sup>3</sup>, 40\*\* ppm Long-term value: 10\* 52\*\* mg/m<sup>3</sup>, 20\*\* ppm Sk \*particulate \*\*vapour

(Contd. on page 4)



Printing date 19.05.2020

Printing date 19.05.2020

#### Version number 2

Revision: 19.05.2020

(Contd. of page 3)

#### Trade name: PEMCO 0913 Antifreeze 913 (-40)

111-46-6 2,2'-oxybisethanol (8.25%)

WEL Long-term value: 101 mg/m<sup>3</sup>, 23 ppm

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Store protective clothing separately.

#### Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:	Liquid
Colour:	Green
· Odour:	Product specific
Odour threshold:	Not determined.
· pH-value:	Not determined.

(Contd. on page 5)

GB -



Printing date 19.05.2020

Version number 2

Revision: 19.05.2020

#### Trade name: PEMCO 0913 Antifreeze 913 (-40)

	(Contd. of page 4)
<ul> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling range</li> </ul>	-40 °C : <115 °C
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	Not determined. Not determined.
· Vapour pressure:	Not determined.
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.085 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Fully miscible.
<ul> <li>Partition coefficient: n-octanol/water:</li> </ul>	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>VOC (EC)</li> <li>9.2 Other information</li> </ul>	0–8.3 % 0–8.25 % No further relevant information available.

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide

Aldehyde

Poisonous gases/vapours

Carbon dioxide

(Contd. on page 6)

GB

Printing date 19.05.2020

Version number 2

Revision: 19.05.2020

#### Trade name: PEMCO 0913 Antifreeze 913 (-40)

(Contd. of page 5)

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 107-21-1 ethanediol

LD50 5.840 mg/kg (rat) Oral

Dermal LD50 9,530 mg/kg (rabbit)

#### 111-46-6 2,2'-oxybisethanol

LD50 12,565 mg/kg (rat) Oral

Dermal LD50 11,890 mg/kg (rabbit)

#### · Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eve damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.


# **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 19.05.2020

#### Version number 2

Revision: 19.05.2020

(Contd. of page 6)

#### Trade name: PEMCO 0913 Antifreeze 913 (-40)

#### · European waste catalogue

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

· Uncleaned packaging:

HP6 Acute Toxicity

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information** · 14.1 UN-Number · ADR, IMDG, IATA not regulated 14.2 UN proper shipping name · ADR, IMDG, IATA not regulated · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class not regulated · 14.4 Packing group · ADR, IMDG, IATA not regulated · 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · UN "Model Regulation": not regulated

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- 12179-04-3 disodium tetraborate pentahydrate
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GR



Printing date 19.05.2020

Version number 2

Revision: 19.05.2020

## Trade name: PEMCO 0913 Antifreeze 913 (-40)

(Contd. of page 7)

	6: Other information
	on is based on our present knowledge. However, this shall not constitute a guarantee f oduct features and shall not establish a legally valid contractual relationship.
Relevant phr H302 Harmful	
H315 Causes	skin irritation.
	serious eye damage.
	ed of damaging fertility or the unborn child.
	se damage to organs through prolonged or repeated exposure.
H413 May cal	se long lasting harmful effects to aquatic life.
	ssuing SDS: Product safety department.
Contact: Mrs	
	s and acronyms:
	ropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning t lage of Dangerous Goods by Road)
	al Maritime Code for Dangerous Goods
	al Air Transport Association
	rmonised System of Classification and Labelling of Chemicals In Inventory of Existing Commercial Chemical Substances
ELINCS: Europea	n List of Notified Chemical Substances
	bstracts Service (division of the American Chemical Society) anic Compounds (USA, EU)
	centration, 50 percent
LD50: Lethal dos	e, 50 percent
	Bioaccumulative and Toxic es of Very High Concern
	tent and very Bioaccumulative
	te toxicity - oral – Category 4
	corrosion/irritation – Category 2 bus eye damage/eye irritation – Category 1
	is eye damage/eye irritation – Category 2
	ctive toxicity – Category 2
	ific target organ toxicity (repeated exposure) – Category 2 : Hazardous to the aquatic environment - long-term aquatic hazard – Category 4



Tilling date 19.03.2020