Version: 1.0



Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Valvoline™ INDUSTRIAL CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use : Cleaner.

1.3 Details of the supplier of the safety data sheet Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht	1.4 Emergency telephone number 00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112
Netherlands +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person	Product Information +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
SDS@valvoline.com	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Aerosols, Category 1H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.Skin irritation, Category 2H315: Causes skin irritation.Eye irritation, Category 2H319: Causes serious eye irritation.Specific target organ toxicity - single
exposure, Category 3, Central nervous
systemH336: May cause drowsiness or dizziness.



Version: 1.0

Print Date: 15.10.2020 SDS Number: 000000274848

Revision Date: 02.10.2018

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries

887068

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms Signal word Danger 1 Hazard statements ÷ H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H315 Causes skin irritation. Causes serious eye irritation. H319 H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. P102 Precautionary statements Keep out of reach of children. : Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe spray. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. **Disposal:** P501 Dispose of contents/container in accordance with regional regulations.

Hazardous components which must be listed on the label: Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane Acetone 1-Methoxypropan-2-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice** No information available.

SECTION 3: Composition/information on ingredients

Valvoline	Page: 3
SAFETY DATA SHEET	Revision Date: 02.10.2018
	Print Date: 15.10.2020
	SDS Number: 000000274848
Valvoline™ INDUSTRIAL CLEANER	Version: 1.0
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
887068	

3.2 Mixtures

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (%)
	EC-No.	(REGULATION (EC)	
	Registration number	No 1272/2008)	
Hydrocarbons, C6-C7,	921-024-6	Flam. Liq.2; H225	>= 70,00 - < 80,00
n-alkanes, iso-alkanes,	01-2119475514-35-xxxx	Skin Irrit.2; H315	
cyclenes, <5% nhexane		STOT SE3; H336	
		Asp. Tox.1; H304	
		Aquatic Chronic2;	
		H411	
Acetone	67-64-1	Flam. Liq.2; H225	>= 40,00 - < 50,00
	200-662-2	Eye Irrit.2; H319	
	01-2119471330-49-xxxx	STOT SE3; H336	
Substances with a workp	lace exposure limit :		
Carbon dioxide	124-38-9	Press. GasLiquefied	>= 5,00 - < 10,00
	907-631-9	gas; H280	
1-Methoxypropan-2-ol	107-98-2	Flam. Liq.3; H226	>= 5,00 - < 10,00
	203-539-1	STOT SE3; H336	
	01-2119457435-35-xxxx	,	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move out of dangerous area. Call a POISON CENTRE or doctor/physician if exposed or you feel unwell. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 Move to fresh air. If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	: Remove contaminated clothing. If irritation develops, get



Revision Date: 02.10.2018

Print Date: 15.10.2020

SDS Number: 000000274848 Version: 1.0

Valvoline™ INDUSTRIAL CLEANER
[™] Trademark, Valvoline or its subsidiaries, registered in various
countries
887068

		medical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye.
If swallowed	:	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
4.2 Most important symptoms and Symptoms		ffects, both acute and delayed No symptoms known or expected.

Risks	: Causes skin irritation.
	Causes serious eye irritation.
	May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

:	Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical

Unsuitable extinguishing : High volume water jet media

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	: Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite
	explosively.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.
	Do not allow run-off from fire fighting to enter drains or water



Revision Date: 02.10.2018

Print Date: 15.10.2020

SDS Number: 000000274848 Version: 1.0

Valvoline[™] INDUSTRIAL CLEANER [™] Trademark, Valvoline or its subsidiaries, registered in various countries

887068

courses.

Hazardous combustion products	: carbon dioxide and carbon monoxide Hydrocarbons
5.3 Advice for firefighters	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.
Further information	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Evacuate personnel to safe areas. Remove all sources of ignition. Use personal protective equipment. Ensure adequate ventilation. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Persons not wearing protective equipment should be exe from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regula
--

6.2 Environmental precautions

Environmental precautions	: Prevent product from entering drains.
	Prevent further leakage or spillage if safe to do so.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline[™] INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

7.1 Precautions for safe handling

Advice on safe handling	 Open drum carefully as content may be under pressure. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Container hazardous when empty. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations. Container may be opened only under exhaust ventilation hood.
Advice on protection against fire and explosion	: Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.
Hygiene measures	: Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.
7.2 Conditions for safe storage, in	ncluding any incompatibilities
Requirements for storage areas and containers	: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.
Other data	: No decomposition if stored and applied as directed.
73 Specific and use(s)	

7.3 Specific end use(s)

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Revision Date: 02.10.2018



 Print Date: 15.10.2020

 SDS Number: 000000274848

 Valvoline™ INDUSTRIAL CLEANER

 ™ Trademark, Valvoline or its subsidiaries, registered in various

 countries

 887068

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000/39/EC
		TWA	500 ppm 1.210 mg/m3	GB EH40
		STEL	1.500 ppm 3.620 mg/m3	GB EH40
Carbon dioxide	124-38-9	TWA	5.000 ppm 9.000 mg/m3	2006/15/EC
		STEL	15.000 ppm 27.400 mg/m3	GB EH40
		TWA	5.000 ppm 9.150 mg/m3	GB EH40
1-Methoxypropan-2-ol	107-98-2	TWA	100 ppm 375 mg/m3	2000/39/EC
		STEL	150 ppm 568 mg/m3	2000/39/EC
		TWA	100 ppm 375 mg/m3	GB EH40
		STEL	150 ppm 560 mg/m3	GB EH40

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	:	Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Wear as appropriate: Impervious clothing Safety shoes Flame-resistant clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear.
Respiratory protection	:	In the case of vapour formation use a respirator with an

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline[™] INDUSTRIAL CLEANER [™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

> approved filter. In the case of dust or aerosol formation use respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	aerosol
Colour	:	clear
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	13 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Vapour pressure	:	247 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,71 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	immiscible
Solubility in other solvents	:	No data available



Print Date: 15.10.2020 SDS Number: 000000274848 Version: 1.0

Revision Date: 02.10.2018

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Partition coefficient: n- octanol/water		No data available
Ignition temperature	:	> 200 °C
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	No data available
Other information		

9.2 Other information

Self-ignition	:	not auto-flammable
---------------	---	--------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	: Vapours may form explosive mixture with air.
10.4 Conditions to avoid	
Conditions to avoid	: Exposure to air or moisture over prolonged periods.

Heat,	flames	and s	parks.	

10.5 Incompatible materials

Materials to avoid : Acids alkalis aluminum Amines Ammonia halogens peroxides Reducing agents salts of strong bases

Version: 1.0



SAFETY DATA SHEET

SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries 887068

> strong bases Strong oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known. products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Eye Contact
		Ingestion

Acute toxicity

Not classified based on available information.

Components:

Hydrocarbons, C6-C7, n-alkar Acute oral toxicity		s, iso-alkanes, cyclenes, <5% nhexane: LD50 (Rat): > 5.840 mg/kg Remarks: Information given is based on data obtained from similar substances.
Acute inhalation toxicity	:	LC50 (Rat): > 25,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.800 - 3.100 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS. Remarks: Information given is based on data obtained from similar substances.
Components: ACETONE:		
Acute oral toxicity	:	LD50 (Rat, female): 5.800 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 76 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 7.426 mg/kg

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Components:

1-METHOXY-2-PROPANOL: Acute oral toxicity	: LD50 (Rat): 4.016 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 10000 ppm Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): 13.000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation and/or dermatitis.

Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane: Result: Irritating to skin.

ACETONE:

Result: Slight, transient irritation

Result: Repeated exposure may cause skin dryness or cracking.

CARBON DIOXIDE:

Result: No skin irritation

1-METHOXY-2-PROPANOL:

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane: Result: Slight, transient irritation

ACETONE: Result: Irritating to eyes.

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

CARBON DIOXIDE:

Result: No eye irritation

1-METHOXY-2-PROPANOL:

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

1-METHOXY-2-PROPANOL:

Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:

Germ cell mutagenicity-
Assessment: Classified based on benzene content < 0.1% (Regulation (EC)
1272/2008, Annex VI, Part 3, Note P)

1-METHOXY-2-PROPANOL:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:</th>Carcinogenicity -:Assessment:Classified based on benzene content < 0.1% (Regulation (EC)
1272/2008, Annex VI, Part 3, Note P)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane: Assessment: May cause drowsiness or dizziness.

ACETONE:

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Exposure routes: Inhalation Target Organs: Nervous system Assessment: May cause drowsiness or dizziness.

1-METHOXY-2-PROPANOL:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane: May be fatal if swallowed and enters airways.

ACETONE:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Components:

	s, iso-alkanes, cyclenes, <5% nhexane LL50 (Oncorhynchus mykiss (rainbow trout)): 11,4 mg/l Exposure time: 96 h Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	EL50 (Daphnia hyalina (water flea)): 3 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline[™] INDUSTRIAL CLEANER [™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Toxicity to algae	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 30 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,17 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: static test Test substance: WAF Method: OECD Test Guideline 211
Acetone Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.740 - 6.330 mg/l Exposure time: 96 h Test Type: static test
		LC50 (Pimephales promelas (fathead minnow)): 8.733 - 9.482 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to algae	:	NOEC (Microcystis aeruginosa (blue-green algae)): 530 mg/l Exposure time: 8 d Test Type: static test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 2.112 mg/l Exposure time: 28 d Species: Daphnia magna (Water flea) Test Type: flow-through test
1-Methoxypropan-2-ol Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l End point: Growth inhibition Exposure time: 7 d

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline[™] INDUSTRIAL CLEANER [™] Trademark, Valvoline or its subsidiarie

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Test Type: static test

12.2 Persistence and degradability

Components:

•	, iso-alkanes, cyclenes, <5% nhexane Inoculum: activated sludge Biodegradation: 98 % Exposure time: 28 d Method: OECD Test Guideline 301F
Acetone	
Biodegradability :	Result: Readily biodegradable. Biodegradation: 90,9 % Exposure time: 28 d Method: OECD Test Guideline 301B
1-Methoxypropan-2-ol	
Biodegradability :	Result: Readily biodegradable. Biodegradation: 96 % Exposure time: 28 d Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential

Components:

Acetone	
Partition coefficient: n-	: log Pow: -0,24
octanol/water	

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Other adverse effects

Product:

Additional ecological	An environmental hazard cannot be excluded in the event of
information	unprofessional handling or disposal., Toxic to aquatic life with



Version: 1.0

Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline[™] INDUSTRIAL CLEANER [™] Trademark, Valvoline or its subsidiaries, registered in various countries

887068

long lasting effects.

SECTION 13: D	isposal considerations
---------------	------------------------

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

	ADN	:	UN 1950
	ADR	:	UN 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	UN proper shipping name		
	ADN	:	AEROSOLS
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS ()
	ΙΑΤΑ	:	AEROSOLS
14.3	Transport hazard class(es)		
	ADN	:	2
	ADR	:	2
	RID	:	2

Valvoline.	Page: 17
SAFETY DATA SHEET	Revision Date: 02.10.2018
	Print Date: 15.10.2020
	SDS Number: 000000274848
Valvoline™ INDUSTRIAL CLEANER	Version: 1.0

Valvoline[™] INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

IMDG	:	2.1
ΙΑΤΑ		2.1
14.4 Packing group		
ADN Packing group Classification Code Labels	:	Not assigned by regulation 5F 2.1
ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation 5F 2.1 (D)
RID Packing group Classification Code Hazard Identification Number Labels	:	Not assigned by regulation 5F 23 2.1
IMDG Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	:	203 Y203 Not assigned by regulation Flammable gas
IATA (Passenger) Packing instruction (passenger aircraft)	:	203
Packing instruction (LQ) Packing group Labels		Y203 Not assigned by regulation Flammable gas
14.5 Environmental hazards		
ADN Environmentally hazardous	:	yes
ADR Environmentally hazardous	:	yes
RID Environmentally hazardous	:	yes
IMDG		

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

Marine pollutant : yes

IATA (Passenger) Environmentally hazardous : yes

IATA (Cargo) Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.	1 Safety, health and environmen	tal regulations/legislations/legislation	on s	specific for the subs	tance or mixture	
	Regulation (EC) No 1005/2009 o deplete the ozone layer	n substances that	:	Not applicable		
	Regulation (EC) No 850/2004 on pollutants	persistent organic	:	Not applicable		
	REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable		
	REACH - Restrictions on the ma the market and use of certain da preparations and articles (Annex	ngerous substances,	:	Not applicable		
	REACH - Candidate List of Subs Concern for Authorisation (Article	, .	:	Not applicable		
	Regulation (EC) No 649/2012 of Parliament and the Council conc import of dangerous chemicals	•	:	Not applicable		
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.					
	P3b	FLAMMABLE AEROSC	LS	Quantity 1 5.000 t	Quantity 2 50.000 t	

18/21

	alvoline	Page: 19		
SAFETY DATA SHEE	T	Revision Date: 02.10.2018		
		Print Date: 15.10.2020		
Valvoline™ INDUSTRIAL CLEA ™ Trademark, Valvoline or its su countries 887068	NER ubsidiaries, registered in various	SDS Number: 000000274848 Version: 1.0		
E2	ENVIRONMENTAL HAZARDS	200 t 500 t		
Other regulations		rs old are not allowed to work with E EU Directive 94/33/EC on the at work.		
The components of this product are reported in the following inventories:				
DSL		r several components that are not		
AICS	Not in compliance with the in	Not in compliance with the inventory		
ENCS	Not in compliance with the inventory			
KECI	Not in compliance with the in	nventory		
PICCS	Not in compliance with the in	nventory		
IECSC	Not in compliance with the in	nventory		
TCSI	Not in compliance with the in	nventory		
TSCA	Not On TSCA Inventory			

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 02.10.2018

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Other information	: The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the

('+31 (0)78 654 3500). Sources of key data used to compile the Safety Data Sheet

company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department

Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

Version: 1.0



Revision Date: 02.10.2018

Print Date: 15.10.2020 SDS Number: 000000274848

Valvoline™ INDUSTRIAL CLEANER ™ Trademark, Valvoline or its subsidia

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 887068

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands

ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP : Classification, Labelling and Packaging

CSA : Chemical Safety Assessment

CSR : Chemical Safety Report

DNEL : Derived No Effect Level.

EINECS : European Inventory of Existing Commercial Chemical Substances.

ELINCS : European List of Notified Chemical Substances

PEC : Predicted Effect Concentration

PEL : Permissible Exposure Limits

PNEC : Predicted No Effect Concentration

R-phrase : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase

WGK : German Water Hazard Class