

Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX FOAMCARE - POLISH & SHINE

Article number:

06756000, 06757050, 06759000 **UFI:** QYD0-M009-U00X-QXK0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1A H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Warning

Hazard-determining components of labelling:

2-methylisothiazol-3(2H)-one

Hazard statements

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 2)



Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with additives

CAS: 69011-36-5	isotridecanol,ethoxylated (>5-20EO)						
EC No 931-138-8	Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 %	-					
CAS: 9004-78-8 NLP: 500-013-6	Phenol polyethoxilate	3-<5%					
EC No 931-216-1 Reg.nr.: 01-2119472309-33-xxx	 Acute Tox. 4, H302; Eye Irrit. 2, H319 Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized Alternative CAS numbers: 157905-74-3, 94095-35-9 Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 28 % Eye Irrit. 2; H319: C ≥ 28 % 	3-<5%					
CAS: 308062-28-4 EC No 931-292-6 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Alternative CAS number: 70592-80-2 ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315	<1%					
CAS: 2682-20-4 EINECS: 220-239-6 Reg.nr.: 01-2120764690-50-xxxx	2-methylisothiazol-3(2H)-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; ♠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♠ Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%					
Regulation (EC) No 648/2004 on	detergents / Labelling for contents						
non-ionic surfactants	≥5	5 - <15%					

perfumes, methylisothiazolinone, benzisothiazolinone, sodium pyrithione

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation sensitization Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

(Contd. of page 2)

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
Fatty acid	ls, C18	unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Oral	DNEL	7.5 mg/kg bw/day (consumer) (Long term exposure)
Dermal	DNEL	187.5 mg/kg bw/day (consumer) (Long term exposure)
		312.5 mg/kg bw/day (worker) (Long term exposure)
Inhalative	DNEL	13 mg/m³ (consumer) (Long term exposure)
		44 mg/m³ (worker) (Long term exposure)
CAS: 308	062-28-	4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Oral	DNEL	0.44 mg/kg bw/day (consumer) (longterm / systemic effects)
Dermal	DNEL	5.5 mg/kg bw/day (consumer) (longterm / systemic effects)
		11 mg/kg bw/day (worker) (longtime / systemic effects)
Inhalative	DNEL	1.53 mg/m³ (consumer) (longterm / systemic effects)
		6.2 mg/m³ (worker) (longterm / systemic effects)

(Contd. on page 4



Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

(Contd. of page 3)

PNECs

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

PNEC 0.002 mg/l (water (fresh water))

0 mg/l (water (sea water))

PNEC 0.58 mg/kg (sediment (fresh water))

0.058 mg/kg (sediment (sea water))

0.115 mg/kg (soil)

CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

PNEC | 0.0335 mg/l (water (intermittent release))

0.0335 mg/l (water (fresh water))

0.00335 mg/l (water (sea water))

PNEC 24 mg/kg (STP)

5.24 mg/kg (sediment (fresh water))

0.524 mg/kg (sediment (sea water))

1.02 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Protective gloves

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6(≥480min)

Eye protection: Safety glasses [EN 166]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid
Colour: Yellow
Odour: Fruit-like
Odour threshold: Not determined.

pH-value at 20 °C: 6.0 - 7.0

Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 100 - 227 °C

Flash point: Not applicable.

Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

(Contd. on page 5)



Version: 4.00 Revision: 20.05.2020 Printing date 29.10.2020

	(Contd. of p
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.01 - 1.02 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Flow time at 20 °C	10 - 12 s (DIN EN ISO 2431/4mm)
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** See Section 7 for information on safe handling. **10.5 Incompatible materials:** No known incompatible materials.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SE	=_	TI	റ	M			Т	OV	ri		\sim	6	a	ic	۰.	L	in	•	a	7	n	21	н	n	n
JL	. •	ш	v	W	- 4	ш	ш	\mathbf{v}	ч	Ç,	וע	v	y	,,	ш	4	щ	ш	υ.	Ш	Ш	:1	44	IJ.	Ц

		on on toxicological effects There are no toxicological findings on this mixture. Based on available data, the classification criteria are not met.
		es relevant for classification:
	• • • • •	6-5 isotridecanol,ethoxylated (>5-20EO)
		500 mg/kg (Ratte)
		8 Phenol polyethoxilate
Oral		500-2,000 mg/kg (rat) (OECD 423)
Dermal		2,140 mg/kg (rabbit)
		18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
		>2,000 mg/kg
Dermal	LD50	>2,000 mg/kg (rat)
CAS: 30	08062-2	28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Oral	LD50	1,064 mg/kg (rat)
Primary	/ irritan	t effect:
Skin co	rrosio	n/irritation Based on available data, the classification criteria are not met.
		amage/irritation s eye irritation.
		r skin sensitisation allergic skin reaction.
Repeate	ed dos	e toxicity
CAS: 3	08062-2	28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
Oral	NOAE	L 88 mg/kg (rat) (subchronic effects)
Dermal	LOAFI	0.045 mg/cm² (mouse) (subchronic effects)



Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

(Contd. of page 5)

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic tox	ricity:
CAS: 9004-	78-8 Phenol polyethoxilate
LC50 / 96h	>100 mg/l (fish) (OECD 203)
EC50	>128 mg/kg (Daphnia magna) (OECD 202)
Fatty acids	, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
LC50 / 96h	1.91 mg/l (Oncorhynchus mykiss)
EC50 / 48h	2.23 mg/l (Daphnia magna)
EC50 / 72h	5.8 mg/l (algae)
CAS: 30806	62-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
LC50 / 96h	2.67 mg/l (fish)
EC50	3.1 mg/l (waterflea /Wasserfloh)
IC 50	0.143 mg/l (seaweed (Seegras))
CAS: 2682-	20-4 2-methylisothiazol-3(2H)-one
EC 20 / 3h	2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))
EC50/3h	34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

CAS: 9004-78-8 Phenol polyethoxilate

Biodegradiation 40-50 % (OECD 311)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20.01.30	detergents other than those mentioned in 20 01 2	29

15 01 02 plastic packaging

GB



Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

(Contd. of page 6)

14.1 UN-Number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	e x II of Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation The classification of the mixture is generally based on the calculation Skin sensitisation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

(Contd. on page 8)



Printing date 29.10.2020 Version: 4.00 Revision: 20.05.2020

(Contd. of page 7)

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 4: Acute toxicity - oral – Category 4
Acute Tox. 2: Acute toxicity - inhalation – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation — Category 2
Eye Dam. 1: Serious eye damage/eye irritation — Category 1
Eye Irrit. 2: Serious eye damage/eye irritation — Category 2
Skin Sens. 1A: Skin sensitisation — Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2

Version history and indication of changes: Replaces version 3.00.

* Data compared to the previous version altered.