

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 1 of 12

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Art. Ice Free Valma Service Best  
UFI: 4300-302X-S00M-CMT9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture:

Aerosol

##### Uses advised against:

none/none

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** ENVASADO XIOMARA, S.L.  
**Street:** Polígono Industrial La Torrecilla Chica, 6.  
**Place:** 45220 Yeles (Toledo) – SPAIN

**Responsible Department:** Carlos González  
**Tel.:** +34 925 54 58 28  
**Fax:** +34 925 54 57 96  
**Email:** carlos@envasadoxiomara.com

#### 1.4. Emergency telephone number:

+34 925 54 58 27 / +34 925 54 58 28 / FAX: +34 925 54 57 96

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture (1272/2008 [CLP])

**Pictograms :** GHS02 (Flammable)  
GHS07 (Irritant)

**Signal word:** Danger

##### GHS Classification:

**Hazard categories:** Aerosol: Aerosol 1, H222, H229  
Eye Irrit. 2, H319

**Hazards Statements:** Extremely flammable aerosol.  
Pressurised container: May burst if heated.  
Causes serious eye irritation.

##### Main hazards:

The aerosol may explode due to the internal pressure generated when exposed to temperatures exceeding 50°C. Extremely flammable

#### 2.2.- Label elements (1272/2008 [CLP])

**Signal word :** Danger

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 2 of 12

Pictograms:

GHS02, GHS07



Hazard statements:

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing vapours.  
P271 Use only outdoors or in a well-ventilated area.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P410+412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.  
P501 Dispose of contents/container to an approved waste disposal plant in accordance with national regulations.

Detergent Regulation:

Aliphatic hydrocarbons more than 15% and less than 30%.

### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.  
The aerosol may explode due to the internal pressure generated when exposed to temperatures exceeding 50°C/122°F.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

N/A

### 3.2 Mixtures

Identifier number	Identification name	Content (%)	(*)Classification according to Regulation 1272/2008
CAS N° 64-17-5 EINECS: 200-578-6 REACH: -	Éthanol	50-70	Flam. Liq. 2, H225 Eye Irrit. 2, H319
N. CAS: 68512-91-4	Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	15-30	Inflam. gas 1 Pres. gas GHS02 Danger
N CAS: 107-21-1 EINECS: 203-473-3 REACH: 01-2119456816-28	Ethane-1,2-diol	<10	Acute Tox. 4: H302; STOT RE 2: H373
N. CAS:67-63-0 EINECS 200-661-7	2-propanol	<5	Eye Irrit 2, H319 Flam. Líq..2, H225 STOT SE 3, H336

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 3 of 12

N CAS: 68512-91-4

EINECS: 270-990-9

Propane

<5

Flam. Gas 1

Pres. Gas

Full text or R and H phrases: see Section 16.

### Further information

Hydrocarbons, C3-4-rich, petroleum distillate; Petroleum gas: Note K: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0.1% w/w 1,3 butadiene (EINECS 203-450-8).

## SECTION 4 : FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information:

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

#### After inhalation:

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin:

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes:

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion:

If swallowed, immediately drink: Water. Never give anything by mouth to an unconscious person or a person with cramps. Do not induce vomiting. Caution if victim vomits: Risk of aspiration!

### 4.2. Most important symptoms and effects, both acute and delayed

No symptoms known up to now.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5 : FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Foam. Carbon dioxide. Extinguishing powder.

#### Unsuitable extinguishing media:

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 4 of 12

Combustible. Vapours may form explosive mixtures with air.  
Can be released in case of fire: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.  
Contains gas under pressure; may explode if heated.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical resistant suit.

#### Additional information:

Use water spray/stream to protect personnel and to cool endangered containers. Use a water spray jet to knock down vapours/gases/mists. Contaminated fire-fighting water must be collected separately. Do not empty into drains or the aquatic environment. In case of fire and/or explosion do not breathe fumes.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray.  
Avoid contact with skin, eye and clothing. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not empty into drains or the aquatic environment. Explosion hazard. Eliminate leaks immediately.  
Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the assimilated material according to the section on waste disposal.  
Ventilate affected area.

### 6.4. Reference to other sections

See protective measures under point 7 and 8.

---

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Advice on safe handling:

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray into flames or ignition sources. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

#### Advice on protection against fire and explosion:

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels:

Keep container tightly closed in a cool, well-ventilated place. Keep away from sources of ignition – No smoking. Please note: aerosol directive (75/324/EEC).

#### Advice on storage compatibility:

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 5 of 12

Do not store together with: Radioactive substances. Infectious substances. Organic peroxides. Oxidizing solids. Oxidizing liquids. Pyrophoric liquids and solids. flammable substances. Substances or mixtures which, in contact with water emit flammable gases.

### Further information on storage conditions:

Recommended storage temperature: 10-30°C Do not store at temperatures over: 50°C  
Conditions to avoid: UV-radiation/sunlight, heat, moisture.  
Ensure adequate ventilation of the storage area.

### 7.3. Specific end use (s)

Observe technical data sheet.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits (EH40)

<u>CAS-No</u>	<u>Nom</u>	<u>ppm</u>	<u>mg/m3</u>	<u>Catégorie-Origine</u>
68512-91-4	Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	1000	-	VLA-ED SDS
67-63-0	2-propanol	400 500	998 1250	VLA-ED SDS VLA-EC SDS
64-17-5	Éthanol	1000	1920	TWE (8h) WEL STEL (15 min) WEL

### 8.2. Exposure controls



#### Appropriate engineering controls:

Use only outdoors or in a well-ventilated area.

#### Protective and hygiene measures:

Take off immediately all contaminated clothing. Wash hands before breaks and at the end of work.  
When using do not eat, drink or smoke.

#### Eye/face protection:

Wear safety glasses; chemical goggles (if splashing is possible).

#### Hand protection:

Hand protection: not required.  
In case of prolonged or frequently repeated skin contact:  
Pull-over gloves of rubber. DIN EN 374  
Suitable material:  
(penetration time (maximum wearing period):  $\geq 8$ h):  
Butyl rubber. (0,5mm)  
FKM (fluororubber). (0,4 mm)  
In case of reutilization, clean gloves before taking off and store in well-aired place.

#### Skin protection:

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 6 of 12

No special measures are necessary

### **Respiratory protection:**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection required in case of:

exceeding critical value

insufficient ventilation.

Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Type A/P3

Only use breathing apparatus with CE-label including the four-digit identification number.

### **Environmental exposure controls:**

Do not allow uncontrolled leakage of product into the environment.

---

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **9.1. Information on basic physical and chemical properties**

<b>Physical state:</b>	Aerosol
<b>Colour:</b>	characteristic
<b>Odour:</b>	characteristic
<b>pH-value:</b>	not determined

#### **Changes in the physical state:**

Initial boiling point and boiling range: not determined

Flash point: not determined

#### **Explosive properties:**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: not determined

<b>Oxidizing properties:</b>	none/none
------------------------------	-----------

Vapour pressure: not determined

Density: not determined

Water solubility: not miscible

Viscosity / dynamic: not determined

Solvent content: 84 % - Data concerning the Directive 1999/13/EC on the limitation of emissions of volatile organic compounds (VOC-RL)

---

## **SECTION 10. STABILITY AND REACTIVITY**

### **10.1. Reactivity**

No information available.

### **10.2. Chemical stability**

Stable under normal storage and handling conditions.

### **10.3. Possibility of hazardous reactions**

Heating causes rise in pressure with risk of bursting.

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 7 of 12

### 10.4. Conditions to avoid

Protect from moisture. Keep away from heat. Protect from direct sunlight. Ignition hazard.

### 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

In use, may form flammable/explosive vapour-air mixture. Can be released in case of fire: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution:

No information available

#### Acute toxicity:

Based on available data, the classification criteria are not met.

<u>CAS-No</u>	<u>Nom</u>	<u>Voies d'exposition.</u>	<u>Méthode</u>	<u>Dose</u>	<u>Espèces</u>	<u>Source</u>
68512-91-4	Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	Inhalation	LC50	20mg/l	Rat	SDS
67-63-0	2-propanol	Oral Skin	LD50 LD50	5840 mg/kg 16,4mg/l	Rat Rat	SDS
64-17-5	Éthanol	Oral Inhalation	LD50 LD50	6200 mg/kg 95,5mg/l	Rat Rat	IUCLID RTECS

#### Irritation and corrosivity:

Based on available data, the classification criteria are not met.

Irritant effect on the eye: May cause irritation and sight disturbances-

Irritant effect on the skin: May cause irritation if it is many time in contact with skin.

#### Sensitising effects:

Based on available data, the classification criteria are not met.

Product is: no danger of sensitization. The statement is derived from the properties of the components.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure:

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction:

Based on available data, the classification criteria are not met.

Hydrocarbons, C3-4-rich, petroleum distillate; Petroleum gas:

Ames test negative. (OECD 479. )

Lit.: IUCLID

#### Aspiration hazard:

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 8 of 12

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal:

No information available

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

<u>CAS-No</u>	<u>Nom</u>	<u>Méthode-Dose- Espèces -Source</u>
68512-91-4	Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	Fish Acute Toxicity – TIM96< 1000mg/l - 96h - - IUCLID
67-63-0	2-propanol	Fish Acute Toxicity – LC50= 9640mg/l - 96h – Pimephales promelas Algae Acute Toxicity – ErC50>1000mg/l - 72h Crustacean Acute Toxicity – EC50>1000mg/l – 24h – Daphnia magna - SDS
64-17-5	Ethanol	Fish Acute Toxicity – LC50= 15,300mg/l - 96h – Pimephales promelas Algae Acute Toxicity – ErC50= 275mg/l - 72h – Chlorella vulgaris Crustacean Acute Toxicity – EC50=9268-14221mg/l – 48h – Daphnia magna - IUCLID

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

#### Partition coefficient n-octanol/water:

<u>CAS-No</u>	<u>Nom</u>	<u>Log Pow</u>
68512-91-4	Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	2.8
67-63-0	2-propanol	0,05
64-17-5	Éthanol	-0,31

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

No information available.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Advice on disposal:

Waste disposal according to official state regulations. Cleaned containers may be recycled.

#### Waste disposal number of waste from residues/unused products:



## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 9 of 12

160504 Wastes not otherwise specified in the list: gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances.

Classified as hazardous waste.

**Waste disposal number of used product:**

160504 Wastes not otherwise specified in the list: gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances.

Classified as hazardous waste.

**Waste disposal number of contaminated packaging:**

150110 Waste packaging: absorbents, wiping cloths, filter materials and protective clothing not otherwise specified: packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances.

Classified as hazardous waste.

### SECTION 14. TRANSPORT INFORMATION

#### 14.1 Land transport (ADR/RID)

14.1.1 UN number:	UN1950
14.1.2 UN proper shipping name:	AEROSOLS
14.1.3 Transport hazard class(es):	2
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Transport category:	2
Tunnel restriction code:	D
Other applicable information (land transport)	Excepted quantity: E0



#### 14.2 Inland waterways transport (ADN)

14.2.1 UN-Number:	UN1950
14.2.2 UN proper shipping name:	AEROSOLS
14.2.3 Transport hazard class(es):	2
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	LQ 2
Other applicable information (inland waterways transport)	Excepted quantity: E0



#### 4.3 Marine transport (IMDG)

14.3.1 UN number:	UN1950
-------------------	--------

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 10 of 12

<b>14.3.2 UN proper shipping name:</b>	AEROSOLS
<b>14.3.3 Transport hazard class(es):</b>	2
Hazard label:	2, see SP63
Marine pollutant:	NO
Special Provisions:	63, 190, 277, 327, 344, 959
Limited quantity:	See SP277
EmS:	F-D, S-U
Other applicable information (marine transport)	Excepted quantity: E0



### 14.4 Air transport (ICAO)

<b>14.4.1 UN number:</b>	UN1950
<b>14.4.2 UN proper shipping name:</b>	AEROSOLS, flammable
<b>14.4.3 Transport hazard class(es):</b>	2.1
Hazard label:	2.1
LIMITED QUANTITIES	
Special Provisions:	A145 A167 A803
Limited quantity Passenger:	30 kg G
IATA-packing instructions – Passenger:	203
IATA-max. quantity – Passenger:	75 kg
IATA-packing instructions – Cargo:	203
IATA-max. quantity – Cargo:	150kg
Other applicable information (air transport)	Excepted quantity: E0 Passenger –LQ: Y203



### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: not determined

### 14.6. Special precautions for user

Refer to chapter 6-8

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Irrelevant

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

1999/13/EC (VOC): 84 %; VOC Directive 2004/42/EC

#### Additional information

## Safety Data Sheet

Version 1.1 / Revision Date: 24.02.2020

Ice Free Valma

Page 11 of 12

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

### National regulatory information

Employment restrictions: Observe employment restrictions for young people.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16. OTHER INFORMATION

### Changes

Version	Revision date	Changes
1.0	08/11/2018	Initial
1.1	24/02/2020	Section 1

### Acronym

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level

### Full text of H phrases referred to under Sections 2 and 3

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs *<or state all organs affected, if known>* through prolonged or repeated exposure *<state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>*.

The information contained in this sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and suggestions are made without guarantee. The information contained in this sheet is offered in good faith, according to our knowledge of the product involved. Some data is currently being reviewed. We would warn users about the possible appearance of other risks if this product is applied for uses other than those herein specified. This data sheet should be applied and reproduced only for prevention and safety reasons. The list of legal, regulatory and administrative texts contained herein is not exhaustive.

## **Safety Data Sheet**