## Safety Data Sheet 1907/2006/EC - REACH (GB) Womi Technobond black, white, grey 290 ml

## Article number 5570216, 5570217, 5570218 Service Best B.V.

#### 5503 LM Veldhoven / Nederland

Date printed 13.04.2018, Revision 29.09.2016

Version 04. Supersedes version: 03

Page 1 / 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Womi Technobond black, white, grey 290 ml

Article number: 5570216, 5570217, 5570218

#### Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Adhesive

#### 1.2.2 Uses advised against

None known.

#### Details of the supplier of the safety data sheet

Company Service Best B.V.

De Run 4271

5503 LM Veldhoven / Nederland Phone Tel. +31(0)40 230 2300 Fax Fax. +31(0)40 230 2302

Homepage

E-mail info@servicebest.com

Address enquiries to

**Technical information** info@servicebest.com **Safety Data Sheet** sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +31 (0) 30 2748888

Company

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none Signal word none **Hazard statements** none **Precautionary statements** none

Special labelling EUH210 Safety data sheet available on request.

Contains: N-(3-(TrimethoxysilyI)propyI)ethylenediamine, Dioctyltinbis(acetylacetonate).

EUH208 May produce an allergic reaction.

2.3 Other hazards

> Other hazards Further hazards were not determined with the current level of knowledge.

## Article number 5570216, 5570217, 5570218 Service Best B.V.



#### 5503 LM Veldhoven / Nederland

Date printed 13.04.2018, Revision 29.09.2016 Version 04. Supersedes version: 03 Page 2 / 10

#### SECTION 3: Composition / Information on ingredients

#### Product-type:

The product is a mixture.

Range [%]	Substance
1 - 5	Trimethoxyvinylsilane
	CAS: 2768-02-7, EINECS/ELINCS: 220-449-8, Reg-No.: 01-2119513215-52-XXXX
	GHS/CLP: Flam. Liq. 3: H226 - Acute Tox. 4: H332
0,1 - < 1	N-(3-(Trimethoxysilyl)propyl)ethylenediamine
	CAS: 1760-24-3, EINECS/ELINCS: 217-164-6
	GHS/CLP: Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Chronic 3: H412
0,1 - < 1	Dioctyltinbis(acetylacetonate)
·	CAS: 54068-28-9, EINECS/ELINCS: 483-270-6, Reg-No.: 01-0000020199-67-XXXX
	GHS/CLP: STOT SE 2: H371 - Skin Sens. 1: H317

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Get medical advice.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media All extinguishing media are suitable but method must take into account the surrounding area

to minimize dispersion.

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

# Safety Data Sheet 1907/2006/EC - REACH (GB) Womi Technobond black, white, grey 290 ml

## Article number 5570216, 5570217, 5570218 Service Best B.V.



#### 5503 LM Veldhoven / Nederland

Date printed 13.04.2018, Revision 29.09.2016

Version 04. Supersedes version: 03 Page 3 / 10

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Ensure adequate ventilation.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Protect from heat/overheating.

Protect from sun.

Keep in a well-ventilated place. Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## Article number 5570216, 5570217, 5570218 Service Best B.V.



#### 5503 LM Veldhoven / Nederland

Date printed 13.04.2018, Revision 29.09.2016 Version 04. Supersedes version: 03 Page 4 / 10

#### SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance

Methanol

CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X

Long-term exposure: 200 ppm, 266 mg/m³, Sk

Short-term exposure (15-minute): 250 ppm, 333 mg/m<sup>3</sup>

Calcium carbonate

CAS: 471-34-1, EINECS/ELINCS: 207-439-9

Long-term exposure: 10 mg/m³, inhalable dust

#### Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

Methanol

CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X

Eight hours: 200 ppm, 260 mg/m3, H

#### **DNEL**

Substance

Trimethoxyvinylsilane, CAS: 2768-02-7

Industrial, inhalative, Acute - systemic effects: 4,9 mg/m<sup>3</sup>

Industrial, inhalative, Long-term - systemic effects: 4,9 mg/m<sup>3</sup>.

Industrial, dermal, Long-term - systemic effects: 0,69 mg/kg bw/d.

Industrial, dermal, Acute - systemic effects: 0,69 mg/kg bw/d

#### **PNEC**

Substance

Trimethoxyvinylsilane, CAS: 2768-02-7

sewage treatment plants (STP), 110 mg/l.

seawater, 0,034 mg/l

freshwater, 0,34 mg/l

#### **Exposure controls**

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

In full contact:

> 0,4 mm/ Butyl rubber, >120 min (EN 374-1/-2/-3).

Skin protection not applicable

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Respiratory protection Respiratory protection mask in the event of high concentrations.

Thermal hazards not applicable Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

Erstellt mit EasySDB; Infos unter www.chemiebuero.de, Telefon +49 (0)941-646 353-0

GB

## Article number 5570216, 5570217, 5570218 Service Best B.V.



#### 5503 LM Veldhoven / Nederland

Date printed 13.04.2018, Revision 29.09.2016 Version 04. Supersedes version: 03 Page 5 / 10

#### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

**Form** pasty Color various Odor characteristic **Odour threshold** not applicable

pH-value ~7

not applicable pH-value [1%] Boiling point [°C] not determined Flash point [°C] > 100°C (> 212°F)

Flammability (solid, gas) [°C] > 440°C Lower explosion limit not determined Upper explosion limit not determined

**Oxidising properties** 

Vapour pressure/gas pressure [kPa] not determined Density [g/ml] 1,53 - 1,56 Bulk density [kg/m³] not applicable Solubility in water immiscible Partition coefficient [n-octanol/water] not determined > 20,5 mm<sup>2</sup>/S (40°C) not determined

Relative vapour density determined

in air

**Evaporation speed** not determined Melting point [°C] not determined Autoignition temperature [°C] not determined

Decomposition temperature [°C] not applicable

#### 9.2 Other information

No information available.

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

#### 10.5 Incompatible materials

No information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## Article number 5570216, 5570217, 5570218 Service Best B.V. 5503 LM Veldhoven / Nederland



Date printed 13.04.2018, Revision 29.09.2016

Version 04. Supersedes version: 03 Page 6 / 10

#### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity

Product

inhalative. Based on the available information, the classification criteria are not fulfilled.:

dermal, Based on the available information, the classification criteria are not fulfilled.:

oral, Based on the available information, the classification criteria are not fulfilled.:

Substance

N-(3-(Trimethoxysilyl)propyl)ethylenediamine, CAS: 1760-24-3

LD50, dermal, Rat: 2009 mg/kg (OECD 402).

LD50, oral, Rat: 2413 mg/kg (OECD 401).

Trimethoxyvinylsilane, CAS: 2768-02-7

LD50, inhalative, Rat: 16,8 mg/l (4 h) (OECD TG 403).

LD50, dermal, Rabbit: 3540 mg/kg (RTECS).

LD50, oral, Rat: 7120 mg/kg (OECD TG 401).

NOAEL, inhalative, Rat: 0,058 mg/l (98 d).

NOAEL, oral, Rat: < 62,5 mg/kg (28 d) (OECD TG 422)

Dioctyltinbis(acetylacetonate), CAS: 54068-28-9

LD50, dermal, Rat: > 2000 mg/kg (Study Number TX 1027)

LD50, dermal, Rat: > 2000 mg/kg (OECD 402).

LD50, oral, Rat: 2500 mg/kg

Serious eye damage/irritation Toxicological data of complete product are not available.

No classification. Calculation method

**Skin corrosion/irritation** Toxicological data of complete product are not available.

No classification.
Calculation method

**Respiratory or skin sensitisation** Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Specific target organ toxicity —

single exposure

Toxicological data of complete product are not available.

No classification.
Calculation method

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

**Mutagenicity**Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

# Safety Data Sheet 1907/2006/EC - REACH (GB) Womi Technobond black, white, grey 290 ml

## Article number 5570216, 5570217, 5570218 Service Best B.V. 5503 LM Veldhoven / Nederland



Date printed 13.04.2018, Revision 29.09.2016 Version 04. Supersedes version: 03 Page 7 / 10

## SECTION 12: Ecological information

#### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.:

Substance

N-(3-(Trimethoxysilyl)propyl)ethylenediamine, CAS: 1760-24-3

LC50, (96h), Danio rerio: 597 mg/l (Lit.).

EC50, (48h), Daphnia magna: 81 mg/l (Lit.).

IC50, (72h), Desmodesmus subspicatus: 126 mg/l (Lit.).

Trimethoxyvinylsilane, CAS: 2768-02-7

LC50, (96h), Oncorhynchus mykiss: 191 mg/l.

EC50, Pseudokirchneriella subcapitata: 210 mg/l (7 d) (US-EPA).

EC50, (48h), Daphnia magna: 168,7 mg/l (92/69/EWG C.2).

EC10, Pseudomonas putida: 1000 mg/l (5 h).

Dioctyltinbis(acetylacetonate), CAS: 54068-28-9

EC50, (48h), Daphnia magna: 58,6 mg/l (OECD 202).

EC50, (96h), fish: 86 mg/l (OECD 203).

EC50, (24h), Scenedesmus subspicatus: 300 mg/l (OECD 201).

#### 12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not applicable
Biological degradability not applicable

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required or not conducted.

#### 12.6 Other adverse effects

The product is insoluble in water.

Ecological data of complete product are not available.

## Safety Data Sheet 1907/2006/EC - REACH (GB) Womi Technobond black, white, grey 290 ml

## Article number 5570216, 5570217, 5570218 Service Best B.V.



#### 5503 LM Veldhoven / Nederland

Date printed 13.04.2018, Revision 29.09.2016 Version 04. Supersedes version: 03

Page 8 / 10

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

For recycling, consult manufacturer.

Waste no. (recommended)

080410

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150102 150104

#### SECTION 14: Transport information

#### 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

#### 14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

# Safety Data Sheet 1907/2006/EC - REACH (GB) Womi Technobond black, white, grey 290 ml

## Article number 5570216, 5570217, 5570218 Service Best B.V. 5503 LM Veldhoven / Nederland



Date printed 13.04.2018, Revision 29.09.2016

Version 04. Supersedes version: 03

Page 9 / 10

#### 14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**n** not a

IMDG

IMDG

Air transport in accordance with IATA not applicable

no

#### 14.5 Environmental hazards

Transport by land according to

0

ADR/RID

Inland navigation (ADN)

no

Marine transport in accordance with

**IMDG** 

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); (EU) 2015/830; (EU) 2016/131; (EÙ) 517/2014

TRANSPORT-REGULATIONS DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2017).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

not applicable

- VOC (2010/75/CE) < 1,24 %

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

## 16.1 Hazard statements (SECTION 03)

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H371 May cause damage to organs. [Immune system; if swallowed]

H332 Harmful if inhaled.

H226 Flammable liquid and vapour.

## Safety Data Sheet 1907/2006/EC - REACH (GB) Womi Technobond black, white, grey 290 ml

## Article number 5570216, 5570217, 5570218 Service Best B.V. 5503 LM Veldhoven / Nederland



Date printed 13.04.2018, Revision 29.09.2016

Version 04. Supersedes version: 03 Page 10 / 10

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Customs Tariff not determined

Classification procedure

Modified position none

Copyright: Chemiebüro®