

According to Regulation (EU) No 830/2015

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SHELL ADBLUE Product code : CRX178p - k

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Professional use. (SU22). Engine maintenance.

1.3. Details of the supplier of the safety data sheet

Supplier : Kemetyl Nederland BV

Industrieweg 30

3762 EK Soest, The Netherlands

 Telephone
 : +31-35-6012890

 Fax
 : +31-35-6022066

 E-mail
 : msds@kemetyl.com

 Website
 : www.kemetyl.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-35-6099310 (During office hours only)

EMERGENCY TELEPHONE NUMBER (in the UK and Ireland for healthcare professionals only):
National Poisons Information Service +44-844 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification

: Not classified as dangerous according to Regulation (EC) No 1272/2008.

(1272/2008/EC)

Human health hazards : Low hazard for usual industrial or commercial handling.

Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

Other information : Keep out of the reach of children.

2.2. Label elements

Label elements (1272/2008/EC): Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : EUH210 Safety data sheet available on request.

Additional labelling: none.

2.3. Other hazards

Other information : None known.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Product name : Shell Adblue Page 1/8

Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



According to Regulation (EU) No 830/2015

Kemetyl

3.2. Mixtures

Product description : Mixture.

Substance name	Concentration	CAS nr.	EC number	REACH nr.	OEL
	(w/w) (%)				
Urea	25 - 50	57-13-6	200-315-5	01-2119463277-33	#
					Ī

Substance(s) with an Occupational Exposure Limit are marked with #. Occupational exposure limit(s) are listed in section 8.

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries

up.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor if

irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth

to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : No specific effects and/or symptoms are known. Skin contact : No specific effects and/or symptoms are known.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians :

Warning : None known.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known. Non flammable product.

Hazardous thermal : Not applicable.

decomposition products

5.3. Advice for firefighters

Special protective : Not applicable.

equipment for fire-fighters

Product name : Shell Adblue Page 2/8

Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



According to Regulation (EU) No 830/2015

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles.

6.2. Environmental precautions

Environmental precautions: Avoid release of product into sewers, surface water and/or ground water. Large spills: contain with

dike.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: For guidance on selection of personal protective equipment see section 8. For guidance on

disposal of spilled material see section 13.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 $^{\circ}$ C).

Recommended packaging : Keep only in the original container. Non recommended : Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Occupational exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments
		(mg/m3)	(mg/m3)	
Urea		10	-	MAC: LT, LV, BG, RU

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	,	Local effect	Systemic effect	Local effect	Systemic effect
Urea	Dermal		580 mg/kg bw		580 mg/kg bw/day

Product name : Shell Adblue Page 3/8
Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



According to Regulation (EU) No 830/2015

Kemetyl

Inhalation 292 mg/m3 292 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Urea	Dermal		580 mg/kg bw		580 mg/kg bw/day
	Inhalation		125 mg/m3		125 mg/m3
	Oral		42 mg/kg bw		42 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Urea	Water	0,047 mg/l		

8.2. Exposure controls

Engineering measures : Not applicable.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection: Take care of sufficient ventilation.

Hand protection : Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case

of frequent or prolonged use and in case of large scale exposure. Suitable material: PVC. 0,8 mm

Indication of permeation breakthrough time: not known.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance : Liquid.
Colour : Colourless.
Odour : Characteristic.
Odour threshold : Not known.
pH : > 8

Alkali reserve (g NaOH/100: Not known.

ml)

Solubility in water : Soluble.
Partition coefficient (n- : Not known.

octanol/water) Flash point

: > 200 °C (PMcc)

Auto ignition temperature : Not known. Does not contain substances with a known auto ignition temperature.

Boiling point/boiling range : > $100 \,^{\circ}$ C Melting point/melting range : -11,5 $\,^{\circ}$ C Explosion limits (in air) : Not applicable.

Oxidising properties : Not applicable. Does not contain oxidizing substances.

Decomposition temperature : > 200 °C

Viscosity (20°C) : 1 (1 mm2/sec = 1cSt)

Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : Not known.

Vapour density (20°C) : Not relevant. The solvent content of this product is less than 1%.

Relative density (20°C) : > 1 g/ml

Evaporation rate : < 1 (n-butyl acetate = 1)

Product name : Shell Adblue Page 4/8

Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



According to Regulation (EU) No 830/2015

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : No specific recommendations.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: no data mg/l. Ingredients of unknown toxicity: 33 %. ATE: > 5 mg/l. Low toxicity.

Not classified - based on available data, the classification criteria are not met. No specific effects

and/or symptoms are known.

Corrosion/irritation : No specific effects and/or symptoms are known.

Sensitisation : Does not contain respiratory sensitisers. Not classified - based on available data, the classification

criteria are not met.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation

: No specific effects and/or symptoms are known.

Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria

are not met.

Mutagenicity: Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible.

Ingestion

Product name : Shell Adblue Page 5/8
Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



According to Regulation (EU) No 830/2015

Kemetyl

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 20953 mg/l. Calculated EC50 (waterflea): 30769 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability: No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers should be recycled

or re-used. Treat product residues and non-empty pack as chemical waste. Dispose waste to an

official chemical waste depot.

Additional warning

: None.

Waste water discharge

: Avoid discharge of waste water arising from tank cleaning to the environment.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

Product name : Shell Adblue Page 6/8

Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



According to Regulation (EU) No 830/2015

Kemetyl

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID (road / railway)

Class : This product is not classified according to ADR/RID.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO)

instruments.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EC) No 1907/2006 (REACH), Regulation (EC) No 1272/2008 (CLP) and other

regulations.

: This product need not be classified under statutory EC-regulations.

15.2. Chemical safety assessment

Chemical safety

assessment

: Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EC) 1907/2006 dated 18 December 2006 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

Not applicable.

Full text of H-phrases mentioned in section 3: Not applicable.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE Acute Toxicity Estimate
BCF Bioconcentration factor
DNEL Derived no-effect level

ECETOC TRA European centre for ecotoxicology and toxicology of chemicals. Targeted risk assessment

EU European Union

EUSES European Union System for the Evaluation of Substances

Product name : Shell Adblue Page 7/8

Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS



Kemetyl

Safety data sheet

According to Regulation (EU) No 830/2015

IBC code Intermediate Bulk Container

LD50 LC50 Lethal Dose/Concentration for 50% of a population

NOAEL No Observed (Adverse) Effect Level
NOEC No observed effect concentration
OEL Occupational exposure limit

PBT Persistent, Bioaccumulative and Toxic

PC Chemical product category
PNEC Predicted no-effect concentration
STP Sewage Treatment Plant

SU Sector of Use

SVHC Substance of very high concern

TWA/STEL Time-Weighted Average/Short Term Exposure Limit

vPvB Very Persistent and Very Bioaccumulative

Number format : "," used as decimal separator.

Date of second issue

Product name : Shell Adblue Page 8/8
Date of issue : 16-10-2015 Replaces issue dated : 24-01-2014 CHESSOL SDS