Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD

.1. Product identifier	
Trade name	THREADLOCKER STANDARD
Article number	A-525
2. Relevant identified uses of the	substance or mixture and uses advised against
identified uses:	The glue designed for bonding metals, their alloys and castings. Cures in the absence of air and presence of metal or other surfaces. Replaces cotter-pins and cushions.
uses advised against:	-
	•
.3. Details of the supplier of the sa Manufacturer:	NALMAT-Trzebinia
	•
	NALMAT-Trzebinia Marian Krzyworzeka
	NALMAT-Trzebinia Marian Krzyworzeka ul. Kościuszki 88 32-540 Trzebinia tel. +48 32 612 10 10
.3. Details of the supplier of the sa Manufacturer:	NALMAT-Trzebinia Marian Krzyworzeka ul. Kościuszki 88 32-540 Trzebinia tel. +48 32 612 10 10 fax. +48 32 612 10 66
	NALMAT-Trzebinia Marian Krzyworzeka ul. Kościuszki 88 32-540 Trzebinia tel. +48 32 612 10 10
	NALMAT-Trzebinia Marian Krzyworzeka ul. Kościuszki 88 32-540 Trzebinia tel. +48 32 612 10 10 fax. +48 32 612 10 66 www.technicqll.pl office@technicqll.pl

# 2. Hazards identification

2.1. Classification of the substance or mix Human health hazards:		ause an allergic skin reaction. Causes serious ey . Harmful if inhaled.	e damage.
Environmental hazards:	Harmful to aquatic life with lo	ng lasting effects.	
Physical and chemical hazards:	-		
2.2. Label elements			
Contains: α,α-dimethylbenzyl hydroj allergic reaction.	peroxide (No. EC: 201-254-7) a	and ethyl methacrylate (No. EC: 202-597-5 ). May	v cause occurring
Warning symbol:	DANGER		
	EUH208- Contains: ethyl me	thacrylate. May cause occurring allergic reaction.	
	H315 – Causes skin irritatior H317 – May cause an allergi H318 – Causes serious eye	c skin reaction.	
www.technicqll.pl	tel. +48 32 711 53 27	e-mail: jakosc@technicqll.pl	page 1/8



# SAFETY DATA SHEET according to 830/2015/EC, 28.05.2015

Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD



H319 – Causes serious eye irritatio	n.
-------------------------------------	----

H332 – Harmful if inhaled.

F

H335 – May cause respiratory irritation.

H412 – Harmful to aquatic life with long lasting effects.

P102 – Keep out of reach of children.

P302+P352 – IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 – Immediately call a POISON CENTER or doctor/physician.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P501 – Dispose of contents/container to a mine waste dump.

# 2.3. Other hazards

PBT – lack of information concerning fulfilment of the criteria in accordance with annex XIII of Reach Directive. vPvB - lack of information concerning fulfilment of the criteria in accordance with annex XIII of Reach Directive.

# 3. Composition/information on ingredients

# 3.1. Substance: -

# 3.2. Mixtures

Description	CAS	EC	REACH No	Content %	Classification
a,a-dimethylbenzyl	80-15-9	201-254-7	01-2119475796-	<5	Org. Perox. E H242,
hydroperoxide			19-0002		Acute Tox. 3, H331,
					Acute Tox. 4, H312,
					Acute Tox. 4, H302,
					Skin Corr. 1B, H314,
					STOT RE. 2, H373,
					Aquatic Chronic 2, H411.
					(For c<5%:
					Acute Tox.4, H332,
					STOT SE.3, H335,
					Skin Irrit.2, H315,
					Eye Dam.1, H318,
					Aquatic Chronic 3, H412)
N,N-dimethyl-p-toluidine	99-97-8	202-805-4	01-2119937766-	0-0,5	Acute Tox.3, H331, H311,
			23-0000		H301
					STOT RE.2, H373,
					Aquatic Chronic3, H412
cumene	98-82-8	202-704-5	01-2119473983-	0-0,5	Flam.Liq.3, H226,
			24-0015		Asp. Tox.1, H304
					STOT SE.3, H335
					Aquatic Chronic 2, H411
ethyl methacrylate					Flam. Liq.2, H225,
	97-63-2	202-597-5	01-2119490215-	30-40	Eye Irrit.2, H319
			40-0002		STOT SE.3, H335,
					Skin Irrit.2, H315
					Skin Sens.1, H317

Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD

#### 4. First aid measures

#### 4.1 Description of first aid measures

After eye contact: After skin contact: After inhalation: After swallowing: in case of contact flush eyes immediately with plenty of water and seek medical attention. wash skin with warm water and soap. In case of skin irritation seek medical attention. fresh air and rest if symptoms persist seek medical attention. rinse mouth with plenty of water and seek medical attention. Show the package or label.

# 4.2. Most important symptoms and effects, both acute and delayed

**4.3. Indication of any immediate medical attention and special treatment needed** The decision of the method of further procedure should be made by a doctor after exact assessment of victim's conditions.

# 5. Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray, foam, or carbon dioxide.

Unsuitable extinguishing measures: strong water yet.

#### **5.2. Special hazards arising from the substance or mixture** Irritating organic vapours may be formed.

#### 5.3. Advice for firefighters

Wear shelf contained breathing apparatus and protective clothing.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For persons not belonging to the staff removing the results of accident: Limit access of outsiders to the accident area until cleaning operation is finished. Avoid pollution of eyes and skin. Ensure good ventilation.

For person liquidating results of accident: Make sure that damage repair and its effects are carried out only by a well trained staff.

#### 6.2. Environmental precautions:

Don't allow to enter soil, sewage system, surface or ground waters.

#### 6.3. Methods and material for containment and cleaning up:

In case of spilling wipe or scrape or cover and blend with inert material (sand) and take up mechanically in suitable containers adding water in order to cure. Disposal in accordance with local regulations.

#### 6.4. Reference to other sections

Information concerning safe holding – section / chapter 7. Information concerning personal protective equipment - section / chapter 8. Information concerning utilisation - section / chapter 13.



# SAFETY DATA SHEET according to 830/2015/EC, 28.05.2015

Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD

# 7. Handling and storage

# 7.1. Precautions for safe handling:

Ensure a good ventilation in a work place. Avoid spilling. Avoid contamination of skin and eyes. Prolonged and repeated breathing of the vapours may cause irritation of inhalation system. Avoid contamination of skin. May cause sensitiveness at allergic persons.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep in cold, dry and well ventilated work place in tightly closed containers between 50C - 250C. Keep away from food. Keep out of direct sunlight. The lower temperature of storage the longer durability of the adhesive. Do not keep near sources of ignition. Do not smoke.

7.3. Specific end use(s)

# 8. Exposure controls/personal protection

The personal protection media should fulfil the requirements of instructions of the Cabinet of 21.12.2005 (Dz. U. No. 259, pos. 2173) Directive 89/686/WE (together with later changes). The employer is obliged to ensure measures of personal protection suitable for activities that are made and their cleaning and maintenance.

8.1. Control parameters Control of risk

methyl methacrylate

NDS(mg/m<sup>3</sup>)

tel. +48 32 711 53 27

50

NDSCH(mg/m<sup>3</sup>) 400

#### 8.2. Exposure controls

Breathing equipment: Work in wall ventilated room.

Protection of hands and body: Wear protective gloves.

Eye protection: Protective glasses.

Protection of body: Working clothes.

# 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state	liquid
Odour	sweet smelling
Colour	blue
Density	1,1 g/cm <sup>3</sup>
Solubility in water	insoluble
Boiling point	>100°C
Vapour pressure	< 0,5 mm Hg
Flash point	>81°C
Viscosity	800-1500 m Pas

# 9.2. Other information

Lack of additional tests.

# www.technicgll.pl

e-mail: jakosc@technicqll.pl



# SAFETY DATA SHEET according to 830/2015/EC, 28.05.2015

Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD

# 10. Stability and reactivity No data. 10.2. Chemical stability The product is stable in normal conditions of storage, handling and use. 10.3. Possibility of hazardous reactions Reactions with strong oxidizing agents. 10.4. Conditions to avoid Avoid contacts with water and alkaline materials. Danger of polymerization may occur if the adhesive is mixed with amines or water. The component does not decompose if it is stored in accordance with the recommendations. 10.5. Incompatible materials No data. 10.6. Hazardous decomposition products Do not occur if the material is stored properly.

# 11. Toxicological information

# 11.1. Information on toxicological effects

on the skin: on the eye: after swallowing: after inhalation Possible irritation of skin (degreasing, inflammation). Possible irritation of eyes.

# 12. Ecological information

12.1. Toxicity

No data.

- **12.2. Persistence and degradability** No data.
- **12.3. Bioaccumulative potential** No data.

# 12.4. Mobility in soil

Easily absorbed in soil.

# 12.5. Results of PBT and vPvB assessment

PBT Lack of information concerning fulfilment of criteria in accordance with Annex XIII of Reach Directive. vPvB Lack of information concerning fulfilment of criteria in accordance with Annex XIII of Reach Directive.

# 12.6. Other adverse effects

The product does not dissolve in water. Avoid penetration of the product into sewage system and ground water. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.



# SAFETY DATA SHEET according to 830/2015/EC, 28.05.2015

Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD

# 13. Disposal considerations 13.1. Waste treatment methods

Product waste: cover the arisen waste an absorptive material e.g. sand, diatomaceous earth, sawdust – take up and collect in closed containers and undergo neutralization in accordance with local and state regulations. Packaging waste: completely empty the packaging and transfer to specialized firm to recuperate or recycling the material.

Waste code:

08 04 09	Waste adhesives and sealants contain no organic solvents or other dangerous substances.
15 01 10	Packaging containing residues of dangerous substances or contaminated with them.

# **EU Legal Instruments**

Directives of European Parliament and Council 2006/12/EC and 94/62/EC ,Directive of Council 91/689/EEC

State Legal Instruments

# 14. Transport information

# 14.1. UN-Number:

The product is not regarded as dangerous. It is not subject to RID/ADR regulations It can be transported in any means of transport in hermetically closed packages.

Land transport ADR/RID and GGVSEB (international/state) Sea transport IMDG/VSee: Air transport ICAO – TI I IATA – DGR: 14.2. Proper shipping name -14.3. Transport hazard class(es) -14.4. Packing group -14.5. Hazards to environment -

14.6. Special precautions for user While handling the cargo, apply personal protection measures according to section 8.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code



# SAFETY DATA SHEET according to 830/2015/EC, 28.05.2015

Date: 04-04-2011 Update: 2017-01-28

# THREADLOCKER STANDARD

# 15. Regulatory information

# 15.1. Legislation related to safety, health and environment protection specific for substance or mixture:

The regulation of European Parliament and Council (EC) no. 19o7/2006 of 18 December 2006 concerning the registration, evaluation, authorization and restriction of chemicals (REACH), for establishing the European Chemical Agency, changing the directive 1999 /45/EC and cancelling the regulation of

EEC) no.793/93 and the regulation of Commitee(EC) no.1488/94, as well as the directive of council 76/769/EEC and the directives of Committe 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC,

The regulation of European Parliament and Council (EC ) no.1272/2008 of 16 December 2008 concerning the classification, labeling and packing the substances and mixtures, changing and cancelling the directives 67/548/EEC and 1999/45/EC and changing the regulation (EC) no.1907/2006

The regulation of Committee (EC) no.790/2009 of10 August 2009 adopting to the scientific and technological progress the regulation of European Parliament and Council (EC) no 1272/2008 of 16 December 2008 concerning the classification, labeling and packing the substances and mixtures

The regulation 453/2010/EU Council of 10.05.2010 changing the regulation no. 1907/2006/EU of European Parliament and Council concerning the registration, estimation, granting permissions and suitable limits in the range of chemicals (REACH) The directive of European Parliament and Council no.2006/12/EC of 5 April 2006 concerning waste.

The directive of Council no. 91/689/EEC of12 December 1991 concerning dangerous waste.

The directive of European Parliament and Council no 94/62/EU. of 20 December 1994 concerning packaging and packaging waste.

# 15.2. Estimation of chemical safety:

www.tech

# 16. Other information

Explanation of symbols in the 3 point of Safety Data Sheet:

STOT RE. 2 – Acts toxically on destination organs. 2 Aquatic Chronic 2 – Create hazard for aquatic environ	0	
Skin Corr. 1B – Corrosive action on skin. 1		
Acute Tox. 4 – Acute toxicity category. 4		
Acute Tox. 3 – Acute toxicity category. 3		
Org. Perox. EF – Organic peroxide		
H304 – May be fatal if swallowed and enters airways		
H226 – Flammable liquid and vapour		
H412 - Harmful to aquatic life with long lasting effects H301 – Toxic if swallowed		
H318 – Causes serious eye damage		
H311 – Toxic in contact with skin		
H332 – Harmful if inhaled		
H411 – Toxic to aquatic life with long lasting effects		
H373 – May cause damage to organs through prolong	ed or repeated exposure	
H331 – Toxic if inhaled		
H242 – Heating may cause a fire		
H302 – Harmful if swallowed		
H312 – Harmful in contact with skin		
H314 – Causes severe skin burns and eye damage		
H319 – Causes serious eye irritation		
H335 – May cause respiratory irritation H317 – May cause an allergic skin reaction		
H315 – Causes skin irritation		
H225 – Highly flammable liquid and vapour		
1995 Uishly flammable liquid and your sur		



# THREADLOCKER STANDARD



Aquatic Chronic 3 – Create hazard for aquatic environment category. 3 STOT SE.3 – Acts toxically on destination organs. 3 Skin Irrit.2 – Irritating to skin category . 2 Eye Dam.1 – Serious damage of eyes category. 1. Flam.Liq.3 – Inflammable liquid substance category. 3 Flam.Liq.2 – Inflammable liquid substance category. 2 Asp. Tox.1 – Hazard caused by aspiration category. 1 Eye Irrit.2 – Irritating to eyes category. 2 Skin Sens.1 – Irritating to skin category. 1.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MSDS developed by NALMAT Trzebinia