

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)



## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product name : 300V<sup>2</sup> 4T FACTORY LINE 10W50 DE

Product code : 13132

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

4-stroke engine lubricant

### 1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL

Address : 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE

Telephone : 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: .

Email : motul\_hse@motul.fr

### 1.4. Emergency telephone number : +44 (0) 1235 239 670.

Association/Organisation : ORFILA.

### Other emergency numbers

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671

BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 601 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336

Ireland : +353 1 8092566

24 hours a day, 7 days a week

## SECTION 2 : HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European CHemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances  $\geq 0.1\%$  with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

#### Composition :

| Identification                                                                                                                                | (EC) 1272/2008                    | Note | %                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------|--------------------|
| CAS: 72623-87-1<br>EC: 276-738-4<br>REACH: 01-2119474889-13<br><br>LUBRICATING OILS (PETROLEUM),<br>C20-50, HYDROTREATED NEUTRAL<br>OIL-BASED | GHS08<br>Dgr<br>Asp. Tox. 1, H304 | L    | 25 $\leq$ x % < 50 |
| EC: 832-827-5<br>REACH: 01-2120836642-54<br><br>OCTADECENE, REACTION PRODUCTS<br>WITH HEXADECENE, HYDROGENATED                                | GHS08<br>Dgr<br>Asp. Tox. 1, H304 |      | 25 $\leq$ x % < 50 |
| CAS: 64742-54-7                                                                                                                               | GHS08                             | L    | 10 $\leq$ x % < 25 |

|                                                                                                                                    |                                   |   |               |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---|---------------|
| EC: 265-157-1<br>REACH: 01-2119484627-25<br><br>DISTILLATES (PETROLEUM),<br>HYDROTREATED HEAVY PARAFFINIC<br>BASEOIL - UNSPECIFIED | Dgr<br>Asp. Tox. 1, H304          |   |               |
| CAS: 36878-20-3<br>EC: 253-249-4<br>REACH: 01-2119488911-28<br><br>BIS(NONYLPHENYL)AMINE                                           | Aquatic Chronic 4, H413           |   | 1 ≤ x % < 2.5 |
| CAS: 64742-54-7<br>EC: 265-157-1<br>REACH: 01-2119484627-25<br><br>DISTILLATES (PETROLEUM),<br>HYDROTREATED HEAVY PARAFFINIC       | GHS08<br>Dgr<br>Asp. Tox. 1, H304 | L | 1 ≤ x % < 2.5 |
| CAS: 64742-56-9<br>EC: 265-159-2<br>REACH: 01-2119480132-48<br><br>DISTILLATES (PETROLEUM),<br>SOLVENT-DEWAXED LIGHT<br>PARAFFINIC | GHS08<br>Dgr<br>Asp. Tox. 1, H304 | L | 1 ≤ x % < 2.5 |
| CAS: 64742-65-0<br>EC: 265-169-7<br>REACH: 01-2119471299-27<br><br>DISTILLATES (PETROLEUM),<br>SOLVENT-DEWAXED HEAVY<br>PARAFFINIC | GHS08<br>Dgr<br>Asp. Tox. 1, H304 | L | 1 ≤ x % < 2.5 |
| CAS: 64742-70-7<br>EC: 265-174-4<br>REACH: 01-2119487080-42<br><br>PARAFFIN OILS (PETROLEUM),<br>CATALYTIC DEWAXED HEAVY           | GHS08<br>Dgr<br>Asp. Tox. 1, H304 | L | 1 ≤ x % < 2.5 |

**Information on ingredients :**

(Full text of H-phrases: see section 16)

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. description of first aid measures****In the event of exposure by inhalation :**

Remove the victim to fresh air. If the symptoms persist, call a physician.

**In the event of splashes or contact with eyes :**

Wash immediately and abundantly with water, including under the eyelids.

**In the event of splashes or contact with skin :**

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

**In the event of swallowing :**

Seek medical attention, showing the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

## SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

Dry agent, foam, carbon dioxide.

#### Unsuitable methods of extinction

High volume water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Do not swallow

Do not get in eyes, on skin, or on clothing.

#### Fire prevention :

Prevent access by unauthorised personnel.

Take precautionary measures against static discharges by bonding and grounding equipment.

No smoking.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

Do not breathe fumes, vapour, spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store between 5°C and 40°C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

No data available.

 **Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

LUBRICATING OILS (PETROLEUM), C20-50, HYDROTREATED NEUTRAL OIL-BASED (CAS: 72623-87-1)

**Final use:****Workers.**

Exposure method:

Inhalation.

Potential health effects:

Long term local effects.

DNEL :

5.4 mg of substance/m3

**Final use:****Consumers.**

Exposure method:

Inhalation.

Potential health effects:

Long term local effects.

DNEL :

1.2 mg of substance/m3

**8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Personnel shall wear regularly laundered overalls.

**Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

 **- Hand protection**

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

|                     |          |
|---------------------|----------|
| Glove thickness:    | 0.38 mm  |
| Break-through time: | > 480 mn |

**- Body protection**

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**- Respiratory protection**

Breathing apparatus only when aerosol or spray are formed.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties** **Physical state**

|                  |               |
|------------------|---------------|
| Physical state : | Fluid liquid. |
|------------------|---------------|

 **Colour**

|        |       |
|--------|-------|
| Color: | Amber |
|--------|-------|

 **Odour**

|                   |             |
|-------------------|-------------|
| Odour threshold : | Not stated. |
|-------------------|-------------|

 **Freezing point**

|                                   |             |
|-----------------------------------|-------------|
| Freezing point / Freezing range : | Not stated. |
|-----------------------------------|-------------|

 **Boiling point or initial boiling point and boiling range**

|                               |               |
|-------------------------------|---------------|
| Boiling point/boiling range : | Not relevant. |
|-------------------------------|---------------|

 **Flammability**

|                             |             |
|-----------------------------|-------------|
| Flammability (solid, gas) : | Not stated. |
|-----------------------------|-------------|

 **Lower and upper explosion limit**

|                                                     |             |
|-----------------------------------------------------|-------------|
| Explosive properties, lower explosivity limit (%) : | Not stated. |
|-----------------------------------------------------|-------------|

|                                                     |             |
|-----------------------------------------------------|-------------|
| Explosive properties, upper explosivity limit (%) : | Not stated. |
|-----------------------------------------------------|-------------|

**Flash point**

|                        |             |
|------------------------|-------------|
| Flash Point Interval : | FP > 100°C. |
|------------------------|-------------|

**Auto-ignition temperature**

|                             |               |
|-----------------------------|---------------|
| Self-ignition temperature : | Not relevant. |
|-----------------------------|---------------|

**Decomposition temperature**

|                                           |               |
|-------------------------------------------|---------------|
| Decomposition point/decomposition range : | Not relevant. |
|-------------------------------------------|---------------|

**pH**

|                         |             |
|-------------------------|-------------|
| pH (aqueous solution) : | Not stated. |
|-------------------------|-------------|

|      |               |
|------|---------------|
| pH : | Not relevant. |
|------|---------------|

**Kinematic viscosity**

|             |                                 |
|-------------|---------------------------------|
| Viscosity : | 108.3 mm <sup>2</sup> /s à 40°C |
|-------------|---------------------------------|

**Solubility**

|                    |            |
|--------------------|------------|
| Water solubility : | Insoluble. |
|--------------------|------------|

|                  |             |
|------------------|-------------|
| Fat solubility : | Not stated. |
|------------------|-------------|

**Partition coefficient n-octanol/water (log value)**

|                                          |             |
|------------------------------------------|-------------|
| Partition coefficient: n-octanol/water : | Not stated. |
|------------------------------------------|-------------|

**Vapour pressure**

|                          |               |
|--------------------------|---------------|
| Vapour pressure (50°C) : | Not relevant. |
|--------------------------|---------------|

**Density and/or relative density**

|           |     |
|-----------|-----|
| Density : | < 1 |
|-----------|-----|

**Relative vapour density**

|                  |             |
|------------------|-------------|
| Vapour density : | Not stated. |
|------------------|-------------|

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

**10.5. Incompatible materials**

Strong oxidants

Acids

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No data available.

**11.1.1. Substances****Acute toxicity :**

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

BASEOIL - UNSPECIFIED (CAS: 64742-54-7)

Oral route : LD50 > 5000 mg/kg  
Species : Rat

Dermal route : LD50 > 5000 mg/kg  
Species : Rabbit

Inhalation route (Dusts/mist) : LC50 ≤ 5 mg/l

#### 11.1.2. Mixture

##### Skin corrosion/skin irritation :

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non allergic contact dermatitis and absorption through the skin.



##### Serious damage to eyes/eye irritation :

Mild eye irritation

##### Aspiration hazard :

"Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons."  
May cause lung damage if swallowed

##### Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 80-62-6 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

## SECTION 12 : ECOLOGICAL INFORMATION

### 12.1. Toxicity



#### 12.1.1. Substances

BIS(NONYLPHENYL)AMINE (CAS: 36878-20-3)

Fish toxicity : LC50 > 100 mg/l  
Species : Danio rerio  
Duration of exposure : 96 h  
OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity : EC50 > 100 mg/l  
Species : Daphnia magna  
Duration of exposure : 48 h  
OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

Algae toxicity : ECr50 > 100 mg/l  
Species : Desmodesmus subspicatus  
Duration of exposure : 72 h  
OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

BASEOIL - UNSPECIFIED (CAS: 64742-54-7)

Fish toxicity : LC50 > 100 mg/l  
Species : Pimephales promelas  
Duration of exposure : 96 h  
OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)

Crustacean toxicity : EC50 = 1000 mg/l  
Species : Daphnia magna  
Duration of exposure : 48 h  
OCDE Ligne directrice 202 (Daphnia sp., essai d'immobilisation immédiate)

NOEC = 10 mg/l  
Species : Daphnia magna  
Duration of exposure : 21 jours  
OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)

Algae toxicity : ECr50 > 100 mg/l  
Species : Pseudokirchnerella subcapitata  
Duration of exposure : 72 h  
OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)

NOEC = 100 mg/l  
Species : Pseudokirchnerella subcapitata  
Duration of exposure : 72 h  
OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)



#### 12.1.2. Mixtures

#### 12.2. Persistence and degradability



##### 12.2.1. Substances

BIS(NONYLPHENYL)AMINE (CAS: 36878-20-3)

Biodegradability : Non-rapidly degradable.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

BASEOIL - UNSPECIFIED (CAS: 64742-54-7)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.



#### 12.2.2. Mixtures



#### 12.3. Bioaccumulative potential



##### 12.3.1. Substances

BIS(NONYLPHENYL)AMINE (CAS: 36878-20-3)

Octanol/water partition coefficient : log K<sub>ow</sub> ≤ 7.6

#### 12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

#### 12.5. Results of PBT and vPvB assessment

No data available.



#### 12.6. Endocrine disrupting properties

No data available.



#### 12.7. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.



#### German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

WGK 1 : Slightly hazardous for water.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

##### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

##### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.



#### 14.1. UN number or ID number

-

#### 14.2. UN proper shipping name

-

#### 14.3. Transport hazard class(es)

-

#### 14.4. Packing group

#### 14.5. Environmental hazards

#### 14.6. Special precautions for user



### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



##### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

##### - Container information:

No data available.

##### - Particular provisions :

No data available.



##### - German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

WGK 1 : Slightly hazardous for water.

#### 15.2. Chemical safety assessment

Product is not classified health and environmental hazard. Exposure scenarios are not required.

### SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3 :

|      |                                                         |
|------|---------------------------------------------------------|
| H304 | May be fatal if swallowed and enters airways.           |
| H413 | May cause long lasting harmful effects to aquatic life. |



#### Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.  
 LC50 : The concentration of a test substance resulting in 50% lethality in a given period.  
 EC50 : The effective concentration of substance that causes 50% of the maximum response.  
 ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.  
 NOEC : The concentration with no observed effect.  
 REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.  
 DNEL : Derived No-Effect Level  
 STEL : Short-term exposure limit  
 TWA : Time Weighted Averages  
 TMP : French Occupational Illness table  
 TLV : Threshold Limit Value (exposure)  
 AEV : Average Exposure Value.  
 ADR : European agreement concerning the international carriage of dangerous goods by Road.  
 IMDG : International Maritime Dangerous Goods.  
 IATA : International Air Transport Association.  
 ICAO : International Civil Aviation Organisation  
 RID : Regulations concerning the International carriage of Dangerous goods by rail.  
 WGK : Wassergefährdungsklasse (Water Hazard Class).  
 PBT: Persistent, bioaccumulable and toxic.  
 vPvB : Very persistent, very bioaccumulable.  
 SVHC : Substances of very high concern.