

Printing date 21.12.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fr Article number: 01333150, 01333410, 01334410, 01335410 UFI: XXF0-70VE-W00A-XSYG	<u>esh</u>
01333150, 01333410, 01334410, 01335410 UFI: XXF0-70VE-W00A-XSYG	
1.2 Relevant identified uses of the substance or mixture Application of the substance / the mixture Car care product Anti-Freeze and de-icing products Detergents Consumer uses: Private households / general public / consu Professional uses Uses advised against There is currently no information ava	umers
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0	
Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk	BH16 6LT
1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can con In Northern Ireland, contact your local GP	

Flam. Liq. 3 H226 Flammable liquid and vapour. **2.2 Label elements** *Labelling according to Regulation (EC) No 1272/2008*

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal word Warning Hazard statements H226 Flammable liquid and vapour. Precautionary statements P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2) GB



Printing date 21.12.2023

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

(Contd. of page 1)

2.3 Other hazards Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous formulation of alcohol, glycol and tensides.

Dangerous components:

Dangerous components.		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	🚯 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319	25-<50%
CAS: 107-21-1 EINECS: 203-473-3		1-<3%
Reg.nr.: 01-2119456816-28-xxxx	🗞 STOT RE 2, H373; 🚸 Acute Tox. 4, H302	
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants		<5%
perfumes		

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents:
Water spray
Fire-extinguishing powder
Alcohol resistant foam
Carbon dioxide
For safety reasons unsuitable extinguishing agents: Water with full jet
5.2 Special hazards arising from the substance or mixture
In case of fire, the following can be released:
Carbon monoxide (CO)
Carbon dioxide (CO2)

(Contd. on page 3)

GB



Printing date 21.12.2023

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

(Contd. of page 2)

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

5.3 Advice for firefighters

Protective equipment: Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. Ensure adequate ventilation For non-emergency personnel The usual precautionary measures are to be adhered to when handling chemicals. For emergency responders Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:**



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility: Store away from foodstuffs. Observe local/state/federal regulations. Further information about storage conditions: Keep container tightly sealed. Store receptacle in a well ventilated area. Protect from heat and direct sunlight. Recommended storage temperature: 20 °C. 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

(Contd. on page 4)

GB



Printing date 21.12.2023

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

) / inform t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	Short-term value: 104** mg/m ³ , 40** ppm Long-term value: 10* 52** mg/m ³ , 20** ppm Sk *particulate **vapour Short-term value: 104 mg/m ³ , 40 ppm Long-term value: 52 mg/m ³ , 20 ppm Skin Short-term value: 40 mg/m ³ , 104 ppm Long-term value: 52 mg/m ³ , 20 ppm Sk, IOELV ation : EH40/2020 COP for the Safety, Health and Welfare at Work 019/1831		
t Britain))) d) t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	Short-term value: 104** mg/m ³ , 40** ppm Long-term value: 10* 52** mg/m ³ , 20** ppm Sk *particulate **vapour Short-term value: 104 mg/m ³ , 40 ppm Long-term value: 52 mg/m ³ , 20 ppm Skin Short-term value: 40 mg/m ³ , 104 ppm Long-term value: 52 mg/m ³ , 20 ppm Sk, IOELV ation : EH40/2020 COP for the Safety, Health and Welfare at Work 019/1831		
) / inform t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin Short-term value: 40 mg/m³, 104 ppm Long-term value: 52 mg/m³, 20 ppm Sk, IOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831		
nd) / inform t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	Sk *particulate **vapour Short-term value: 104 mg/m ³ , 40 ppm Long-term value: 52 mg/m ³ , 20 ppm Skin Short-term value: 40 mg/m ³ , 104 ppm Long-term value: 52 mg/m ³ , 20 ppm Sk, IOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831		
nd) / inform t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	Long-term value: 52 mg/m³, 20 ppm Skin Short-term value: 40 mg/m³, 104 ppm Long-term value: 52 mg/m³, 20 ppm Sk, IOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831		
/ inform t Britain) ad): 2021): (EU) 2 7-5 etha DNEL 8	Skin Short-term value: 40 mg/m ³ , 104 ppm Long-term value: 52 mg/m ³ , 20 ppm Sk, IOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831		
/ inform t Britain) ad): 2021): (EU) 2 7-5 etha DNEL 8	Short-term value: 40 mg/m ³ , 104 ppm Long-term value: 52 mg/m ³ , 20 ppm Sk, IOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831		
/ inform t Britain) ad): 2021): (EU) 2 7-5 etha DNEL 8	Long-term value: 52 mg/m³, 20 ppm Sk, IOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831		
t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	Sk, TOELV ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831 nol		
t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	ation : EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831 nol		
t Britain) nd): 2021): (EU) 2 7-5 etha DNEL 8	: EH40/2020 CoP for the Safety, Health and Welfare at Work 019/1831 nol		
): (EU) 2 7-5 etha DNEL 8	019/1831 nol		
7-5 etha DNEL 8	nol		
DNEL 8			
DNEL 8			
	7 mg/kg (consumer) (long-term exposure - systemic effects)		
	06 mg/kg bw/day (consumer) (long-term exposure - systemic effects)		
	43 mg/kg bw/day (worker) (lon-term exposure - systemic effects)		
	50 mg/m ³ (consumer) (acute short-tem exposure - local effects)		
	900 mg/m³ (worker) (acute short-tem exposure - local effects)		
	14 mg/m ³ (consumer) (long-term exposure - systemic effects)		
	50 mg/m³ (worker) (long-term exposure - systemic effects)		
CAS: 107-21-1 ethanediol			
Dermal DNEL 53 mg/kg bw/day (consumer) (long term (chronic) / systemic)			
1	06 mg/kg bw/day (worker) (long term (chronic) / systemic)		
DNEL 7	mg/m³ (consumer) (long term (chronic) / local)		
3	5 mg/m³ (worker) (long term (chronic) / local)		
I			
7-5 etha	nol		
mg/l (se	wage plant)		
6 mg/l (w	ater (fresh water))		
9 mg/l (w	ater (sea water))		
6 mg/kg (sediment (fresh water))			
3 mg/kg	(soil)		
21-1 eth	anediol		
.5 mg/l (STP)		
ng/l (wai	er (intermittent release))		
ng/l (wai	er (fresh water))		
g/l (wate	r (sea water))		
3 mg/kg	(gro)		
ng/kg (s	ediment (fresh water)) (dry weight)		
mg/kg (s	ediment (sea water)) (dry weight)		
$D = \overline{7} \cdot \overline{1} \cdot 5 \cdot 9 n 3 \overline{2} \cdot \overline{2} \cdot \overline{1} \cdot \overline{1} m m g 3 m m g 3 m m m g 3 m m m g 3 m m m g 3 m m m g 3 m m m g 3 m m m g 3 m m m g 3 m m m g 3 m m g 3 m m m m g 3 m m m m m m m m m$	5 ethan mg/l (se mg/l (se mg/l (w mg/kg (s mg/kg (s 5 mg/l (wat gg/l (wat igg/l (wat ing/kg (so mg/kg (so ng/kg (so	106 mg/kg bw/day (worker) (long term (chronic) / systemic) 7 mg/m³ (consumer) (long term (chronic) / local) 35 mg/m³ (worker) (long term (chronic) / local) -5 ethanol mg/l (sewage plant) mg/l (water (fresh water)) mg/l (water (sea water))	

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work.

(Contd. on page 5)



Printing date 21.12.2023

Version: 6.00 (replaces version 5.00)

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

Keep away from foodstuffs, beverages and feed. **Respiratory protection:** Not required in normal cases Ensure good ventilation/exhaustion at the workplace. **Hand protection** Not required in normal cases. **Eye/face protection** Not required in normal cases

SECTION 9: Ph	ysical and chemical	properties
---------------	---------------------	------------

9.1 Information on basic physical and chemical pro	operties
General Information	
Physical state	Fluid
Colour:	türkis
Odour:	Fruit-like
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	78 °C (CAS: 64-17-5 ethanol)
Flammability	Flammable liquid and vapour.
Lower and upper explosion limit	r anniasio ngala ana rapoan.
Lower:	3.5 Vol % (CAS: 64-17-5 ethanol)
Upper:	15 Vol % (CAS: 64-17-5 ethanol)
	28 °C (EN ISO 1523)
Flash point:	Not determined.
Decomposition temperature:	
рН at 20 °С	6.5-7.5
Viscosity:	
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	59 hPa (CAS: 64-17-5 ethanol)
Density and/or relative density	
Density at 20 °C:	0.96-0.97 g/cm³
Vapour density	Not determined.
, ,	
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical bazard alassas	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	
Flammable liquid and vapour.	
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
	(Contd. on page 6)

Revision: 05.12.2023

(Contd. of page 4)

- GB



Printing date 21.12.2023

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

		(Contd. of page 5)
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Develops readily flammable gases/fumes.

10.4 Conditions to avoid

Г

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

CAS: 64-1	7-5 ethano	-
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50 / 4h	>20 mg/l (mouse)
		38 mg/l (rat)
CAS: 107-	21-1 ethan	ediol
Oral	LD50	7,712 mg/kg (rat)
Dermal	LD50	>3,500 mg/kg (mouse)
Inhalative	LC50 / 6 h	>2.5 mg/l (rat)
Skin corro	osion/irritat	tion Based on available data, the classification criteria are not met.
Serious e	ye damage	/irritation Based on available data, the classification criteria are not met.
Respirato	ry or skin s	sensitisation Based on available data, the classification criteria are not met.
Germ cell	mutagenic	ity Based on available data, the classification criteria are not met.
Carcinoge	enicity Base	ed on available data, the classification criteria are not met.
Reproduc	tive toxicit	y Based on available data, the classification criteria are not met.
STOT-sing	gle exposu	re Based on available data, the classification criteria are not met.
STOT-rep	eated expo	sure Based on available data, the classification criteria are not met.
Aspiration	n hazard Ba	ased on available data, the classification criteria are not met.
Additiona	l toxicolog	ical information:
Repeated	dose toxic	ity
CAS: 64-1	7-5 ethano	1
		ng/kg (rat) (OECD 408, 90d, target organ: liver)
		other hazards
		g properties
		ent state of scientific knowledge, there is no data for the product regarding endocrine with health effects.
None of th	e ingredien	15 15 1151EU.

(Contd. on page 7)



Printing date 21.12.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

	(Contd. of page 6)
SECTION	N 12: Ecological information
12.1 Toxic	ity There are no ecotoxicological data available on this mixture.
Aquatic to	-
	7-5 ethanol
	8,140 mg/l (Leuciscus idus)
EC50 / 48h	>10,000 mg/l (Daphnia magna)
EC50 / 72h	275 mg/l (Chlorella vulgaris)
CAS: 107-2	21-1 ethanediol
LC50 / 96h	72,860 mg/l (Pimephales promelas)
EC20/0.5	h >1,995 mg/l (activated sludge)
EC50 / 48h	>100 mg/l (Daphnia magna)
EC50 / 96 ł	h 6,500-13,000 mg/l (Pseudokirchneriella subcapitata)
NOEC / 7 a	
	15,380 mg/l (Pimephales promelas) (EPA 600/4-89/001)
12.2 Persis	stence and degradability
The surface (EC/648/20	e-active substances contained in the product meet the requirement of the EU Detregent Regulation 004) for ultimate biodegradability for surfactants in detergents.
	cumulative potential
CAS: 107-2	21-1 ethanediol
log POW 1	.36
12.5 Resul PBT:	ity in soil No further relevant information available. Its of PBT and vPvB assessment to information provided in the supply chain, the mix conatins less than 0.1% of any substances IN PBT
vPvB: According t classified a 12.6 Endoo According t disrupting p	to information provided in the supply chain, the mix conatins less than 0.1% of any substances
	adverse effects ecological information:
General no	
Do not allow	w undiluted product or large quantities of it to reach ground water, water course or sewage system.
SECTIOI	N 13: Disposal considerations
13.1 Waste Waste clas Recomme European 1) Disposal	e treatment methods sified as hazardous according to Annex III to Directive 2008/98/EC. ndation Waste must be disposed of while observing the local, official regulations. waste catalogue
	detergents containing hazardous substances
	packaging containing residues of or contaminated by hazardous substances
	Flammable
· · · · •	
HP4	Irritant - skin irritation and eye damage

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

GB



Printing date 21.12.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

(Contd of page 7)

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN1170
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	1170 ETHANOL SOLUTION ETHANOL SOLUTION
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
14.7 Maritime transport in bulk according to IM instruments	IO Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	5L
Transport category Tunnel restriction code	3 D/E
UN "Model Regulation":	UN 1170 ETHANOL SOLUTION, 3, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) 29.85 % REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

SONAX®

Safety data sheet according to 1907/2006/EC, Article 31

Version: 6.00 (replaces version 5.00)

Revision: 05.12.2023

Trade name: SONAX Antifreeze+Clear View -20 °C Ice-fresh

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee fo specific product features and shall not establish a legally valid contractual relationship.	or any
Relevant phrases H225 Highly flammable liquid and vapour.	
H302 Harmful if swallowed.	
H319 Causes serious eye irritation.	
H373 May cause damage to organs through prolonged or repeated exposure.	
Classification according to Regulation (EC) No 1272/2008	
Flammable liquids On basis of test data	
Date of previous version: 03.05.2023	
Version number of previous version: 5.00	
Abbreviations and acronyms:	
NOEL = No Observed Effect Level	
NOEC = No Observed Effect Concentration	
LC = letal Concentration	
EC50 = half maximal effective concentration	
log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate	
ADE: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Intern	ational
RDR. Accord relating that transport miernational des marchandises dangereuses par route (European Agreement Concerning the miern Carriage of Dangerous Goods by Road)	anonal
MDG: International Maritime Code for Danaerous Goods	
ATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (UK REACH)	
PNEC: Predicted No-Effect Concentration (ÜK REACH)	
LCS0: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
IOELV = indicative occupational exposure limit values	
Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3	
-lam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4	
Eve Irrit. 2: Serious eve damage/eve irritation – Category 2	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
* Data compared to the previous version altered.	
bata compared to the previous version altered.	



Printing date 21.12.2023

(Contd. of page 8)