## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

**BIZOL ATF Cleaner+ a50** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

#### **Relevant identified uses**

additive for mineral oil products

1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

BIZOL Germany GmbH (former BITA Trading GmbH)

Street: Martin-Buber-Straße 12

Postal code/city: 14163 Berlin

Telephone: + 4930 804869-0

Telefax: + 4930 804869-22

Information contact: email: support@bizol.de

1.4 Emergency telephone number

Giftnotruf Nord +49-551-19240

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1; H304 - Aspiration hazard: Category 1; May be fatal if swallowed and enters airways.

## 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



Health hazard (GHS08)

## Signal word

Danger

## Hazard components for labelling

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC; CAS No.: 64742-53-6

#### **Hazard statements**

H304 May be fatal if swallowed and enters airways.

#### **Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

P331 Do NOT induce vomiting.

P501 Dispose of contents/container as per local and national regulations.

## 2.3 Other hazards

None

## **SECTION 3: Composition/information on ingredients**

Page: 1 / 8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date:** 21.03.2017

#### 3.2 Mixtures

#### **Hazardous ingredients**

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC; REACH registration No.: 01-2119480375-xxxx; EC No.:

265-156-6; CAS No.: 64742-53-6

Weight fraction :  $\geq$  75 - < 100 % Classification 1272/2008 [CLP] : Asp. Tox. 1; H304

**Additional information** 

Full text of H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Observe risk of aspiration if vomiting occurs.

#### Following inhalation

Provide fresh air. Remove victim out of the danger area.

## In case of skin contact

Wash immediately with: Soap Immediately remove all contaminated clothing.

#### After eye contact

Flush with plenty of water (10 - 15 min.). Call a physician. Consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Let water be drunken in little sips (dilution effect). Keep at rest. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2) Sand Foam Dry extinguishing powder Water spray jet

#### Unsuitable extinguishing media

High power water jet

## 5.2 Special hazards arising from the substance or mixture

## **Hazardous combustion products**

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Pyrolysis products, toxic

## 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

#### **Special protective equipment for firefighters**

Burning produces heavy smoke.

## 5.4 Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Do not allow run-off from fire-fighting to enter drains or water courses.

## **SECTION 6: Accidental release measures**

Page: 2 / 8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

#### 6.1 Personal precautions, protective equipment and emergency procedures

Take the precautions customary when handling chemicals. Keep away from ignition sources on account of the organic solvent content and air room well. Do not inhale vapours.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Take up with a liquid absorbing material and proceed according to the waste disposal regulations.

## 6.3 Methods and material for containment and cleaning up

Remove mechanically, take-up residues with absorbing material.

#### For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

## Other information

Clear spills immediately.

#### 6.4 Reference to other sections

None

## **SECTION 7: Handling and storage**



#### 7.1 Precautions for safe handling

Take the precautions customary when handling chemicals. Only use the material in places where open light, fire and other flammable sources can be kept away.

#### **Protective measures**

Avoid: Inhalation of vapours or spray/mists Skin contact Eye contact Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas.

#### Measures to prevent fire

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

## Measures to prevent aerosol and dust generation

Ensure adequate ventilation of the storage area.

## **Environmental precautions**

See section 8.

## Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well-ventilated place. Avoid heating over 50°C. Ensure adequate ventilation of the storage area. Restrict access to stockrooms.

## Hints on joint storage

Storage class (TRGS 510): 10

Keep away from

Strong acid Strong alkali Oxidising agent

## **Further information on storage conditions**

Keep only in the original container in a cool, well-ventilated place.

Protect against: Heat. UV-radiation/sunlight

## 7.3 Specific end use(s)

None

Page: 3 / 8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Recommended monitoring procedures**

Method: Test tube

#### 8.2 Exposure controls

#### Personal protection equipment

None, but avoid breathing vapours if possible. If workplace limits are exceeded, a gas mask approved for this purpose must be worn.

#### **Eye/face protection**

Eye glasses with side protection

## Suitable eye protection

Use safety glasses.

#### Required properties

**DIN EN 166** 

#### Remark

Take the precautions customary when handling chemicals.

#### Skin protection

Solvent-resistent protective gloves must be worn. Gloves, for example PVC at least 0,8 mm thick. See protective gloves instruction sheet.

#### Hand protection

**Suitable gloves type**: Disposable gloves. **Suitable material**: PVC (Polyvinyl chloride) **Unsuitable material**: Thick fabric

Wearing time with occasional contact (splashes): 4 hrs

**Recommended glove articles:** DIN EN 374

**Additional hand protection measures**: Do not wear gloves near rotary machines and tools. Use gloves only once. Breakthrough times and swelling properties of the material must be taken into consideration. Wear cotton undermitten if possible. Take recovery periods for skin regeneration.

#### **Body protection**

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Suitable protective clothing: Overall

Recommended material: Natural fibres (e.g. cotton)

 $\boldsymbol{Remark}:$  Only wear fitting, comfortable and clean protective clothing.

## **Respiratory protection**

Respiratory protection necessary at: exceeding exposure limit values

#### Suitable respiratory protection apparatus

Combination filtering device (EN 14387) A

#### Remark

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be

## General health and safety measures

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### Occupational exposure controls

#### **Technical measures to prevent exposure**

See section 7. No additional measures necessary.

## **Environmental exposure controls**

Page: 4/8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

## **Technical measures to prevent exposure**

See section 7. No additional measures necessary.

#### 8.3 Additional information

Preventive industrial medical examinations are to be offered.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

## **Appearance**

Physical state: liquid Colour: light brown

Odour

like: Mineral oil.

## Safety relevant basis data

Melting point/melting range:

No data available
Freezing point:

No data available

Initial boiling point and boiling (1013 hPa) > 160 °C

Decomposition temperature : No data available

**Flash point :** approx. 140 °C

Ignition temperature :No data availableLower explosion limit :No data availableUpper explosion limit :No data available

Vapour pressure :(  $50 \, ^{\circ}\text{C}$  )<</th>100 hPaDensity :(  $20 \, ^{\circ}\text{C}$  )approx.0,9 g/cm³

Water solubility: (  $20~^{\circ}\text{C}$  ) No data available pH: No data available

**Flow time :** (20 °C) No data available DIN-cup 4 mm

**Viscosity:** (20 °C) No data available

**Cinematic viscosity :** (40 °C) approx. 8 mm²/s

Odour threshold :No data availableRelative vapour density :( 20 °C )No data availableVapourisation rate :No data available

Flammable aerosols:

Oxidising liquids:

No data available.

Explosive properties:

No data available.

## 9.2 Other information

None

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

None, if handled according to order.

## 10.2 Chemical stability

None, if handled according to order.

#### 10.3 Possibility of hazardous reactions

None, if handled according to order.

## 10.4 Conditions to avoid

Page: 5 / 8

(EN/D)

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5 Incompatible materials

Reaction with oxidizing agents possible.

## 10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute effects**

Based on available data, the classification criteria are not met.

#### **Irritant and corrosive effects**

No information available.

#### **Sensitisation**

No information available.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

No information available.

#### Germ cell mutagenicity

No information available.

#### Reproductive toxicity

No information available.

## **STOT-single exposure**

No information available.

## **STOT-repeated exposure**

No information available.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### 11.2 Additional information

Inhalation/eye contact: in high concentrations irritating to the mucous membranes, narcotic effect and influence on power of reaction and loss of coordination possible.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

## **Aquatic toxicity**

No information available.

## 12.2 Persistence and degradability

The product is difficult to biologically degrade. May be separated mechanically in purification plants.

#### 12.3 Bioaccumulative potential

May accumulate in organisms.

## 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

No information available.

## 12.6 Other adverse effects

No information available.

Page: 6 / 8

(EN/D)

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

## 12.7 Additional ecotoxicological information

Do not empty into waters or drains.

## **Additional information**

Product may not be released into water without pre-treatment (biological sewage plant).

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product/Packaging disposal**

Waste codes/waste designations according to EWC/AVV

Waste code product

Waste code product List of proposed waste codes/waste designations in accordance with AAV

Waste treatment options

#### Appropriate disposal / Product

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

## **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

## 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

## 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

## 14.6 Special precautions for user

None

## **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture $^{15.1}$

National regulations

Water hazard class (WGK)

Class: 2 (Hazardous to water) Classification according to VwVwS

#### Other regulations, restrictions and prohibition regulations

No flammable liquid according to BetrSichV.

## 15.2 Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

## 16.1 Indication of changes

Page: 7 / 8

## according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : BIZOL ATF Cleaner+ a50

**Revision date:** 21.03.2017 **Version (Revision):** 1.0.0

**Print date :** 21.03.2017

16.2 Abbreviations and acronyms

EAK: Europäischer Abfallartenkatalog (EWC: European Waste Catalogue)

AVV: Abfallverzeichnisverordnung (List of waste regulation)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules on Hazardous Substances)

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe (Administrative Regulation of substances hazardous to water) ADR: Accord européen relatif le transport des marchandises dangereuses par Route (European agreement concerning

the international carriage of dangerous goods by road) IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstract Service (Division of the American Chemical Society)

DNEL: Derived No Effect Level (REACH)

PNEC: Predicted No Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative See overview table at www.euphrac.eu.

## 16.3 Key literature references and sources for data

None

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Calculation method.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.

## 16.6 Training advice

None

## 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 8 / 8