

according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	SynPower™ DX1 0W20 Synthetic Blend Motor Oil
Product code	:	894774
1.2 Relevant identified uses of the	e s	ubstance or mixture and uses advised against
Use of the substance/mixture	:	Engine, gear & lubricating oil.
1.3 Details of the supplier of the s	safe	ety data sheet
Company	:	Ellis Enterprises B.V., an affiliate of Valvoline Global Operations Wieldrechtseweg 39 3316 BG Dordrecht Netherlands
Telephone	:	+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
E-mail address of person responsible for the SDS	:	SDS@valvolineglobal.com

1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains dihydro-3-(2-octadecenyl)furan-2,5-dione. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- xxxx	Asp. Tox. 1; H304	>= 40 - < 50
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- xxxx	Asp. Tox. 1; H304	>= 5 - < 10
DINONYL DIPHENYLAMINE	36878-20-3 253-249-4	Aquatic Chronic 4; H413	>= 1 - < 2.5
dihydro-3-(2-octadecenyl)furan-2,5- dione	67066-88-0 266-561-0	Skin Irrit. 2; H315 Skin Sens. 1B; H317	>= 0.5 - < 1

For explanation of abbreviations see section 16.



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice	: Do not leave the victim unattended.		
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.		
In case of eye contact	 Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. 		
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. 		
4.2 Most important symptoms a	nd effects, both acute and delayed		
Symptoms	: No symptoms known or expected.		
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	: No hazards which require special first aid measures.		
	Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.		
Unsuitable extinguishing media	:	High volume water jet		
5.2 Special hazards arising from the substance or mixture				
Hazardous combustion products	:	carbon dioxide and carbon monoxide		



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions :	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment.		
6.2 Environmental precautions			
Environmental precautions :	If the product contaminates rivers and lakes or drains inform respective authorities.		
6.3 Methods and material for contai	nment and cleaning up		
Methods for cleaning up :	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.		

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	General industrial hygiene practice.
7.2 Conditions for safe storage, in	ncl	luding any incompatibilities
Requirements for storage		Electrical installations / working materials must comply with



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/2025
areas and containers	the technological safety standards.	
Advice on common storage	: No materials to be especially mentioned.	
Further information on storage stability	: No decomposition if stored and applied as	directed.
7.3 Specific end use(s) Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment Value	
DINONYL DIPHENYLAMINE	Sewage treatment plant	1 mg/l
	Fresh water sediment	132000 mg/kg
	Marine sediment	13200 mg/kg
	Soil	263000 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection Hand protection Material Break through time Glove thickness Directive	::	Safety glasses neoprene, nitrile rubber >= 240 min >= 0.35 mm Equipment should conform to EN 374
Remarks	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/2025
Skin and body protection Respiratory protection	protective glove.Protective suitNo personal respiratory protective required.	equipment normally

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	liquid amber No data available No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	208 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.843 g/cm3 (15 °C)
Solubility(ies) Water solubility Solubility in other solvents		immiscible No data available
Partition coefficient: n-	:	No data available
		6 / 17



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/2025
octanol/water Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: 47.6 mm2/s (40 °C)	
Oxidizing properties	: No data available	
9.2 Other information Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
10.4 Conditions to avoid		
Conditions to avoid	:	excessive heat
10.5 Incompatible materials		
Materials to avoid	:	Strong oxidizing agents water
10.6 Hazardous decomposition pr	od	ucts
No hazardous decomposition p	roc	lucts are known.



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

SECTION 11: Toxicological information

11.1	I Information on toxicologica	l ef	fects
	Acute toxicity Not classified based on availa	ble	information.
	Components:		
	DISTILLATES (PETROLEUM	I), F	IYDROTREATED HEAVY PARAFFINIC:
	Acute oral toxicity	:	LD50 (Rat): > 15 g/kg
	Acute dermal toxicity	:	LD50 (Rabbit): > 5 g/kg
	DISTILLATES (PETROLEUM	I), S	SOLVENT-DEWAXED HEAVY PARAFFINIC:
	Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
	Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg
	DINONYL DIPHENYLAMINE	:	
	Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: The toxicological data has been taken from products of similar composition.
	Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: The toxicological data has been taken from products of similar composition.
	Skin corrosion/irritation		
	Not classified based on availa	ble	information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

DINONYL DIPHENYLAMINE:



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/2025		
Species	: Rabbit			
Result	: Mild skin irritation			
Remarks	 The toxicological data has been taken from products of similar composition. 			
dihydro-3-(2-octad	ecenyl)furan-2,5-dione:			
Result	: Irritating to skin.			
Serious eye damaç	ge/eye irritation			
Not classified based	l on available information.			
Components:				
DISTILLATES (PET	ROLEUM), HYDROTREATED HEAVY PARAFF	INIC:		

	···· / , ···	
Assessment	:	No eye irritation
Result	:	No eye irritation

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

Assessment	:	Slight, transient irritation
Result	:	Slight, transient irritation

DINONYL DIPHENYLAMINE:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	The toxicological data has been taken from products of similar
		composition.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

DINONYL DIPHENYLAMINE:

:	Maximisation Test
:	Guinea pig
:	Does not cause skin sensitisation.
:	OECD Test Guideline 406
	:



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

aiobai		
rsion: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/202
Remarks	: The toxicological data has been to composition.	taken from products of similar
dihydro-3-(2-octadecen	yl)furan-2,5-dione:	
Assessment	: The product is a skin sensitiser, s	sub-category 1B.
Germ cell mutagenicity Not classified based on a		
Components:		
DINONYL DIPHENYLAN	AINE:	
Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimu Metabolic activation: with and wit Result: negative Remarks: The toxicological data products of similar composition.	hout metabolic activation
Carcinogenicity Not classified based on a	vailable information.	
Components:		
•	EUM), HYDROTREATED HEAVY PARAF	
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part :	
DISTILLATES (PETROL	EUM), SOLVENT-DEWAXED HEAVY PA	RAFFINIC:
Carcinogenicity - Assessment	: Classified based on DMSO extra (EC) 1272/2008, Annex VI, Part 3	
Reproductive toxicity		
Not classified based on a	vailable information.	
STOT - single exposure Not classified based on a		
STOT - repeated exposition Not classified based on a		



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

Aspiration toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC:

May be fatal if swallowed and enters airways.

Further information

Product: Remarks

5

: No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:				
Ecotoxicology Assessment				
Acute aquatic toxicity	:	Not classified based on available information.		
Chronic aquatic toxicity	:	Not classified based on available information.		
Components:				
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:				
Toxicity to fish	:	LL50 (Fish): > 100 mg/l Exposure time: 96 h		
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h		
Toxicity to algae/aquatic plants	:	EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h		
Toxicity to fish (Chronic	:	NOEC: 10 mg/l		



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

sion: 4.0	Re	evision Date: 27.07.2023	Print Date: 22/05/20
toxicity)		Species: Fish	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Species: Aquatic invertebrates	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available inform	mation.
Chronic aquatic toxicity	:	Not classified based on available inform	mation.
DISTILLATES (PETROLEUM), S	OLVENT-DEWAXED HEAVY PARAFF	FINIC:
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available inform	mation.
Chronic aquatic toxicity	:	Not classified based on available inform	mation.
DINONYL DIPHENYLAMINE:			
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: The toxicological data has b products of similar composition.	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	> 100 mg/l
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 Remarks: The toxicological data has b products of similar composition.	
Ecotoxicology Assessment			
Acute aquatic toxicity	:	Not classified based on available inform	mation.
		Chronic aquatic toxicity Category 4; Ma	



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

dihydro-3-(2-octadecenyl)furan-2,5-dione:

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Not classified based on available information.
Chronic aquatic toxicity	:	Not classified based on available information.

12.2 Persistence and degradability

Components:

DINONYL DIPHENYLAMINE:

Biodegradability

Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: The toxicological data has been taken from products of similar composition.

12.3 Bioaccumulative potential

Components:

DINONYL DIPHENYLAMINE:

Partition coefficient: n- : log Pow: Calculated > 7.5 octanol/water

:

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting	:	The substance/mixture does not contain components
potential		considered to have endocrine disrupting properties according
		to REACH Article 57(f) or Commission Delegated regulation



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/2025
Additional ecological information	(EU) 2017/2100 or Commission Regula levels of 0.1% or higher.No data available	ation (EU) 2018/605 at

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA_P	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
		14 / 17

:



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

 Version: 4.0
 Revision Date: 27.07.2023
 Print Date: 22/05/2025

 IATA (Cargo)
 : Not regulated as a dangerous good

IATA_P (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) UK REACH Candidate list of substances of very high	:	Not applicable Not applicable
concern (SVHC) for Authorisation		
The Persistent Organic Pollutants Regulations (retained	:	Not applicable
Regulation (EU) 2019/1021 as amended for Great		
Britain)		
Regulation (EC) No 1005/2009 on substances that	:	Not applicable
deplete the ozone layer		
UK REACH List of substances subject to authorisation	:	Not applicable
(Annex XIV)		
Control of Major Accident Hazards Regulations	Not	applicable
2015 (COMAH)		

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	Not in compliance with the inventory



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0	Revision Date: 27.07.2023	Print Date: 22/05/2025
DSL	: All components of this product are or	the Canadian DSL
ENCS	: Not in compliance with the inventory	
KECI	: On the inventory, or in compliance wi	th the inventory
PICCS	: On the inventory, or in compliance wi	th the inventory
IECSC	: On the inventory, or in compliance wi	th the inventory
NZIoC	: On the inventory, or in compliance wi	th the inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

	g narmiul ellects to aquatic life.
H413 : May cause long lasting	a hormeful offense to powertic life
H317 : May cause an allergic	skin reaction.
H315 : Causes skin irritation.	
H304 : May be fatal if swallow	ed and enters airways.

Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -



according to Regulation (EC) No. 1907/2006 SynPower™ DX1 0W20 Synthetic Blend Motor Oil

Version: 4.0

Revision Date: 27.07.2023

Print Date: 22/05/2025

International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000277991

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN