

AREON CAR BLACK CRYSTAL / REFILL - ACB02



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : AREON CAR BLACK CRYSTAL / REFILL

Product code : ACB02.

1.2. Relevant identified uses of the substance or mixture and uses advised against

AIR FRESHENER

1.3. Details of the supplier of the safety data sheet

Registered company name : BALEV CORPORATION EOOD.

Address : 260, BLVD VLADISLAV VARNENCHIK.9000.VARNA.BULGARIA.

Telephone : +35929502000. Fax : +35929502002.

office@areon-fresh.com

www.areon-fresh.com

1.4. Emergency telephone number : 112.

Association/Organisation : NA.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07



GHS09

Signal Word :

WARNING

Product identifiers :

EC 233-881-7	CIS-4-TERT-BUTYLCYCLOHEXYL ACETATE
EC 250-954-9	4-TERT-BUTYLCYCLOHEXYL ACETATE
EC 207-431-5	EUCALYPTOL
EC 204-846-3	ALPHA-ISO-METHYLIONONE
EC 202-589-1	EUGENOL
EC 201-291-9	ALPHA-PINENE
601-029-00-7	LIMONENE
EC 268-264-1	2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE
EC 226-394-6	CITRAL
EC 204-872-5	BETA-PINENE
EC 203-378-7	NEROL
EC 203-377-1	GERANIOL
EC 203-765-0	2-METHYLUNDECANAL
CAS 300371-33-9	2,3-DIHYDRO-1,1-DIMETHYL-1H-INDENE-AR-PROPANAL
EC 236-719-3	DELTA-3-CARENE
EC 251-649-3	6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE
EC 246-430-4	(E)-1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE

AREON CAR BLACK CRYSTAL / REFILL - ACB02

EC 263-545-5 6-METHOXY-2,6-DIMETHYLHEPTAN-1-AL
EC 260-709-8 DELTA-1-(2,6,6-TRIMETHYL-3-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE

Hazard statements :

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.

Precautionary statements - Prevention :

P273 Avoid release to the environment.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of water/...
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 18479-58-8 EC: 242-362-4 DIHYDROMYRCENOL	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319		25 $\leq$ x % < 50
CAS: 319002-92-1 EC: 437-530-0 PROPYL (2S)-2-(1,1-DIMETHYLPROPOXY)-PROPAN OATE	Aquatic Chronic 3, H412		10 $\leq$ x % < 25
CAS: 78-70-6 EC: 201-134-4 LINALOOL	GHS07 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315		10 $\leq$ x % < 25
CAS: 10411-92-4 EC: 233-881-7 CIS-4-TERT-BUTYLCYCLOHEXYL ACETATE	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317		2.5 $\leq$ x % < 10
CAS: 115-95-7 EC: 204-116-4 LINALYL ACETATE	GHS07 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315		2.5 $\leq$ x % < 10
CAS: 32210-23-4 EC: 250-954-9 4-TERT-BUTYLCYCLOHEXYL ACETATE	GHS07 Wng Skin Sens. 1B, H317		2.5 $\leq$ x % < 10
CAS: 64742-47-8 EC: 265-149-8 DISTILLATES, PETROLIUM, HYDROTREATED LIGHT	GHS08 Dgr Asp. Tox. 1, H304		2.5 $\leq$ x % < 10

AREON CAR BLACK CRYSTAL / REFILL - ACB02

CAS: 76-22-2 EC: 200-945-0 1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2-ONE	GHS08, GHS02, GHS07 Wng Acute Tox. 4, H332 Acute Tox. 4, H302 Flam. Sol. 2, H228 STOT SE 2, H371	[1]	0 <= x % < 2.5
CAS: 470-82-6 EC: 207-431-5 EUCALYPTOL	GHS02, GHS07 Wng Flam. Liq. 3, H226 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 142-92-7 EC: 205-572-7 HEXYL ACETATE	GHS09, GHS02 Wng Flam. Liq. 3, H226 Aquatic Chronic 2, H411		0 <= x % < 2.5
CAS: 127-51-5 EC: 204-846-3 ALPHA-ISO-METHYLIONONE	GHS07, GHS09 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411		0 <= x % < 2.5
CAS: 97-53-0 EC: 202-589-1 EUGENOL	GHS07 Wng Eye Irrit. 2, H319 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 80-56-8 EC: 201-291-9 ALPHA-PINENE	GHS08, GHS02, GHS07, GHS09 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 2.5
INDEX: 601-029-00-7 CAS: 138-86-3 EC: 205-341-0 LIMONENE	GHS02, GHS07, GHS09 Wng Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 104864-90-6 EC: 435-750-1 4-PENTEN-1-OL, 2-METHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPENTEN-1-YL)-	GHS05, GHS09 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 68039-49-6 EC: 268-264-1 2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBO XALDEHYDE	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411		0 <= x % < 2.5
CAS: 5392-40-5 EC: 226-394-6 CITRAL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	[1]	0 <= x % < 2.5

AREON CAR BLACK CRYSTAL / REFILL - ACB02

CAS: 127-91-3 EC: 204-872-5 BETA-PINENE	GHS08, GHS02, GHS07, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 2.5
CAS: 106-25-2 EC: 203-378-7 NEROL	GHS07 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 341017-24-1 EC: 439-080-0 2-HEXAN-1-OL, 3-METHYL-, ACETATE(9CI)	GHS07, GHS09 Wng Skin Irrit. 2, H315 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 106-24-1 EC: 203-377-1 GERANIOL	GHS05, GHS07 Dgr Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318		0 <= x % < 2.5
CAS: 110-41-8 EC: 203-765-0 2-METHYLUDECANAL	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 300371-33-9 2,3-DIHYDRO-1,1-DIMETHYL-1H-INDENE- AR-PROPANAL	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 13466-78-9 EC: 236-719-3 DELTA-3-CARENE	GHS08, GHS02, GHS07 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317	[1]	0 <= x % < 2.5
CAS: 33704-61-9 EC: 251-649-3 6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5 H)-INDANONE	GHS07, GHS09 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411		0 <= x % < 2.5
CAS: 24720-09-0 EC: 246-430-4 (E)-1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1 -YL)-2-BUTEN-1-ONE	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 62439-41-2 EC: 263-545-5 6-METHOXY-2,6-DIMETHYLHEPTAN-1-AL	GHS07 Wng Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 79-92-5 EC: 201-234-8 CAMPHENE	GHS02, GHS07, GHS09 Wng Eye Irrit. 2, H319 Flam. Sol. 2, H228 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5

AREON CAR BLACK CRYSTAL / REFILL - ACB02

CAS: 469-61-4 EC: 207-418-4 ALPHA-CEDRENE	GHS08, GHS09 Dgr Asp. Tox. 1, H304 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 10		0 <= x % < 2.5
CAS: 57378-68-4 EC: 260-709-8 DELTA-1-(2,6,6-TRIMETHYL-3-CYCLOHEXYL-1-YL)-2-BUTEN-1-ONE	GHS07, GHS09 Wng Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

AREON CAR BLACK CRYSTAL / REFILL - ACB02

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Do not store below 5 degrees C and above 30 degrees C

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limits :**

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
76-22-2	2 ppm	3 ppm		A4	
80-56-8	20 ppm			SEN; A4	
5392-40-5	5 (IFV) ppm			Skin; SEN; A4	
127-91-3	20 ppm			SEN; A4	
13466-78-9	20 ppm			SEN; A4	

- France (INRS - ED984 :2012) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
76-22-2	2	12	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
76-22-2	2 ppm 13 mg/m3	3 ppm 19 mg/m3			

8.2. Exposure controls**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

AREON CAR BLACK CRYSTAL / REFILL - ACB02

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state : Fluid liquid.

Important health, safety and environmental information

pH : Not relevant.
Boiling point/boiling range : Not specified.
Flash Point Interval : 60°C < FP <= 93°C
Vapour pressure (50°C) : Not relevant.
Density : Not stated.
Water solubility : Insoluble.
Melting point/melting range : Not specified.
Self-ignition temperature : Not specified.
Decomposition point/decomposition range : Not specified.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :
- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity :

DELTA-1-(2,6,6-TRIMETHYL-3-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE (CAS: 57378-68-4)
Oral route : LD50 = 1400 mg/kg

(E)-1-(2,6,6-TRIMETHYL-2-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE (CAS: 24720-09-0)
Oral route : LD50 = 1670 mg/kg

Dermal route : LD50 = 2900 mg/kg

6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE (CAS: 33704-61-9)
Oral route : LD50 = 2900 mg/kg

DELTA-3-CARENE (CAS: 13466-78-9)
Oral route : LD50 = 4800 mg/kg

AREON CAR BLACK CRYSTAL / REFILL - ACB02

GERANIOL (CAS: 106-24-1)

Oral route : LD50 = 3600 mg/kg

NEROL (CAS: 106-25-2)

Oral route : LD50 = 4500 mg/kg

2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE (CAS: 68039-49-6)

Oral route : LD50 = 3900 mg/kg

ALPHA-PINENE (CAS: 80-56-8)

Oral route : LD50 = 3500 mg/kg

EUGENOL (CAS: 97-53-0)

Oral route : LD50 = 2300 mg/kg

EUCALYPTOL (CAS: 470-82-6)

Oral route : LD50 = 2480 mg/kg

1,7,7-TRIMETHYLBICYCLO[2.2.1]HEPTAN-2-ONE (CAS: 76-22-2)

Oral route : LD50 = 1500 mg/kg

4-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)

Oral route : LD50 = 3370 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route : LD50 = 2790 mg/kg

DIHYDROMYRCENOL (CAS: 18479-58-8)

Oral route : LD50 = 3600 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

AREON CAR BLACK CRYSTAL / REFILL - ACB02

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2016).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(hexyl acetate)

14.3. Transport hazard class(es)

- Classification :

9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :

**14.6. Special precautions for user**

Land transport (ADR/RID) exception: NOT RESTRICTED as per Special Provisions 375/ADR 2015. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of ADR. The packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Sea transport (IMDG) exception: NOT RESTRICTED as per 2.10.2.7/IMDG code 37-14. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of IMDG code. The packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Air transport (IATA) exception: NOT RESTRICTED as per Special Provisions A197/DGR 2015. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of these Regulations. The packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	E

Not subject to this regulation if Q ≤ 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	9	-	III	5 L	F-A,S-F	274 335 969	E1

Not subject to this regulation if Q ≤ 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158 A197	E1
	9	-	III	Y964	30 kg G	-	-	A97 A158 A197	E1

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

AREON CAR BLACK CRYSTAL / REFILL - ACB02

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.