

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: AREON FRESCO VANILLA

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name: BALEV CORPORATION EOOD.

Address: 260, BLVD VLADISLAV VARNENCHIK.9000.VARNA.BULGARIA.

Telephone: +35929502000. Fax: +35929502002.

office@areon-fresh.com www.areon-fresh.com

1.4. Emergency telephone number: 112.

Association/Organisation: NA.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS07 GHS09

Signal Word : WARNING

Product identifiers:

EC 202-983-3 ALPHA-HEXYLCINNAMALDEHYDE

601-029-00-7 DIPENTENE

EC 204-262-9 BENZYL SALICYLATE

EC 220-292-5 ALLYL CYCLOHEXANEPROPIONATE

EC 202-086-7 COUMARIN

EC 245-833-2 1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P103 Read label before use.

Precautionary statements - Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P321 Specific treatment (see ... on this label).

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 101-86-0	GHS07, GHS09		10 <= x % < 25
EC: 202-983-3	Wng		
	Skin Sens. 1B, H317		
ALPHA-HEXYLCINNAMALDEHYDE	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 78-70-6	GHS07		10 <= x % < 25
EC: 201-134-4	Wng		10 11 70 120
201 201 101 1	Eye Irrit. 2, H319		
LINALOOL	Skin Irrit. 2, H315		
INDEX: 601-029-00-7	GHS02, GHS07, GHS09		2.5 <= x % < 10
CAS: 138-86-3	Wng		2.5 (- 10)
EC: 205-341-0	Flam. Liq. 3, H226		
	Skin Irrit. 2, H315		
DIPENTENE	Skin Sens. 1, H317		
DILENTENE	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAC. 110 50 1	GHS07		2.5 <= x % < 10
CAS: 118-58-1			$2.3 \le x \% < 10$
EC: 204-262-9	Wng		
DENZVI GALIGVI ATE	Skin Sens. 1B, H317		
BENZYL SALICYLATE	Aquatic Chronic 3, H412		2.5 : 67 : 10
CAS: 4940-11-8	GHS07		$2.5 \le x \% \le 10$
EC: 225-582-5	Wng		
ETHINA MALTON	Acute Tox. 4, H302		
ETHYL MALTOL			2.7
CAS: 104-67-6			2.5 <= x % < 10
EC: 203-225-4	Aquatic Chronic 3, H412		
CAMMA INDECALACTONE			
GAMMA-UNDECALACTONE CAS: 121-32-4	GHS07		1 <= x % < 2.5
	l e		$ 1\rangle = x\% \wedge 2.5$
EC: 204-464-7	Wng		
ETHYL MANILLIN	Eye Irrit. 2, H319		
ETHYL VANILLIN	C11007		1
CAS: 121-33-5	GHS07		1 <= x % < 2.5
EC: 204-465-2	Wng		
	Eye Irrit. 2, H319		
VANILLIN			

CAS: 63500-71-0	GHS07	$1 \le x \% \le 2.5$
EC: 405-040-6	Wng	
	Eye Irrit. 2, H319	
TETRAHYDRO-2-ISOBUTYL-4-METHYLPY		
RAN-4-OL, MIXED ISOMERS		
CAS: 106-27-4	GHS02	1 <= x % < 2.5
EC: 203-380-8	Wng	
	Flam. Liq. 3, H226	
ISOAMYL BUTYRATE	Aquatic Chronic 3, H412	
CAS: 236391-76-7	GHS09	1 <= x % < 2.5
EC: 431-700-8		$1 \le x \% < 2.3$
EC: 431-700-8	Aquatic Chronic 2, H411	
A CEPTIC A CIP. (1 ONODE OPONIX)		
ACETIC ACID, (1-OXOPROPOXY)-,		
1-(3,3-DIMETHYLCYCLOHEXYL) ETHYL		
ESTER (9CI)		
CAS: 123-68-2	GHS06, GHS09	$1 \le x \% \le 2.5$
EC: 204-642-4	Dgr	
	Acute Tox. 3, H311	
ALLYL HEXANOATE	Acute Tox. 3, H331	
	Acute Tox. 3, H301	
	Aquatic Chronic 3, H412	
	Aquatic Acute 1, H400	
G + G - 2505 - 05 - 5	M Acute = 1	1
CAS: 2705-87-5	GHS07, GHS09	$1 \le x \% \le 2.5$
EC: 220-292-5	Wng	
	Acute Tox. 4, H312	
ALLYL CYCLOHEXANEPROPIONATE	Acute Tox. 4, H332	
	Acute Tox. 4, H302	
	Skin Sens. 1, H317	
	Aquatic Acute 1, H400	
	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 142-19-8	GHS06, GHS09	1 <= x % < 2.5
EC: 205-527-1		1 <= x % < 2.3
EC: 205-527-1	Dgr	
	Acute Tox. 3, H311	
ALLYL HEPTANOATE	Acute Tox. 3, H331	
	Acute Tox. 3, H301	
	Aquatic Chronic 3, H412	
	Aquatic Acute 1, H400	
	M Acute = 1	
CAS: 91-64-5	GHS07	0 <= x % < 1
EC: 202-086-7	Wng	
	Acute Tox. 4, H302	
COUMARIN	Skin Sens. 1B, H317	
CAS: 28219-61-6		0 <= x % < 1
	GHS07, GHS09	U \= X % \ 1
EC: 248-908-8	Wng	
	Eye Irrit. 2, H319	
2-ETHYL-4-(2,2,3-TRIMETHYL-3-CYCLOPE	Aquatic Acute 1, H400	
NTEN-1-YL)-2-BUTEN-1-OL	M Acute = 1	
	Aquatic Chronic 1, H410	
	M Chronic = 1	
CAS: 23696-85-7	GHS07, GHS09	0 <= x % < 1
EC: 245-833-2	Wng	
20.2.0 000 2	Skin Sens. 1A, H317	
1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIEN		
	Aquade Chronic 2, 11411	
YL)-2-BUTEN-1-ONE		

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Do not store below 5° C and above 30° C.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

- Eye / face protection

Avoid contact with eyes.

- Body protection

Avoid skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: Not relevant.
Flash Point: 70.00 °C.
Vapour pressure (50°C): Not relevant.
Density: Not stated.
Water solubility: Insoluble.

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

COUMARIN (CAS: 91-64-5)

Oral route: LD50 = 500 mg/kg

ALLYL HEPTANOATE (CAS: 142-19-8)

Oral route: LD50 = 218 mg/kg

Dermal route : LD50 = 810 mg/kg

ALLYL CYCLOHEXANEPROPIONATE (CAS: 2705-87-5)

Oral route: LD50 = 480 mg/kg

Dermal route : LD50 = 1600 mg/kg

ALLYL HEXANOATE (CAS: 123-68-2)

Oral route: LD50 = 300 mg/kg

Dermal route : LD50 = 300 mg/kg

VANILLIN (CAS: 121-33-5)

Oral route : LD50 = 3500 mg/kg

ETHYL VANILLIN (CAS: 121-32-4)

Oral route: LD50 = 3000 mg/kg

ETHYL MALTOL (CAS: 4940-11-8)

Oral route : LD50 = 1200 mg/kg

BENZYL SALICYLATE (CAS: 118-58-1)

Oral route: LD50 = 2200 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route: LD50 = 2790 mg/kg

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Oral route: LD50 = 3100 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer):

 $CAS\ 91\text{-}64\text{-}5: IARC\ Group\ 3: The\ agent\ is\ not\ classifiable\ as\ to\ its\ carcinogenicity\ to\ humans.$

SECTION 12: ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(acetic acid, (1-oxopropoxy)-, 1-(3,3-dimethylcyclohexyl) ethyl ester (9ci))

14.3. Transport hazard class(es)

- Classification:

9

14.4. Packing group

Ш

14.5. Environmental hazards

- Environmentally hazardous material:



14.6. Special precautions for user

Land transport (ADR/RID) exeption: NOT RESTRICTED as per Special Provisions 375/ADR 2015. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of ADR. The packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Sea transport (IMDG) exeption: NOT RESTRICTED as per 2.10.2.7/IMDG code 37-14. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of IMDG code. The packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Air transport (IATA) exeption: NOT RESTRICTED as per Special Provisions A197/DGR 2015. These substances are carried in combination packaging containing a net quantity per inner packaging of 5kg(l) or less and are not subject to any other provisions of these Regulations. The packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601			

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	9	-	III	5 L	F-A, S-F	274 335 969	E1	Category A	-

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158	E1
								A197	
	9	-	III	Y964	30 kg G	-	-	A97 A158	E1
								A197	

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.