

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	RP MASTER ECO F 5W-20
Registration number	-
Synonyms	None.
Product code	RP_0006H
Issue date	29-March-2021
Version number	02
Revision date	29-March-2021
Supersedes date	29-March-2021
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Automotive applications.
Uses advised against	All other uses.
1.3. Details of the supplier of the	e safety data sheet
Company name	REPSOL LUBRICANTES Y ESPECIALIDADES, S.A.
Address	Méndez Álvaro, 44 28045 - MADRID, Spain
Telephone	+34 917538000 /+34 917538100
Fax	+34 902303145
Email address	FDSRLESA@repsol.com
1.4. Emergency telephone numb	ber
Carechem 24	+34 91 114 2520 / +44 1235 239670

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

· · · · · · · · · · · · · · · · · · ·	
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not assigned.
Response	Not assigned.
Storage	Not assigned.
Disposal	Not assigned.
Supplemental information on the label	EUH210 - Safety data sheet available on request.
2.3. Other hazards	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Please refer to Sections 5, 6 and 7 of this SDS for information on other hazards, different from classification hazards but which may contribute to the overall hazards of the product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	%	CAS-No. / EC No.	. REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrot heavy paraffinic	treated 43,2 - 46,2	64742-54-7 265-157-1	01-2119484627-25-XXXX	649-467-00-8	
Classi	fication: Asp. Tox.	1;H304			L
Mineral oil*	2,3 - 5,8	-	-	-	
Classi	fication: Asp. Tox.	1;H304			
Bis(nonylphenyl)amine	0,8 - 1,5	36878-20-3 253-249-4	01-2119488911-28-XXXX	-	
Classi	fication: Aquatic C	hronic 4;H413			
Calcium branched alkyl phena sulphide (overbased)	ate 0,6 - 1,1	-	-	-	
Classi	fication: Aquatic C	hronic 4;H413			
Phenol, dodecyl-, branched	< 0,03	121158-58-5 310-154-3	01-2119513207-49-XXXX		
Classi		1C;H314, Eye Dam. =10), Aquatic Chroni	1;H318, Repr. 1B;H360F, A c 1;H410(M=10)	quatic Acute	
List of abbreviations and symbol M: M-factor	ols that may be us	ed above			
Composition comments	*The mineral oil of CAS 64742-54-7 paraffinic; - CAS dewaxed heavy p (petroleum), hydr 2119480132-48, All concentration percent by volum	contained may be des , Registration No. 01- 64742-65-0, Registra paraffinic; - CAS 6474 rotreated light naphth Distillates (petroleum s are in percent by we	oil substances: <3.0%. scribed by one or more of the 2119484627-25, Destillates ation No. 01-2119471299-27, 42-55-8, Registration No. 01- enic; - CAS 64742-56-9, Reg n), solvent-dewaxed light para eight unless ingredient is a g	(petroleum), hydro Distillates (petrol 2119487077-29, l istration No. 01- affinic.	eum), solvent Distillates
SECTION 4: First aid mea					
General information	Ensure that med protect themselv		are of the material(s) involve	d, and take preca	utions to
4.1. Description of first aid mean					
Inhalation			ymptoms develop or persist.		-
	Wash off with soap and water. Get medical attention if irritation develops and persists. Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if				
Skin contact		•			
Eye contact		n eyes with plenty of v		Get medical atter	
	irritation develop	n eyes with plenty of v	water for at least 15 minutes.	Get medical atter	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and	irritation develop Rinse mouth. Ge	n eyes with plenty of s and persists. t medical attention if	water for at least 15 minutes.	Get medical atter	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any immediate medical attention	irritation develop Rinse mouth. Ge	n eyes with plenty of s and persists. t medical attention if ause temporary irritati	water for at least 15 minutes. symptoms occur.	Get medical atter	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any immediate medical attention and special treatment needed	irritation develop Rinse mouth. Ge Exposure may ca Treat symptomat	n eyes with plenty of s and persists. t medical attention if ause temporary irritati	water for at least 15 minutes. symptoms occur.	Get medical atter	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any mmediate medical attention and special treatment needed SECTION 5: Firefighting m	irritation develop Rinse mouth. Ge Exposure may ca Treat symptomat	n eyes with plenty of y s and persists. t medical attention if a use temporary irritati	water for at least 15 minutes. symptoms occur.	Get medical atter	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting m General fire hazards	irritation develop Rinse mouth. Ge Exposure may ca Treat symptomat neasures Will burn if involv	ed in a fire.	water for at least 15 minutes. symptoms occur.	Get medical atte	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any mmediate medical attention and special treatment needed SECTION 5: Firefighting m General fire hazards 5.1. Extinguishing media Suitable extinguishing	irritation develop Rinse mouth. Ge Exposure may ca Treat symptomat neasures Will burn if involv Water fog. Foam	n eyes with plenty of y s and persists. t medical attention if a use temporary irritati ically. ed in a fire. . Dry chemical powde	water for at least 15 minutes. symptoms occur. ion, redness, or discomfort.	Get medical atter	
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting n General fire hazards 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising	irritation develop Rinse mouth. Ge Exposure may ca Treat symptomat measures Will burn if involv Water fog. Foam Do not use water During fire, gase	n eyes with plenty of v s and persists. t medical attention if a ause temporary irritati ically. ed in a fire. . Dry chemical powde	water for at least 15 minutes. symptoms occur. ion, redness, or discomfort. er. Carbon dioxide (CO2). er, as this will spread the fire.		ntion if
Eye contact Ingestion 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any immediate medical attention and special treatment needed SECTION 5: Firefighting n General fire hazards 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing	irritation develop Rinse mouth. Ge Exposure may ca Treat symptomat neasures Will burn if involv Water fog. Foam Do not use water During fire, gase oxides of sulphur	ed in a fire. Dry chemical powde i as an an extinguishe ause temporary irritation ically.	water for at least 15 minutes. symptoms occur. ion, redness, or discomfort. er. Carbon dioxide (CO2). er, as this will spread the fire.	rbon monoxide, c	ntion if arbon dioxide,

SECTION 6: Accidental release measures

6.1. Personal precautions, protection	ctive equipment and emergency procedures
For non-emergency personnel	Follow standard emergency procedure. Wear appropriate personal protective equipment (See Section 8).
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	The product is immiscible with water and will spread on the water surface.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.
SECTION 7: Handling and	storage
7.1. Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices. Ensure safe systems of work or equivalent arrangements are in place to manage risks. Do not cut, weld, solder, drill, grind or expose containers to heat, flame, sparks, or other sources of ignition.

 7.2. Conditions for safe storage, including any incompatibilities
 Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s) Automotive applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Spain. Occupational Expose Product	sure Limits Type	Value	Form		
Oil mist, mineral	STEL	10 mg/m3	Mist.		
	TWA	5 mg/m3	Mist.		
Biological limit values	No biological exposure limits noted for	No biological exposure limits noted for the ingredient(s).			
Recommended monitoring procedures	Follow standard monitoring procedures.				
Derived no effect levels (DNEL	s)				
General Population					
Components	Value	Assessment factor	Notes		
Bis(nonylphenyl)amine (CAS	36878-20-3)				

Bis(nonylphenyl)amine (CAS 36878-20-3)			
Components	Value	Assessment factor	Notes
<u>Workers</u>			
Short-term, Systemic, Oral	1,26 mg/kg bw/day	1000	Acute toxicity
Short-term, Systemic, Inhalation	13,26 mg/m3	250	Acute toxicity
Short-term, Systemic, Dermal	50 mg/kg bw/day	100	Acute toxicity
Long-term, Systemic, Oral	0,075 mg/kg bw/day	200	Developmental toxicity
Long-term, Systemic, Inhalation	0,79 mg/m3	50	Developmental toxicity
Long-term, Systemic, Dermal	0,075 mg/kg bw/day	200	Developmental toxicity
Phenol, dodecyl-, branched (CAS 121158-	58-5)		
Short-term, Local, Inhalation	1,19 mg/m3	75	Repeated dose toxicity
Distillates (petroleum), hydrotreated heavy	paraffinic (CAS 64742-54-7)		
Long-term, Systemic, Oral	0,25 mg/kg bw/day	400	Repeated dose toxicity
Long-term, Systemic, Dermal	2,5 mg/kg bw/day	400	Repeated dose toxicity
Bis(nonylphenyl)amine (CAS 36878-20-3)			

Distillates (petroleum), hydroti	reated heavy paraffinic (CAS 64742-	-54-7)		
Short-term, Local, Inhalat	tion 5,58 mg/m3	45	Repeated dose toxicity	
Phenol, dodecyl-, branched (0	CAS 121158-58-5)			
Long-term, Systemic, De Short-term, Systemic, Inh		y 60 75	Developmental toxicity Acute toxicity	
Predicted no effect concentration	ons (PNECs)			
Components	Value	Assessment	factor Notes	
Bis(nonylphenyl)amine (CAS	36878-20-3)			
Freshwater	0,412 mg/l	10		
Marine water	0,041 mg/l	100		
Sediment (freshwater) Sediment (marine water)	1 mg/kg 0,1 mg/kg	100 1000		
	reated heavy paraffinic (CAS 64742			
Secondary poisoning	9,33 mg/kg	- 	Oral	
Phenol, dodecyl-, branched (C			Orai	
Freshwater	0,074 μg/l	50		
Marine water	0,007 µg/l	500		
Secondary poisoning	4 mg/kg	300	Oral	
Sediment (freshwater)	0,226 mg/kg			
Sediment (marine water)	0,027 mg/kg			
Soil	0,118 mg/kg	40		
STP	100 mg/l	10		
8.2. Exposure controls				
Appropriate engineering controls	applicable, use process enclosure	s, local exhaust ventilatio commended exposure limi	should be matched to conditions. If n, or other engineering controls to its. If exposure limits have not been	
Individual protection measures,	such as personal protective equi	pment		
	other factors, on the nature of the work to be done and the conditions in which it is carried out. To do so, take the relevant risk analyses into account and consult the safety officer and/or equipment suppliers, if necessary, to make the right choice. In any case, the equipment must comply with the currently applicable CEN standards. Workers using this equipment must have received the required training in the use of the same.			
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection should meet standard EN 166.			
Skin protection				
- Hand protection	Wear appropriate chemical resistant gloves. Always wear chemical-resistant protective gloves that comply with EN 374 to handle this product. Observe good industrial hygiene practices and wash gloves with soap and water before removing them. Assess the working conditions and always consult your glove supplier for information on the most suitable type of glove for each task and the required material, thickness, and breakthrough time specifications. The use of type-B gloves in accordance with EN 374 is recommended as a minimum protection against intermittent or splash contact. Consult your supplier to find the most suitable option for the product in question. The requirements of EN 388 must be taken into account for applications involving mechanical hazards with the risk of abrasion or incision. The requirements outlined in EN 407 must be taken into consideration for tasks involving thermal hazards.			
- Other	Wear suitable protective clothing.			
Respiratory protection	In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with combination filter (type A2/P2) can be used. Respiratory protection should meet standard EN 14387. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Appropriate respirator selection should be made by a qualified professional.			
Thermal hazards	Wear appropriate thermal protecti	ve clothing, when necess	ary.	
Hygiene measures	Always observe good personal hy and before eating, drinking, and/o equipment to remove contaminant	r smoking. Routinely was	washing after handling the material h work clothing and protective	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels. Product should not reach the environment through wastewater or sewage. Measures to take in case of accidental release can be found in Section 6 of this SDS.			

SECTION 9: Physical and chemical properties

SECTION 9. Physical and 0	
9.1. Information on basic physica	al and chemical properties
Physical state	Liquid.
Form	Liquid.
Colour	4 max (ASTM D 1500)
Odour	Characteristic.
Melting point/freezing point	-45 °C (-49 °F)
Boiling point or initial boiling point and boiling range	Property has not been measured.
Flammability	Will burn if involved in a fire.
Lower and upper explosion limit	
Explosive limit - lower (%)	Property has not been measured.
Explosive limit – upper (%)	Property has not been measured.
Flash point	236,0 °C (456,8 °F)
Auto-ignition temperature	Property has not been measured.
Decomposition temperature	Not applicable as the product is not unstable.
рН	The product is insoluble in water.
Kinematic viscosity	7,9 mm²/s (100 °C (212 °F)) 42 mm²/s (40 °C (104 °F))
Solubility	
Solubility (water)	Insoluble (< 0,1%)
Partition coefficient n-octanol/water (log value)	Not applicable, product is a mixture.
Vapour pressure	Property has not been measured.
Density and/or relative density	
Density	0,85 g/cm ³
Relative density	0,85
Vapour density	Property has not been measured.
Particle characteristics	Not applicable, material is a liquid.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristics	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.		
Information on likely routes	of exposure		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.		
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.		
11.1. Information on toxicol	ogical effects		

Acute toxicity			
Product	Species	Test Results	
RP MASTER ECO F 5W-20 (CAS	S Mixture)		
<u>Acute</u>			
Dermal			
ATE		> 2000 mg/kg	
Oral			
ATE		> 5000 mg/kg	
Components	Species	Test Results	
Bis(nonylphenyl)amine (CAS 368	78-20-3)		
Acute			
Oral	D-1	F000	
LD50	Rat	> 5000 mg/kg	
	ed heavy paraffinic (CAS 64742-54-7)		
<u>Acute</u>			
Dermal LD50	Rabbit	> 2000 mg/kg	
	Kabbit	> 2000 mg/kg	
Inhalation Aerosol			
LC50	Rat	> 5,53 mg/l, 4 Hours	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Due to partial or complete lack of data the		
Serious eye damage/eye	Due to partial or complete lack of data the	-	
irritation			
Respiratory sensitisation	Due to partial or complete lack of data the	classification is not possible.	
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.		
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.		
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Highly refined mineral oi	I (CAS -) 3 Not clas	sifiable as to carcinogenicity to humans.	
Reproductive toxicity	Due to partial or complete lack of data the	classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the	classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the	classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.		
Mixture versus substance information	No information available.		
11.2. Information on other haza	rds		
Endocrine disrupting		s considered to have endocrine disrupting properties	
properties	according to REACH Article 57(f) or regula 2018/605 at levels of 0.1% or higher.	ation (EU) 2017/2100 or Commission Regulation (EU)	
Other information	Prolonged or repeated contact with used of Unless otherwise stated, the health effects applicable calculation methods for classified	s of this product are assessed on the basis of the	
SECTION 12: Ecological i	nformation		
12.1. Toxicity		criteria are not met for hazardous to the aquatic	
	This material contains one or more compo	ponents that have a branched alkylphenol impurity that is	

This material contains one or more components that have a branched alkylphenol impurity that is highly toxic to aquatic organisms (disclosed in Section 3). The components containing the impurity have been tested and are not toxic to aquatic organisms. Therefore the data in Section 3 for the alkylphenol impurity should not be used to classify the product for aquatic toxicity.

Components		Species	Test Results
Distillates (petroleum), hydrotreate	ed heavy paraff	inic (CAS 64742-54-7)	
Aquatic			
Acute			
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 hours
Crustacea	EL50	Daphnia magna	> 1000 mg/l, 48 hours
Fish	LL50	Pimephales promelas	> 100 mg/l, 96 hours
12.2. Persistence and degradability	No data is av	vailable on the degradability of this produ	ict.
12.3. Bioaccumulative potential	No data avai	lable.	
Partition coefficient n-octanol/water (log Kow)	Not available		
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	No data available.		
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.		
12.6. Endocrine disrupting properties	The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU 2018/605 at levels of 0.1% or higher.		
12.7. Other adverse effects	Oil spills are	generally hazardous to the environment	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR			
14.	1. UN number	Not regulated as dangerous goods.	
14.	2. UN proper shipping	Not regulated as dangerous goods.	
nar	ne		
14.	14.3. Transport hazard class(es)		
	Class	Not assigned.	
	Subsidiary risk	-	
	Hazard No. (ADR)	Not assigned.	
	Tunnel restriction code	Not assigned.	
14.	4. Packing group	Not assigned.	
14.	5. Environmental hazards	No.	
14.	6. Special precautions	Not assigned.	
	user		
RID			
14.	1. UN number	Not regulated as dangerous goods.	
14.	2. UN proper shipping	Not regulated as dangerous goods.	
nar	ne		
14.	14.3. Transport hazard class(es)		
	Class	Not assigned.	
	Subsidiary risk	-	
14.	4. Packing group	Not assigned.	
14.	5. Environmental hazards	No.	
14.	6. Special precautions	Not assigned.	
	user		
ADN			
14.	1. UN number	Not regulated as dangerous goods.	

14.2. UN proper shipping name	Not regulated as dangerous goods.		
14.3. Transport hazard class	14.3. Transport hazard class(es)		
Class	Not assigned.		
Subsidiary risk	-		
14.4. Packing group	Not assigned.		
14.5. Environmental hazards	No.		
14.6. Special precautions	Not assigned.		
for user			
ΙΑΤΑ			
14.1. UN number	Not regulated as dangerous goods.		
14.2. UN proper shipping	Not regulated as dangerous goods.		
name			
14.3. Transport hazard class			
Class	Not assigned.		
Subsidiary risk	- Natessimod		
14.4. Packing group 14.5. Environmental hazards	Not assigned.		
14.6. Special precautions	Not assigned.		
for user	Not assigned.		
IMDG			
14.1. UN number	Not regulated as dangerous goods.		
14.2. UN proper shipping	Not regulated as dangerous goods.		
name	Not logalatoa ao aangoloao goodo.		
14.3. Transport hazard class	14.3. Transport hazard class(es)		
Class	Not assigned.		
Subsidiary risk	-		
14.4. Packing group	Not assigned.		
14.5. Environmental hazards			
Marine pollutant	No.		
EmS	Not assigned.		
14.6. Special precautions	Not assigned.		
for user			
14.7. Maritime transport in bulk according to IMO instruments	Not applicable.		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended	
Not listed.	
Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended	
Not listed.	
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 Not listed.	as amended
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 Not listed.	as amended
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 Not listed.	as amended
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as am Not listed.	ended
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.	
Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.	
Authorisations	
Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.	
Restrictions on use	
Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and u Not listed.	ise as amended
RP MASTER ECO F 5W-20	SDS Spa

Directive 2004/37/EC: on work, as amended.	the protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on r	najor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety	No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

	ATE: Acute toxicity estimate.
	LD50: Lethal Dose, 50%.
	LC50: Lethal Concentration, 50%.
	NOEL: No Observed Effect Level.
	EL50: Effective level, 50%.
	LL50: Lethal level, 50%.
	ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. CAS: Chemical Abstract Service.
	CEN: European Committee for Standardization.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG: International Maritime Dangerous Goods.
	MARPOL: International Convention for the Prevention of Pollution from Ships.
	PBT: Persistent, bioaccumulative and toxic.
	RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TWA: Time Weighted Average.
	vPvB: Very persistent and very bioaccumulative.
References	ECHA CHEM
Nelerences	HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements	
not written out in full under	
Sections 2 to 15	H304 May be fatal if swallowed and enters airways.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
	H360F May damage fertility.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H413 May cause long lasting harmful effects to aquatic life.
Training information	Follow training instructions when handling this material.

This Safety Data Sheet (SDS) refers exclusively to the substance/product specified in section 1 of this document.

The information provided in this SDS has been obtained according to the best information available on the basis of technical data that is considered reliable at the time of its preparation, and in accordance with the legal requirements in force concerning classification, packaging and labelling of dangerous substances, not involving the granting of any express or implied warranty or on the accuracy of the information contained therein or concerning its suitability for a particular use or specification.

The purchaser as the recipient of the substance/product specified in section 1 of this document to which this Safety Data Sheet (SDS) refers, is responsible for evaluating the information contained in the SDS, and for verifying that it is correct and appropriate for the intended use of the substance/product specified in section 1 of this document.

The purchaser, as the recipient of the substance/product specified in section 1 of this document referred to in this Safety Data Sheet (SDS) is also responsible for adequately managing the risks thereof in its place of work. Consequently, the purchaser is obliged, regarding its workers and representatives, as well as any other person who may handle, use or be exposed to the substance/product specified in section 1 of this document in their place of work to (i) facilitate access to the relevant information in this Safety Data Sheet (SDS), transmitting for this purpose the relevant indications included in the SDS, especially those relating to the risks of the product/substance specified in section 1 of this document for the safety and health of persons and for the environment. As well as (ii) ensuring that they receive and have adequate training in handling, using or being exposed to the product/substance specified in section 1 of this SDS.

Accordingly, no liability for damages to the recipient of the SDS arising out of the use of the information or the use of the substance/product specified in section 1 of this document shall be accepted.