Telefax: +49 (0)6241 5906-999



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

HIGHTEC SYNTH RS SAE 0W-40

UFI: S5FV-5JJS-K00D-F3PC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Motor oil

#### 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

 Street:
 Langgewann 101

 Place:
 D-67547 Worms

 Telephone:
 +49 (0)6241 5906-0

e-mail: info@rowe-oil.com
Internet: www.rowe-oil.com
Responsible Department: sdb@rowe-oil.com

**1.4. Emergency telephone** Giftnotruf Mainz (DE; E) +49 (0)6131-19240

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

#### Regulation (EC) No. 1272/2008

### Hazard components for labelling

Calcium long chain alkyl aryl sulfonate

Signal word: Warning

Pictograms:



## **Hazard statements**

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container to of the disposal according to local regulations.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 2 of 11

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		•		
157707-86-3	Dec-1-ene, trimers, hydrogenated			30 - < 60 %	
	500-393-3		01-2119493949-12		
	Asp. Tox. 1; H304				
68784-31-6	Dithiophosphoric acid, mixed O, O-	bis (sec-Bu and 1,3-din	nethylbutyl) esters, zinc salts	1 - < 2.5 %	
	272-238-5		01-2119657973-23		
	Eye Dam. 1, Aquatic Chronic 2; H3				
722503-68-6	Calcium long chain alkyl aryl sulfon	1 - < 2.5 %			
	682-816-2				
	Skin Sens. 1B; H317				
68784-26-9	Phenol, dodecyl-, sulphurated, carb	1 - < 2.5 %			
	272-234-3		01-2119524004-56		
	Aquatic Chronic 4; H413				
36878-20-3	Bis(nonylphenyl)amine	1 - < 2.5 %			
	253-249-4		01-2119488911-28		
	Aquatic Chronic 4; H413				
121158-58-5	Dodecylphenol, mixed isomers (bra	< 0.1 %			
	310-154-3		01-2119513207-49		
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410				

Full text of H and EUH statements: see section 16.

### **Further Information**

Test data suggests that the zinc component contained does not lead to a single stage of the product.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

In case of inhalation of aerosols/spray mist/splash spots: Consult physician.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 3 of 11

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration!

Aspiration hazard: Call a physician immediately.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO2). Dry extinguishing powder. Foam.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO2). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. carbon black In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product. Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 4 of 11

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible

authorities.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work.

Conditions to avoid: aerosol or mist generation.

## Advice on protection against fire and explosion

No special measures are necessary.

When using do not smoke.

Fire class: B (DIN-/EN-Norms: EN2)

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

Keep away from heat. Keep/Store only in original container.

### Hints on joint storage

Do not store together with:Food and fodder, Oxidizing agents.

## Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

#### 7.3. Specific end use(s)

Motor oil

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL,	long-term	dermal	,	0,62 mg/kg bw/dav

## **PNEC** values

CAS No	Substance		
Environmental compartment		Value	
36878-20-3 Bis(nonylphenyl)amine			
Freshwater 0,1 mg/l		0,1 mg/l	

## 8.2. Exposure controls



# Appropriate engineering controls

No data available



according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 5 of 11

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

Protect skin by using skin protective cream.

#### Eye/face protection

Wear eye protection/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

#### Skin protection

Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light brown
Odour: characteristic

Test method

Print date: 23.11.2020

pH-Value: not applicable DIN 51369

Changes in the physical state

Melting point: not determined 
Initial boiling point and boiling range: not determined 
Pour point:  $\sim -39 \, ^{\circ}\text{C}$ 

Flash point: >200 °C DIN ISO 2592

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: <0,1 hPa calculated.

(at 20 °C)



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 6 of 11

Density (at 15 °C): ~ 0,849 g/cm³ DIN 51757

Water solubility: practically insoluble

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / kinematic: ~ 14.4 mm²/s DIN 51562

(at 100 °C)

Vapour density: not determined Evaporation rate: not determined Solvent separation test: No data available Solvent content: none Solvents

9.2. Other information

Solid content: not determined

none

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

### 10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported. Onset of decomposition at elevated temperatures (>65°C): (e.g. H2S)

# 10.3. Possibility of hazardous reactions

possible with strong oxidizing agents. This product is stable under normal conditions. Hazardous reactions are unlikely.

# 10.4. Conditions to avoid

Oxidizing agents, strong.. Etchant and acids

# 10.5. Incompatible materials

Oxidizing agents, strong.

# 10.6. Hazardous decomposition products

No thermal decomposition if properly stored / handled /transported.

### **Further information**

No thermal decomposition if properly stored / handled /transported. Onset of decomposition at elevated temperatures (>65°C): (e.g. H2S)

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 7 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
36878-20-3	Bis(nonylphenyl)amine							
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rabbit	OECD 402			
121158-58-5 Dodecylphenol, mixed is		mers (branc	hed)					
	oral	LD50 mg/kg	2100	Rat				
	dermal	LD50 mg/kg	15000	Rabbit				

### Irritation and corrosivity

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

### Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

## Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

## STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

## Specific effects in experiment on an animal

No data available.

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **Practical experience**

# Observations relevant to classification

not applicable

### Other observations

Has de-greasing effect on the skin.

# **Further information**

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects. No data available.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
36878-20-3	Bis(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l	>100		Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50	600 mg/l		Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	OECD 202	

# 12.2. Persistence and degradability



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 8 of 11

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

CAS No	Chemical name			
	Method	Value		Source
	Evaluation			
36878-20-3	Bis(nonylphenyl)amine			
Aerobic biological treatment		1%	28	
	Not easily bio-degradable (according to OECD-criteria).			

### 12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bis(nonylphenyl)amine	>7,6
121158-58-5	Dodecylphenol, mixed isomers (branched)	7,1

#### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

Aquatic organisms: No data available. Effects in sewage plants No data available.

No data available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

#### List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

## **SECTION 14: Transport information**



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 9 of 11

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 30: Dodecylphenol, mixed isomers (branched)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 10 of 11

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,3,9.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification		Classification procedure			
Skin Sens. 1; H317		Calculation method			
	Aquatic Chronic 3; H412	Calculation method			

## Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction



according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS SAE 0W-40**

Revision date: 24.08.2020 Page 11 of 11

H318 Causes serious eye damage. H360F May damage fertility. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)