Telefax: +49 (0)6241 5906-999



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20**

Revision date: 24.08.2020 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Motor oil

### 1.3. Details of the supplier of the safety data sheet

Company name: ROWE Mineralölwerk GmbH

 Street:
 Langgewann 101

 Place:
 D-67547 Worms

 Telephone:
 +49 (0)6241 5906-0

e-mail: info@rowe-oil.com
Internet: www.rowe-oil.com
Responsible Department: sdb@rowe-oil.com

**1.4. Emergency telephone** Giftnotruf Mainz (DE; E) +49 (0)6131-19240

number:

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008

# Special labelling of certain mixtures

EUH208 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20**

Revision date: 24.08.2020 Page 2 of 10

### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
157707-86-3	Dec-1-ene, trimers, hydrogenate	t		60 - <= 100 %	
	500-393-3		01-2119493949-12		
	Asp. Tox. 1; H304	•	•		
151006-62-1	Hexatriacontan, branched			5 - < 15 %	
	417-070-7	601-064-00-8	01-0000016388-62		
	Aquatic Chronic 4; H413	-	•		
64742-54-7	Distillates (petroleum), heavy par	5 - < 15 %			
	265-157-1		01-2119484627-25		
	Asp. Tox. 1; H304				
72623-87-1	Baseoil - unspecified, Lubricating	5 - < 15 %			
	276-738-4	649-483-00-5	01-2119474889-13		
	Asp. Tox. 1; H304				
72623-86-0	Baseoil - unspecified, Lubricating	5 - < 15 %			
	276-737-9		01-2119474878-16		
	Asp. Tox. 1; H304				
36878-20-3	Bis(nonylphenyl)amine	1 - < 2.5 %			
	253-249-4		01-2119488911-28		
	Aquatic Chronic 4; H413				

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 24.08.2020 Page 3 of 10

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO2). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. carbon black

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Special danger of slipping by leaking/spilling product.

Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work.

Conditions to avoid: aerosol or mist generation.

### Advice on protection against fire and explosion

No special measures are necessary.

When using do not smoke.

Fire class: B (DIN-/EN-Norms: EN2)

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep away from heat. Keep/Store only in original container.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20**

Revision date: 24.08.2020 Page 4 of 10

#### Hints on joint storage

Do not store together with:Food and fodder, Oxidizing agents.

#### 7.3. Specific end use(s)

Motor oil

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL, long-term		dermal	l *	0,62 mg/kg bw/dav

### PNEC values

CAS No	Substance		
Environmental compartment Value		Value	
36878-20-3	Bis(nonylphenyl)amine		
Freshwater		0,1 mg/l	

### 8.2. Exposure controls



### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

Protect skin by using skin protective cream.

Keep away from food, drink and animal feedingstuffs.

Do not breathe vapour.

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.

# Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20**

Revision date: 24.08.2020 Page 5 of 10

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: dark green
Odour: characteristic

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined Pour point:  $\sim -50 \, ^{\circ}\text{C}$  Flash point:  $>200 \, ^{\circ}\text{C}$ 

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive. No data available

Lower explosion limits:

Upper explosion limits:

not determined

not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

No data available

Vapour pressure: not determined Density:  $\sim 0.836 \text{ g/cm}^3$  Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / kinematic:  $\sim 8.2 \text{ mm}^2/\text{s}$ 

(at 100 °C)

Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



according to Regulation (EC) No 1907/2006

#### **HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20**

Revision date: 24.08.2020 Page 6 of 10

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No data available Etchant and acids

# 10.5. Incompatible materials

Oxidizing agents, strong. Etchant and acids

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), he	Distillates (petroleum), heavy paraffinic, hydrotreated				
	oral	LD50 > mg/kg	2000	Rat	OECD 401	
	dermal	LD50 > mg/kg	2000	Rabbit	OECD 402	
	inhalation (4 h) vapour	LC50 > mg/l	÷5000	Rat	OECD 403	
36878-20-3	Bis(nonylphenyl)amine					
	oral	LD50 > mg/kg	÷5000	Rat	OECD 401	
	dermal	LD50 > mg/kg	2000	Rabbit	OECD 402	

# Irritation and corrosivity

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

### Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

### STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

### Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

### **HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20**

Revision date: 24.08.2020 Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), he	Distillates (petroleum), heavy paraffinic, hydrotreated					
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Fish	OECD 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h		OECD 201	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia	OECD 202	
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based						
	Acute fish toxicity	LC50 mg/l	> 100	96 h		OECD 203	
	Acute algae toxicity	ErC50 mg/l	>= 100	72 h		OECD 201	
	Acute crustacea toxicity	EC50 mg/l	> 10 000	48 h		OECD 202	
36878-20-3	Bis(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l	>100	96 h	Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50	600 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	OECD 202	

### 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
36878-20-3	Bis(nonylphenyl)amine			
	Aerobic biological treatment	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			

### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	@1719.B0172 86 >4
72623-87-1	Baseoil - unspecified, Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	> 6
36878-20-3	Bis(nonylphenyl)amine	>7,6

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

#### HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 24.08.2020 Page 8 of 10

### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

#### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

### List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN

CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and

lubricating oils; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.



### **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 24.08.2020 Page 9 of 10

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Distillates (petroleum), heavy paraffinic, hydrotreated; Baseoil - unspecified, Lubricating oils

(petroleum), C15-30, hydrotreated neutral oil-based

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,7,8,9,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration. 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### HIGHTEC SYNTH RS LONGLIFE IV SAE 0W-20

Revision date: 24.08.2020 Page 10 of 10

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

EUH208 Contains C14-C16-C18 Alkylphenole. May produce an allergic reaction.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)