

according to Regulation (EC) No 1907/2006

### HIGHTEC FORMULA GTS SAE 10W-40 HC

Revision date: 27.08.2020

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

HIGHTEC FORMULA GTS SAE 10W-40 HC

UFI: 1UFX-NJEK-500N-AA2F

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Motor oil

##### 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-oil.com	
Internet:	www.rowe-oil.com	
Responsible Department:	sdb@rowe-oil.com	

##### 1.4. Emergency telephone number:

Giftnotruf Mainz (DE; E) +49 (0)6131-19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:  
 Respiratory or skin sensitisation: Skin Sens. 1B  
 Hazardous to the aquatic environment: Aquatic Chronic 3  
 Hazard Statements:  
 May cause an allergic skin reaction.  
 Harmful to aquatic life with long lasting effects.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Hazard components for labelling

Calcium long chain alkyl aryl sulfonate

Signal word: Warning

###### Pictograms:



###### Hazard statements

H317 May cause an allergic skin reaction.  
 H412 Harmful to aquatic life with long lasting effects.

###### Precautionary statements

P103 Read carefully and follow all instructions.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P501 Dispose of contents/container to of the disposal according to local regulations.

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 2 of 11

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Hazardous components**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	5 - < 15 %
	265-157-1	
	01-2119484627-25	
	Asp. Tox. 1; H304	
68784-31-6	Dithiophosphoric acid, mixed O, O-bis (sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	1 - < 2.5 %
	272-238-5	
	01-2119657973-23	
	Eye Dam. 1, Aquatic Chronic 2; H318 H411	
722503-68-6	Calcium long chain alkyl aryl sulfonate	1 - < 2.5 %
	682-816-2	
	Skin Sens. 1B; H317	
68784-26-9	Phenol, dodecyl-, sulphurated, carbonate, calcium salts, overbased	1 - < 2.5 %
	272-234-3	
	01-2119524004-56	
	Aquatic Chronic 4; H413	
36878-20-3	Bis(nonylphenyl)amine	1 - < 2.5 %
	253-249-4	
	01-2119488911-28	
	Aquatic Chronic 4; H413	
121158-58-5	Dodecylphenol, mixed isomers (branched)	< 0.1 %
	310-154-3	
	01-2119513207-49	
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410	

Full text of H and EUH statements: see section 16.

**Further Information**

Test data suggests that the zinc component contained does not lead to a single stage of the product.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

**After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 3 of 11

clothing and wash it before reuse. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Caution if victim vomits: Risk of aspiration!

Aspiration hazard: Call a physician immediately.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H<sub>2</sub>S).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. carbon black

In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water. Dispose of waste according to applicable legislation.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

according to Regulation (EC) No 1907/2006

### HIGHTEC FORMULA GTS SAE 10W-40 HC

Revision date: 27.08.2020

Page 4 of 11

Personal protection equipment: see section 8

Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work.

Conditions to avoid: aerosol or mist generation.

#### Advice on protection against fire and explosion

No special measures are necessary.

When using do not smoke.

Fire class: B (DIN-/EN-Norms: EN2)

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep away from heat. Keep/Store only in original container.

#### Hints on joint storage

Do not store together with: Food and fodder, Oxidizing agents.

#### Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

### 7.3. Specific end use(s)

Motor oil

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL, long-term		dermal	systemic	0,62 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
36878-20-3	Bis(nonylphenyl)amine	
Freshwater		0,1 mg/l

### 8.2. Exposure controls



#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

according to Regulation (EC) No 1907/2006

### HIGHTEC FORMULA GTS SAE 10W-40 HC

Revision date: 27.08.2020

Page 5 of 11

Protect skin by using skin protective cream.  
Keep away from food, drink and animal feedingstuffs.  
Do not breathe vapour.

#### Eye/face protection

Wear eye protection/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

#### Skin protection

Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow-brown
Odour:	characteristic

pH-Value:	not applicable	<b>Test method</b> DIN 51369
-----------	----------------	---------------------------------

#### Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Pourpoint::	~ -30 °C DIN ISO 3016
Flash point:	>210 °C DIN ISO 2592

#### Flammability

Solid:	not applicable
Gas:	not applicable

#### Explosive properties

The product is not: Explosive.

Lower explosion limits:	not determined	Literatur
Upper explosion limits:	not determined	Literatur
Ignition temperature:	No data available	

#### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

#### Oxidizing properties

Not oxidising.

Vapour pressure: (at 20 °C)	<0,1 hPa	calculated.
--------------------------------	----------	-------------

Density (at 15 °C):	~ 0,86 g/cm³	DIN 51757
---------------------	--------------	-----------

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 6 of 11

Water solubility: practically insoluble  
(at 20 °C)

**Solubility in other solvents**

Soluble in hydrocarbons (mineral oil.)

Partition coefficient: not determined

Viscosity / kinematic: ~ 14,3 mm<sup>2</sup>/s DIN 51562  
(at 100 °C)

Vapour density: not determined

Evaporation rate: not determined

Solvent separation test: No data available

Solvent content: none Solvents

**9.2. Other information**

Solid content: 0  
none

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

No thermal decomposition if properly stored / handled /transported.  
Onset of decomposition at elevated temperatures (>65°C): (e.g. H2S)

**10.3. Possibility of hazardous reactions**

possible with strong oxidizing agents.  
This product is stable under normal conditions. Hazardous reactions are unlikely.

**10.4. Conditions to avoid**

none

**10.5. Incompatible materials**

Oxidizing agents, strong.

**10.6. Hazardous decomposition products**

none

**Further information**

No thermal decomposition if properly stored / handled /transported.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity**

No data available.  
Irritant effect on the respiratory tract: Do not breathe gas/vapour.

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated				
	oral	LD50 >2000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat	OECD 403	
36878-20-3	Bis(nonylphenyl)amine				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
121158-58-5	Dodecylphenol, mixed isomers (branched)				
	oral	LD50 2100 mg/kg	Rat		
	dermal	LD50 15000 mg/kg	Rabbit		

**Irritation and corrosivity**

Irritant effect on the skin: none  
Frequent and prolonged eye contact may cause eye irritation.

**Sensitising effects**

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

**Carcinogenic/mutagenic/toxic effects for reproduction**

The product is not classified.

**STOT-repeated exposure**

Frequently or prolonged contact with skin may cause dermal irritation.

**Specific effects in experiment on an animal**

No data available.

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].  
none

**Practical experience**

**Observations relevant to classification**

not applicable

**Other observations**

Has de-greasing effect on the skin.

**Further information**

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Fish	OECD 203	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h		OECD 201	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia	OECD 202	
36878-20-3	Bis(nonylphenyl)amine					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50 600 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	OECD 202	

**12.2. Persistence and degradability**

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
36878-20-3	Bis(nonylphenyl)amine			
	Aerobic biological treatment	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			

**12.3. Bioaccumulative potential**

No data available.

Do not allow uncontrolled discharge of product into the environment.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	@1719.B0172 86 >4
36878-20-3	Bis(nonylphenyl)amine	>7,6
121158-58-5	Dodecylphenol, mixed isomers (branched)	7,1

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

Aquatic organisms: No data available.

Effects in sewage plants No data available.

No data available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 9 of 11

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

**List of Wastes Code - residues/unused products**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**List of Wastes Code - used product**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 10 of 11

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information**
**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: Distillates (petroleum), heavy paraffinic, hydrotreated

Entry 30: Dodecylphenol, mixed isomers (branched)

 Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)  
 (SEVESO III):

**Additional information**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**
**Changes**

This data sheet contains changes from the previous version in section(s): 1,3,9.

**Abbreviations and acronyms**

 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

according to Regulation (EC) No 1907/2006

**HIGHTEC FORMULA GTS SAE 10W-40 HC**

Revision date: 27.08.2020

Page 11 of 11

NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Skin Sens. 1B; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H304 May be fatal if swallowed and enters airways.  
 H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H360F May damage fertility.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 H413 May cause long lasting harmful effects to aquatic life.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*