

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC SYNT RS HC SAE 5W-20

UFI: 1P11-CKAS-000V-HT0F

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-oil.com	
Internet:	www.rowe-oil.com	
Responsible Department:	sdb@rowe-oil.com	

1.4. Emergency telephone number: Giftnotruf Mainz (DE; E) +49 (0)6131-19240**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1B

Hazard Statements:

May cause an allergic skin reaction.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

C14-C16-C18 Alkylphenole

Signal word: Warning**Pictograms:****Hazard statements**

H317 May cause an allergic skin reaction.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to Dispose of waste according to applicable legislation..

2.3. Other hazards

No information available.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 2 of 11

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	30 - < 60 %
	265-157-1	
	01-2119484627-25	
	Asp. Tox. 1; H304	
36878-20-3	Bis(nonylphenyl)amine	1 - < 2.5 %
	253-249-4	
	01-2119488911-28	
	Aquatic Chronic 4; H413	
1190625-94-5	C14-C16-C18 Alkylphenole	1 - < 2.5 %
	931-468-2	
	01-2119498288-19	
	Skin Sens. 1B, STOT RE 2; H317 H373	
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)	1 - < 2.5 %
	298-577-9	
	01-2119543726-33	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411	

Full text of H and EUH statements: see section 16.

Further Information

Test data suggests that the zinc component contained does not lead to a single stage of the product.

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 3 of 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration!
Aspiration hazard: Call a physician immediately.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.
Carbon dioxide (CO₂). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:
Carbon dioxide (CO₂). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H₂S).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. carbon black
In case of fire and/or explosion do not breathe fumes.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Dispose of waste according to applicable legislation.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Special danger of slipping by leaking/spilling product.
Wear suitable protective clothing.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Protect skin by using skin protective cream. Wash hands before breaks and after work.
Conditions to avoid: aerosol or mist generation.

Advice on protection against fire and explosion

No special measures are necessary.
When using do not smoke.
Fire class: B (DIN-/EN-Norms: EN2)

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 4 of 11

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep container tightly closed.
- Keep away from heat. Keep/Store only in original container.

Hints on joint storage

- Do not store together with: Food and fodder, Oxidizing agents.

Further information on storage conditions

- If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type	Exposure route	Effect	Value	
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL, long-term	dermal	systemic	0,62 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmental compartment	Value		
36878-20-3	Bis(nonylphenyl)amine		
Freshwater	0,1 mg/l		

8.2. Exposure controls



Protective and hygiene measures

- Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

- Protect skin by using skin protective cream.
- Keep away from food, drink and animal feedingstuffs.
- Do not breathe vapour.

Eye/face protection

- Wear eye protection/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

Hand protection

- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Skin protection

- Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 5 of 11

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: light brown
 Odour: characteristic

	Test method
pH-Value:	not applicable DIN 51369

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Pour point:	~ -33 °C
:	DIN ISO 3016
Flash point:	~ 238 °C DIN ISO 2592

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Ignition temperature:	No data available

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not oxidising.

Vapour pressure: (at 20 °C)	<0,1 hPa calculated.
--------------------------------	----------------------

Density (at 15 °C):	~ 0,852 g/cm³ DIN 51757
---------------------	-------------------------

Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
-------------------	--

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Viscosity / kinematic: (at 100 °C)	~ 9 mm²/s
---------------------------------------	-----------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

Solvent separation test:	No data available
--------------------------	-------------------

Solvent content:	none Solvents
------------------	---------------

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 6 of 11

9.2. Other information

Solid content: not determined
none

SECTION 10: Stability and reactivity**10.1. Reactivity**

possible with strong oxidizing agents.

10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported.
Onset of decomposition at elevated temperatures (>100°C): (e.g. H₂S)

10.3. Possibility of hazardous reactions

possible with strong oxidizing agents.
This product is stable under normal conditions. Hazardous reactions are unlikely.

10.4. Conditions to avoid

possible with strong oxidizing agents.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

none

Further information

No thermal decomposition if properly stored / handled /transported.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No data available.

Acute toxicity

No data available.
Irritant effect on the respiratory tract: Do not breathe gas/vapour.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated				
	oral	LD50 >2000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat	OECD 403	
36878-20-3	Bis(nonylphenyl)amine				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)				
	oral	LD50 2600 mg/kg			
	dermal	LD50 >3160 mg/kg		OECD 402	

Irritation and corrosivity

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

Specific effects in experiment on an animal

No data available.

Additional information on tests

none

Practical experience
Observations relevant to classification

not applicable

Other observations

Has de-greasing effect on the skin.

Further information

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

SECTION 12: Ecological information
12.1. Toxicity

The product is not: Ecotoxic.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Fish	OECD 203	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h		OECD 201	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia	OECD 202	
36878-20-3	Bis(nonylphenyl)amine					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50 600 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	OECD 202	
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)					
	Acute fish toxicity	LC50 4,5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50 2,1 mg/l	96 h	Selenastrum capricornutum	OECD 201	
	Acute crustacea toxicity	EC50 5,4 mg/l	48 h	Daphnia magna	OECD 202	

12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
36878-20-3	Bis(nonylphenyl)amine			
	Aerobic biological treatment	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)			
	OECD 301 B	1,5%	28	
	Not easily bio-degradable (according to OECD-criteria).			

12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	@1719.B0172 86 >4
36878-20-3	Bis(nonylphenyl)amine	>7,6
93819-94-4	Zinc bis[O-(6-methylheptyl)]bis[O-(secbutyl)]bis(dithiophosphate)	0,9

12.4. Mobility in soil

No data available.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 9 of 11

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

Aquatic organisms: No data available.
 Effects in sewage plants No data available.
 No data available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 10 of 11

- 14.4. Packing group:** No dangerous good in sense of this transport regulation.
- Air transport (ICAO-TI/IATA-DGR)**
- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.
- 14.5. Environmental hazards**
- ENVIRONMENTALLY HAZARDOUS: no
- 14.6. Special precautions for user**
- No dangerous good in sense of this transport regulation.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**
- No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Distillates (petroleum), heavy paraffinic, hydrotreated

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):

Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,9.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

according to Regulation (EC) No 1907/2006

HIGHTEC SYNT RS HC SAE 5W-20

Revision date: 01.09.2020

Page 11 of 11

ATE: Acute toxicity estimate
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1B; H317	Calculation method

Relevant H and EUH statements (number and full text)

- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)