

according to Regulation (EC) No 1907/2006

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC Brake Fluid Super DOT 4

UFI: 196E-0QT5-200A-9XU2

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Brake fluid

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-oil.com	
Internet:	www.rowe-oil.com	
Responsible Department:	sdb@rowe-oil.com	

1.4. Emergency telephone number: Giftnotruf Mainz (DE; E) +49 (0)6131-19240**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
Reproductive toxicity: Repr. 2
Hazard Statements:
Suspected of damaging the unborn child.
SDB aktuell

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate

Signal word: Warning**Pictograms:****Hazard statements**

H361d Suspected of damaging the unborn child.

Precautionary statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container to of the disposal according to local regulations.

2.3. Other hazards

No information available.

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 2 of 9

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
30989-05-0	Tris [2- [2- (2-methoxyethoxy) ethoxy] ethyl] orthoborate			>50-<70 %
	250-418-4		01-2119462824-33	
	Repr. 2; H361d			
111-46-6	Diethylene glycol			<10 %
	203-872-2		01-2119457857-21	
	Acute Tox. 4; H302			
110-97-4	1,1'-iminodipropion-2-ol, di-isopropanolamine			<10 %
	203-820-9	603-083-00-7	01-2119475444-34	
	Eye Irrit. 2; H319			
68442-68-2	N-Phenylbezoalmine, stryrolized			>0,1-<0,25 %
	270-485-3		01-2120115789-46	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air. Medical treatment necessary. Avoid breathing dust/fume/gas/mist/vapours/spray. IF

INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No 1907/2006

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 3 of 9

Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO₂). Dry extinguishing powder. alcohol resistant foam. Water spray.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:
CO, NO_x

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Wear suitable protective clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. No special handling instructions are necessary.

Advice on protection against fire and explosion

Keep away from combustible material.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep container tightly closed and dry.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 4 of 9

Brake fluid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Avoid contact with skin and eyes.

Eye/face protection

Wear eye protection/face protection. Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

NBR (Nitrile rubber); 0,4mm; 30min

Butyl rubber; 0,7mm; 480min

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. full mask (DIN EN 136).

Further regulations, limitations and legal requirements:

National regulations, Regulatory information, EU legislation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	yellow
Odour:	characteristic

pH-Value (at 20 °C):

Changes in the physical state

Test method

~8,5 FMVSS 116

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 5 of 9

Melting point:	not determined
Initial boiling point and boiling range:	>260 °C FMVSS 116
Pour point:	< -70 °C
:	DIN 51583
Flash point:	>134 °C DIN EN ISO 2719

Flammability

Solid:	not applicable
Gas:	not applicable

Lower explosion limits:	1,5 vol. %
Upper explosion limits:	not determined

Auto-ignition temperature

Solid:	not applicable
Gas:	>200 °C

Decomposition temperature:	360 °C
----------------------------	--------

Oxidizing properties

Not oxidising.

Vapour pressure: (at 20 °C)	<1 hPa
--------------------------------	--------

Density (at 20 °C):	~ 1,06 g/cm³ DIN 51757
---------------------	------------------------

Water solubility: (at 20 °C)	completely miscible
---------------------------------	---------------------

Solubility in other solvents

not determined

Partition coefficient:	not applicable
------------------------	----------------

Viscosity / kinematic: (at 20 °C)	~ 15-17 mm²/s FMVSS 116
--------------------------------------	-------------------------

Vapour density:	not determined
-----------------	----------------

Evaporation rate:	not determined
-------------------	----------------

9.2. Other information

Solid content:	not determined
----------------	----------------

The product is hygroscopic.

SECTION 10: Stability and reactivity

10.1. Reactivity

This product is stable under normal conditions. Hazardous reactions are unlikely.

10.2. Chemical stability

This product is stable under normal conditions. Hazardous reactions are unlikely.

10.3. Possibility of hazardous reactions

This product is stable under normal conditions. Hazardous reactions are unlikely.

10.4. Conditions to avoid

not determined

10.5. Incompatible materials

not determined

10.6. Hazardous decomposition products

No special measures required when used in accordance with the instructions.

according to Regulation (EC) No 1907/2006

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 6 of 9

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

not determined

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-46-6	Diethylene glycol				
	oral	ATE 500 mg/kg			
110-97-4	1,1'-iminodipropyl-2-ol, di-isopropanolamine				
	oral	LD50 4765 mg/kg	Rat		
68442-68-2	N-Phenylbezoalmine, stryrolized				
	oral	LD50 >20000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		

Irritation and corrosivity

not determined

Sensitising effects

not determined

Carcinogenic/mutagenic/toxic effects for reproduction

not determined

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
110-97-4	1,1'-iminodipropyl-2-ol, di-isopropanolamine					
	Acute fish toxicity	LC50 > 1000-2200 mg/l	96 h	Leuciscus idus		

12.2. Persistence and degradability

Product is biodegradable. (96% / 4d)

12.3. Bioaccumulative potential

not determined

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
110-97-4	1,1'-iminodipropyl-2-ol, di-isopropanolamine	-0,82

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 7 of 9

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. Send to a hazardous waste incinerator facility under observation of official regulations.

List of Wastes Code - residues/unused products

160113 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08); brake fluids; hazardous waste

List of Wastes Code - used product

160113 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08); brake fluids; hazardous waste

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 8 of 9

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Repr. 2; H361d	Calculation method

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.
 H319 Causes serious eye irritation.
 H361d Suspected of damaging the unborn child.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

according to Regulation (EC) No 1907/2006

HIGHTEC Brake Fluid Super DOT 4

Revision date: 07.10.2020

Page 9 of 9

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)