

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HIGHTEC SYNTH RS SAE 5W-40

UFI:

5UWU-0JEC-D00C-S7Y3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-oil.com	
Internet:	www.rowe-oil.com	
Responsible Department:	sdb@rowe-oil.com	
1.4. Emergency telephone	Giftnotruf Mainz (DE; E) +49 (0)6131-19240	
<u>number:</u>		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1B Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Calcium long chain alkyl aryl sulfonate

Signal word:

Pictograms:



Hazard statements

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements

 out to hary out to home	
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to of the disposal according to local regulations.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification		•	
151006-62-1	Hexatriacontan, branched			5 - < 15 %
	417-070-7	601-064-00-8	01-0000016388-62	
	Aquatic Chronic 4; H413	•		
64742-54-7	Distillates (petroleum), heavy para	ffinic, hydrotreated		2.5 - < 5 %
	265-157-1		01-2119484627-25	
	Asp. Tox. 1; H304			
68784-31-6	Dithiophosphoric acid, mixed O, O	-bis (sec-Bu and 1,3-dimet	hylbutyl) esters, zinc salts	1 - < 2.5 %
	272-238-5		01-2119657973-23	
	Eye Dam. 1, Aquatic Chronic 2; H			
722503-68-6	Calcium long chain alkyl aryl sulfor	1 - < 2.5 %		
	682-816-2			
	Skin Sens. 1B; H317	•		
68784-26-9	Phenol, dodecyl-, sulphurated, car	1 - < 2.5 %		
	272-234-3		01-2119524004-56	
	Aquatic Chronic 4; H413	•	•	
36878-20-3	Bis(nonylphenyl)amine	1 - < 2.5 %		
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
121158-58-5	Dodecylphenol, mixed isomers (br	< 0.1 %		
	310-154-3		01-2119513207-49	
	Repr. 1B, Skin Corr. 1C, Eye Dam H400 H410			

Full text of H and EUH statements: see section 16.

Further Information

Test data suggests that the zinc component contained does not lead to a single stage of the product.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh

Page 2 of 12



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 3 of 12

air and keep at rest in a position comfortable for breathing.

In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration! Aspiration hazard: Call a physician immediately.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO2). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

carbon black

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 4 of 12

Special danger of slipping by leaking/spilling product. Wear suitable protective clothing. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work. Conditions to avoid: aerosol or mist generation.

Advice on protection against fire and explosion

No special measures are necessary. When using do not smoke. Fire class: B (DIN-/EN-Norms: EN2)

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep away from heat. Keep/Store only in original container.

Hints on joint storage

Do not store together with:Food and fodder, Oxidizing agents.

Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

7.3. Specific end use(s)

Motor oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 5 of 12

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
36878-20-3	Bis(nonylphenyl)amine	-					
Worker DNEL,	long-term	dermal		0,62 mg/kg bw/day			

PNEC values

CAS No	Substance					
Environmental	Value					
36878-20-3 Bis(nonylphenyl)amine						
Freshwater	0,1 mg/l					

8.2. Exposure controls



Appropriate engineering controls

No data available

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

When using do not eat, drink or smoke.

Protect skin by using skin protective cream. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.

Eye/face protection

Wear eye protection/face protection. In fine dispersion/spraying/misting: Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wear suitable gloves.

Skin protection

Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



Page 6 of 12

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	light brown		
Odour:	characteristic		
pH-Value:		not applicable	Test method DIN 51369
Changes in the physical state			
Melting point:		not determined	
Boiling point or initial boiling point and		not determined	
boiling range:		20.00	
Pourpoint::			DIN ISO 3016
Flash point:		>250 °C	DIN ISO 2592
Flammability			
Solid: Gas:		not applicable	
		not applicable	
Explosive properties The product is not: Explosive.			
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Auto-ignition temperature:		No data available	
Self-ignition temperature			
Solid: Gas:		not applicable not applicable	
Decomposition temperature:		not determined	
		not determined	
Oxidizing properties Not oxidising.			
Vapour pressure: (at 20 °C)		<0,1 hPa	calculated.
Density (at 15 °C):		~ 0,84 g/cm³	DIN 51757
Water solubility:		practically insoluble	
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not determined	
Viscosity / kinematic: (at 100 °C)		~ 14.4 mm²/s	DIN 51562
Relative vapour density:		not determined	
Evaporation rate:		not determined	
Solvent separation test:		No data available	
Solvent content:		none Solvents	
9.2. Other information			
Solid content:		0	
none			



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 7 of 12

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported. Onset of decomposition at elevated temperatures (>120°C): (e.g. H2S)

10.3. Possibility of hazardous reactions

possible with strong oxidizing agents.

This product is stable under normal conditions. Hazardous reactions are unlikely.

10.4. Conditions to avoid

Oxidizing agents, strong..Etchant and acids

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

none

Further information

No thermal decomposition if properly stored / handled /transported.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
64742-54-7	Distillates (petroleum), he	Distillates (petroleum), heavy paraffinic, hydrotreated						
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rabbit	OECD 402			
	inhalation (4 h) vapour	LC50 mg/l	>5000	Rat	OECD 403			
36878-20-3	Bis(nonylphenyl)amine							
	oral	LD50 mg/kg	>5000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rabbit	OECD 402			
121158-58-5	Dodecylphenol, mixed is	omers (bran	ched)					
	oral	LD50 mg/kg	2100	Rat				
	dermal	LD50 mg/kg	15000	Rabbit				

Irritation and corrosivity

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 8 of 12

Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

Specific effects in experiment on an animal

No data available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

Observations relevant to classification

not applicable

Other observations

Has de-greasing effect on the skin.

Further information

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64742-54-7	Distillates (petroleum), he	Distillates (petroleum), heavy paraffinic, hydrotreated						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Fish	OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h		OECD 201		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia	OECD 202		
36878-20-3	Bis(nonylphenyl)amine	Bis(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l	>100	96 h	Brachydanio rerio (zebra-fish)	OECD 203		
	Acute algae toxicity	ErC50	600 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	OECD 202		

12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 9 of 12

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
36878-20-3	Bis(nonylphenyl)amine							
	Aerobic biological treatment 1% 28							
	Not easily bio-degradable (according to OECD-criteria).							

12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	@1719.B0172 86 >4
36878-20-3	Bis(nonylphenyl)amine	>7,6
121158-58-5	Dodecylphenol, mixed isomers (branched)	7,1

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

Aquatic organisms: No data available. Effects in sewage plants No data available.

No data available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

Page 10 of 12

Dispose of this material and its container to hazardous or special waste collection point.

SECTION 14: Transport information

Land transport (ADR/RID)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Inland waterways transport (ADN)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Marine transport (IMDG)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
Air transport (ICAO-TI/IATA-DGR)				
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
No dangerous good in sense of this transport regulation.				

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 30	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water



according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Page 11 of 12

Skin resorption/Sensitization:

Revision date: 20.08.2020

Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,9,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures an	used evaluation method according	ng to Regulation (EC) No	. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1B; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways. H314

Causes severe skin burns and eye damage.



Page 12 of 12

according to Regulation (EC) No 1907/2006

HIGHTEC SYNTH RS SAE 5W-40

Revision date: 20.08.2020

e.
Ē

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)