

# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

C2GC-6QV1-500H-59J2

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture
  - Gear oil

UFI:

### 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone: e-mail: Internet: Responsible Department:	+49 (0)6241 5906-0 info@rowe-oil.com www.rowe-oil.com sdb@rowe-oil.com	Telefax:+49 (0)6241 5906-999
1.4. Emergency telephone number:	Giftnotruf Mainz (DE; E) +49 (0)6131-19240	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1A Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

# Hazard components for labelling

Polysulfides, di-tert-Bu Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched) Magnesium metaborate Amines, C10-14-tert-alkyl Warning

Signal word:

**Pictograms:** 

P103



#### Hazard statements

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

Read carefully and follow all instructions.



# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020		Page 2 of 10
P264	Wash hands thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container to of the disposal according to local regulations.	
2.3 Other hazards		

# 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification		·	
68937-96-2	Polysulfides, di-tert-Bu			2.5 - < 5 %
	273-103-3		01-2119540515-43	
	Skin Sens. 1B, Aquatic Chronic 3;	H317 H412		
	Reaction products of bis(2-methylp propylene oxide and amines, C12-	• • • •	oric acid with phosphorus oxide,	1 - < 2.5 %
	931-384-6		01-2119493620-38	
	Acute Tox. 4, Eye Dam. 1, Skin Se	ns. 1, Aquatic Chronic 2	; H302 H318 H317 H411	
13703-82-7	Magnesium metaborate	0.3 - < 1 %		
	237-235-5		01-2120769073-53	
	Skin Sens. 1B; H317			
	Amines, C10-14-tert-alkyl	0.3 - < 1 %		
	701-175-2		01-2119456798-18	
	Acute Tox. 2, Acute Tox. 3, Acute T Aquatic Acute 1, Aquatic Chronic 1			
597-82-0	O,O,O-triphenyl phosphorothioate			0.3 - < 1 %
	209-909-9		01-2119979545-21	
	Repr. 2; H361fd			
74499-35-7	Phenol, (tetrapropenyl) derivatives	< 0.1 %		
	616-100-8			
	Repr. 1B, Skin Corr. 1, Eye Dam. 1 H410			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# General information

Self-protection of the first aider

### Change contaminated clothing.

Do not put any product-impregnated cleaning rags into your trouser pockets.



# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 3 of 10

## After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Caution if victim vomits: Risk of aspiration! Aspiration hazard: Call a physician immediately.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2). Dry extinguishing powder. Foam.

#### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:

Carbon dioxide (CO2). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H2S).

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. carbon black In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

# Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Dispose of waste according to applicable legislation. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6:** Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Special danger of slipping by leaking/spilling product. Wear suitable protective clothing.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.



# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 4 of 10

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Protect skin by using skin protective cream. Wash hands before breaks and after work. Conditions to avoid: aerosol or mist generation.

#### Advice on protection against fire and explosion

No special measures are necessary. When using do not smoke. Fire class: B (DIN-/EN-Norms: EN2)

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep away from heat. Keep/Store only in original container.

#### Hints on joint storage

Do not store together with: Food and fodder, Oxidizing agents.

# Further information on storage conditions

If product enters soil, it will be mobile and may contaminate groundwater. Keep away from heat.

# 7.3. Specific end use(s)

Gear oil

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# 8.2. Exposure controls





## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. When using do not eat, drink or smoke.

Protect skin by using skin protective cream. Keep away from food, drink and animal feedingstuffs. Do not breathe vapour.



# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 5 of 10

## Eye/face protection

Suitable eye protection: goggles. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

#### Skin protection

Use of protective clothing. In fine dispersion/spraying/misting: Wear protective gloves/protective clothing. **Respiratory protection** 

In case of inadequate ventilation wear respiratory protection. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour: Odour:	brown characteristic	
		Test method
pH-Value:	not applicable	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Flash point:	>200 °C	ISO 2592
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Ignition temperature:	No data available	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not oxidising.		
Vapour pressure: (at 20 °C)	<0,1 hPa	calculated.
Density (at 15 °C):	~ 0,875 g/cm³	DIN 51757
Water solubility: (at 20 °C)	practically insoluble	
Solubility in other solvents Soluble in hydrocarbons (mineral oil.)		
Partition coefficient:	not determined	



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020 Page 6 of 10 Viscosity / kinematic: ~ 28 mm<sup>2</sup>/s DIN 51562 (at 100 °C) Vapour density: not determined Evaporation rate: not determined Solvent separation test: No data available none Solvents Solvent content: 9.2. Other information Solid content: not determined none

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Oxidizing agents, strong.

## 10.2. Chemical stability

No thermal decomposition if properly stored / handled /transported. Onset of decomposition at elevated temperatures (>65°C)

# 10.3. Possibility of hazardous reactions

possible with strong oxidizing agents.

This product is stable under normal conditions. Hazardous reactions are unlikely.

# 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

Oxidizing agents, strong.

# 10.6. Hazardous decomposition products

none

# **Further information**

No thermal decomposition if properly stored / handled /transported.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### Acute toxicity

#### No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)						
	oral	ATE mg/kg	500				
Amines, C10-14-tert-alkyl							
	oral	ATE mg/kg	500				
	dermal	ATE mg/kg	300				
	inhalation vapour	ATE	0,5 mg/l				
	inhalation aerosol	ATE	0,05 mg/l				



# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 7 of 10

## Irritation and corrosivity

# Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

### Sensitising effects

Due to the very low concentration of sensitizing substances, the finished product can be assumed not to be skin-sensitizing.

#### Carcinogenic/mutagenic/toxic effects for reproduction

The product is not classified.

#### STOT-repeated exposure

Frequently or prolonged contact with skin may cause dermal irritation.

#### Specific effects in experiment on an animal

No data available.

# Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# Practical experience

# Observations relevant to classification

Has de-greasing effect on the skin.

## Other observations

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)			e and		
	Acute crustacea toxicity	EC50 91,4 mg/l	48 h	Daphnia magna		

# 12.2. Persistence and degradability

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

## 12.3. Bioaccumulative potential

No data available.

Do not allow uncontrolled discharge of product into the environment.

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

Aquatic organisms: No data available. Effects in sewage plants No data available. No data available.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 8 of 10

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

#### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### List of Wastes Code - used product

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

#### Revision date: 16.09.2020

Page 9 of 10

### 14.4. Packing group:

No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

# 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 30: Phenol, (tetrapropenyl) derivatives Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

# Additional information

According to EC directives or the corresponding national regulations the product does not have to be labelled.

#### National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 9.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%



# HIGHTEC RACING DIFFERENTIAL GEAR OIL SAE 75W-140 LS

Revision date: 16.09.2020

Page 10 of 10

EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1A; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

-	revant it and Eon statements (number and fun text)				
	H302	Harmful if swallowed.			
	H311	Toxic in contact with skin.			
	H314	Causes severe skin burns and eye damage.			
	H317	May cause an allergic skin reaction.			
	H318	Causes serious eye damage.			
	H319	Causes serious eye irritation.			
	H330	Fatal if inhaled.			
	H335	May cause respiratory irritation.			
	H360F	May damage fertility.			
	H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.			
	H400	Very toxic to aquatic life.			
	H410	Very toxic to aquatic life with long lasting effects.			
	H411	Toxic to aquatic life with long lasting effects.			
	H412	Harmful to aquatic life with long lasting effects.			

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above data are intended to describe our product in terms of any safety requirements to be observed. They reflect the state of our current knowledge and experience and shall not be construed as warranted characteristics. Any warranty for accuracy and completeness shall be expressly excluded.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)