## Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page

Page 1 / 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## febi 177931 Lubricating Oil Article number: 177931 UFI: Y6SV-HG6J-Q004-3CC8

1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

#### 1.2.2 Uses advised against

None known.

## 1.3 Details of the supplier of the safety data sheet

Company

Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444

Homepage www.febi.com

E-mail info@febi.com
Address enquiries to
Technical information info@febi.com
Safety Data Sheet info@febi.com

## 1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English)

**SECTION 2: Hazards identification** 

#### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms	
Signal word	DANGER
Contains:	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO- extract)
Hazard statements	H304 May be fatal if swallowed and enters airways.
Precautionary statements	<ul> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.</li> <li>P331 Do NOT induce vomiting.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of</li> </ul>

# Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01

Page 2 / 11

2.3	Other hazards	
		none
	Physico-chemical hazards	Combustible.
	Human health dangers	If swallowed or in the event of vomiting, risk of product entering the lungs.
	Environmental hazards	Does not contain any PBT or vPvB substances.
	Other hazards	No particular hazards known.
SEC	TION 3: Composition / Information	n on ingredients
3.1	Substances	
•	not applicable	
3.2	Mixtures	
	The product is a mixture.	
	Range [%] Substance	troloum) C4E 20 hudratroated neutral ail based (containing + 20/ DMCO outreat)
		troleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract) EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119474878-16-XXXX
	GHS/CLP: Asp. To	
	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
SEC	TION 4: First aid measures	
OLU	non 4. I not all measures	
4.1	Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Do not induce vomiting.
		Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.
4.2	Most important symptoms and ef	ifects, both acute and delayed
		No information available.
4.3	Indication of any immediate mod	ical attention and special treatment needed
4.5	indication of any inimediate med	If swallowed or in the event of vomiting, risk of product entering the lungs.
		Forward this sheet to your doctor.
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
	Extinguishing media that must not be used	Full water jet.
5.2	Special hazards arising from the	substance or mixture
	. •	Not combusted hydrocarbons.
		Risk of formation of toxic pyrolysis products.
		Carbon monoxide (CO)

# Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01

Page 3 / 11

5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	res
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3 Methods and material for containment and cleaning up		ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols.
		The product is combustible.
		Do not eat, drink or smoke when using this product. Use barrier skin cream.
		Wash hands before breaks and after work.
		Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	ding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet.
		Keep container tightly closed. Keep container in a well-ventilated place.
7.3	Specific end use(s)	
		See product use, SECTION 1.2

# Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01

Page 4 / 11

### **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

#### DNEL

Substance	
Lubricating oi 86-0	Is (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-
Industrial, der	rmal, Long-term - systemic effects, 970 μg/kg bw/day
Industrial, inh	alative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, inh	alative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
general popul	lation, oral, Long-term - systemic effects, 740 μg/kg bw/day
general popul	ation, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>

#### PNEC

Substance	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 7, 86-0	2623-
oral (food), 9.33 mg/kg food	

#### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3). > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01

Page 5 / 11

## SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

	Physical state	liquid
	Color	colourless
	Odor	characteristic
	Odour threshold	No information available.
	pH-value	not applicable
	pH-value [1%]	not applicable
	Boiling point [°C]	No information available.
	Flash point [°C]	> 180 TOC
	Flammability (solid, gas) [°C]	No information available.
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	No information available.
	Density [g/cm³]	0.8 - 0.88 (20 °C / 68,0 °F)
	Relative density	not determined
	Bulk density [kg/m³]	not applicable
	Solubility in water	immiscible
	Solubility other solvents	No information available.
	Partition coefficient [n-octanol/water]	No information available.
	Kinematic viscosity	14 - 17 mm²/s (40°C)
	Relative vapour density	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Auto-ignition temperature	No information available.
	Decomposition temperature [°C]	No information available.
	Particle characteristics	No information available.
,	Other information	

#### 9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

No information available.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page 6 / 11

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page

Page 7 / 11

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, oral, Rat, 5000 mg/kg bw

#### Acute dermal toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

#### Acute inhalational toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Substance	

 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0</td>

 NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

 NOAEC, inhalative, Rat, 980 mg/m³ air

 LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are fulfilled. May be fatal if swallowed and enters airways. On basis of test data

## Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page

Page 8 / 11

Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

# 11.2 Information on other hazards

Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
Other information	none

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

Substance	
Lubricating oils 86-0	(petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-
NOELR, (14d),	fish, 1 g/L
LL50, (96h), Inv	vertebrates, 10 g/L
LL50, (96h), fis	n, 100 mg/L

#### 12.2 Persistence and degradability

Behaviour in environment compartments	
Behaviour in sewage plant	not determined
Biological degradability	The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

#### 12.7 Other adverse effects

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page 9 / 11

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product
---------

	Dispose of as hazardous waste. Coordinate disposal with the authorities if necessary. In according to RoHS!
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104 150110* packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

14.1	UN number or ID number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable

Air transport in accordance with IATA not applicable

	Air transport in accordance with IATA not applicable		
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS	
	Inland navigation (ADN)	NO DANGEROUS GOODS	
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"	
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"	
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page 10 / 11

444	Decking group	
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	o 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

15.1	1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	not applicable	
	- VOC (2010/75/CE)	0%	
15.2	5.2 Chemical safety assessment		
		For this product a chemical safety assessment has not been carried out.	
SECTION 16: Other information			

#### 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

Route

## Ferdinand Bilstein GmbH + Co. KG

Date printed 10.03.2022, Revision 10.03.2022



Version 02. Supersedes version: 01 Page 11 / 11

16.2 Abbreviations and acronyms:

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances EL50 = Median effective loading ELINCS = European List of Notified Chemical Substances EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading LQ = Limited Quantities MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

#### 16.3 Other information

Classification procedure

Modified position

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

none

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative