

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 23-10-2018 Revision date: 23-7-2019 Supersedes: 25-1-2019 Version: 1.2

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : Action Fluid Bio

Product code : PO.20.05

Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Lubricant for air filter

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Putoline Oil
Dollegoorweg 15
7602 EC Almelo - Netherlands
T 0031 (0)546 81 81 65
vib@putoline.com

#### 1.4. Emergency telephone number

| Country        | Organisation/Company   | Address                                  | Emergency number   | Comment |
|----------------|--|--|--|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                     | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| United Kingdom | National Poisons Information Service<br>(Cardiff Centre)<br>Gwenwyn Ward, Llandough Hospital | Penarth<br>CF64 2XX Cardiff              | 0344 892 0111  |         |

#### **SECTION 2: Hazards identification**

Full text of H statements: see section 16

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Skin corrosion/irritation, Category 2 H315
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazardous ingredients : Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P301+P310+P331 - IF SWALLOWED: Immediately call a doctor. Do NOT induce vomiting.

P405 - Store locked up.

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier  | %       | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP]  |
|---|---|---------|--|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | (CAS-No.) 92128-66-0<br>(EC-No.) 921-024-6<br>(REACH-no) 01-2119475514-35 | 50 – 80 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : Irritation.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

# 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective

equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature : 5-40 °C

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

| Hand | Inro  | +00 | tion |    |
|------|-------|-----|------|----|
| Hand | ı brc | nec | tior | 1: |

Protective gloves

| Туре            | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
|-----------------|----------------------|-------------------|----------------|-------------|------------|
| Reusable gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥ 0.35         |             | EN ISO 374 |

#### Eye protection:

Safety glasses

| Туре           | Use     | Characteristics | Standard |
|----------------|---------|-----------------|----------|
| Safety glasses | Droplet | clear           | EN 166   |

#### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):





#### Environmental exposure controls:

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : dark green.
Odour : Solvent.

Odour threshold : No data available pH : No data available

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Boiling point : 65 °C [DIN EN ISO 3405]

Flash point : <-20 °C

Auto-ignition temperature : 250 °C [DIN EN ISO 51794]

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : 1,9 hPa Relative vapour density at 20 °C : No data available

Relative vapour density at 20 °C : No data available
Relative density : No data available
Density : 0,781 g/cm³ at 20 °C

0,781 g/cm³ at 20 °C

Solubility : Water: Insoluble / Slightly miscible

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : 7,1 mm²/s (40 °C) - ASTM D7279

Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available

Lower explosive limit (LEL) : 1 vol % Upper explosive limit (UEL) : 7,3 vol %

#### 9.2. Other information

VOC content : 59,98 %

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0) |            |  |
|--|------------|--|
| LD50 oral rat 5840 mg/kg   |            |  |
| LD50 dermal rat  | 2920 mg/kg |  |
| LC50 inhalation rat (mg/l) 25 mg/l/4h  |            |  |

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

| Action Fluid Bio     |                                |
|----------------------|--------------------------------|
| Viscosity, kinematic | 7,1 mm²/s (40 °C) - ASTM D7279 |

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)   |  |  |
|--|--|--|
| LC50 fish 11,4 mg/l (Oncorhynchus mykiss, 96h) [OCDE 203]                        |  |  |
| LC50 fish 2,04 mg/l (Oncorhynchus mykiss, 96h)                                   |  |  |
| EC50 Daphnia 3 mg/l (Daphnia magna, 48h) [OCDE 202]                              |  |  |
| EC50 Daphnia 1 mg/l (Daphnia magna, 48h) [OCDE 211]                              |  |  |
| ErC50 (algae) 10 mg/l (Pseudokirchnerella subcapitata, 72h) [OCDE 201]           |  |  |
| ErC50 (other aquatic plants) 3 mg/l (Algae, Pseudokirchnerella subcapitata, 72h) |  |  |

# 12.2. Persistence and degradability

| Action Fluid Bio              |                |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0) |  |
|--|--|
| Persistence and degradability  | Readily biodegradable, according to appropriate OECD test. |

# 12.3. Bioaccumulative potential

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0) |                               |  |
|--|-------------------------------|--|
| Bioconcentration factor (BCF REACH) ≥ 500                                      |                               |  |
| Partition coefficient n-octanol/water (Log Kow)                                | ≥ 4 Octanol/water coefficient |  |

#### 12.4. Mobility in soil

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container. European List of Waste (LoW) code : 12 01 19\* - readily biodegradable machining oil

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR  | IMDG  | IATA  | ADN   | RID   |
|--|---|---|---|---|
| 14.1. UN number  |   |   |   |   |
| UN 3295  | UN 3295   | UN 3295   | UN 3295   | UN 3295   |
| 14.2. UN proper shipping   | g name  |   |   |   |
| HYDROCARBONS,<br>LIQUID, N.O.S.<br>(Hydrocarbons, C6-C7, n-<br>alkanes, isoalkanes,<br>cyclics, <5% n-hexane)                                      | HYDROCARBONS,<br>LIQUID, N.O.S.<br>(Hydrocarbons, C6-C7, n-<br>alkanes, isoalkanes,<br>cyclics, <5% n-hexane)   | Hydrocarbons, liquid, n.o.s.<br>(Hydrocarbons, C6-C7, n-<br>alkanes, isoalkanes,<br>cyclics, <5% n-hexane)  | HYDROCARBONS,<br>LIQUID, N.O.S.<br>(Hydrocarbons, C6-C7, n-<br>alkanes, isoalkanes,<br>cyclics, <5% n-hexane)                               | HYDROCARBONS,<br>LIQUID, N.O.S.<br>(Hydrocarbons, C6-C7, n<br>alkanes, isoalkanes,<br>cyclics, <5% n-hexane)                              |
| Transport document descri  | iption  |   |   |   |
| UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS | UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane), 3, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS (- 20°C c.c.) | UN 3295 Hydrocarbons,<br>liquid, n.o.s.<br>(Hydrocarbons, C6-C7, n-<br>alkanes, isoalkanes,<br>cyclics, <5% n-hexane), 3,<br>II, ENVIRONMENTALLY<br>HAZARDOUS | UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane), 3, II, ENVIRONMENTALLY HAZARDOUS | UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C6-C7, n alkanes, isoalkanes, cyclics, <5% n-hexane), 3 II, ENVIRONMENTALLY HAZARDOUS |
| 14.3. Transport hazard c   |   |   |   |   |
| 3  | 3   | 3   | 3   | 3   |
| **************************************   | <b>1 1 1 1 1 1 1 1 1 1</b>  | <b>1 1 1 1 1 1 1 1 1 1</b>  |   | **************************************  |
| 14.4. Packing group  |   |   |   |   |
| II   | II  | II  | II  | II  |
| 14.5. Environmental haz  | ards  |   |   |   |
| Dangerous for the environment : Yes  | Dangerous for the environment : Yes Marine pollutant : Yes  | Dangerous for the environment : Yes   | Dangerous for the environment : Yes   | Dangerous for the environment : Yes   |

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Special provisions (ADR) : 640C
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : L1.5BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Hazard identification number (Kemler No.) : 33
Orange plates :

33 3295

Tunnel restriction code (ADR) : D/E EAC code : 3YE

Transport by sea

Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : B
Flash point (IMDG) : -20°C c.c.

Properties and observations (IMDG) : Immiscible with water.

Air transport

: E2 PCA Excepted quantities (IATA) : Y341 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 1L : 353 PCA packing instructions (IATA) : 5L PCA max net quantity (IATA) CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A224 ERG code (IATA) : 3H

Inland waterway transport

: F1 Classification code (ADN) : 640C Special provisions (ADN) Limited quantities (ADN) : 1L Excepted quantities (ADN) : E2 Carriage permitted (ADN) : T Equipment required (ADN) : PP, EX, A : VE01 Ventilation (ADN) Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 640C
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank codes for RID tanks (RID) : L1.5BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 59,98 %

#### Directive 2012/18/EU (SEVESO III)

| Seveso III Part I (Categories of dangerous substances)                                | Qualifying quantity (tonnes) |            |
|---|------------------------------|------------|
|   | Lower-tier                   | Upper-tier |
| P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b | 5000                         | 50000      |
| E2 Hazardous to the Aquatic Environment in Category Chronic 2                         | 200                          | 500        |

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

| Indication of changes: |                                |          |          |
|------------------------|--------------------------------|----------|----------|
| Section                | Changed item                   | Change   | Comments |
| 1.2                    | Intended for general public    | Added    |          |
| 1.2                    | Main use category              | Modified |          |
| 2.2                    | Precautionary statements (CLP) | Modified |          |

| Abbreviations and acronyms: |   |  |
|-----------------------------|---|--|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |  |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |  |
| ATE                         | Acute Toxicity Estimate   |  |
| BCF                         | Bioconcentration factor   |  |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |  |
| DMEL                        | Derived Minimal Effect level  |  |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| DNEL  | Derived-No Effect Level   |
|-------|---|
| EC50  | Median effective concentration  |
| IARC  | International Agency for Research on Cancer   |
| IATA  | International Air Transport Association   |
| IMDG  | International Maritime Dangerous Goods  |
| LD50  | Median lethal dose  |
| LC50  | Median lethal concentration   |
| LOAEL | Lowest Observed Adverse Effect Level  |
| NOAEC | No-Observed Adverse Effect Concentration  |
| NOAEL | No-Observed Adverse Effect Level  |
| NOEC  | No-Observed Effect Concentration  |
| OECD  | Organisation for Economic Co-operation and Development  |
| PBT   | Persistent Bioaccumulative Toxic  |
| PNEC  | Predicted No-Effect Concentration   |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID   | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| STP   | Sewage treatment plant  |
| TLM   | Median Tolerance Limit  |
| SDS   | Safety Data Sheet   |
| vPvB  | Very Persistent and Very Bioaccumulative  |

| Full text of H- and EUH-statements: |  |  |  |
|-------------------------------------|--|--|--|
| Aquatic Chronic 2                   | Hazardous to the aquatic environment — Chronic Hazard, Category 2      |  |  |
| Asp. Tox. 1                         | Aspiration hazard, Category 1  |  |  |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |  |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                                  |  |  |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Narcosis |  |  |
| H225                                | Highly flammable liquid and vapour.                                    |  |  |
| H304                                | May be fatal if swallowed and enters airways.                          |  |  |
| H315                                | Causes skin irritation.  |  |  |
| H336                                | May cause drowsiness or dizziness.                                     |  |  |
| H411                                | Toxic to aquatic life with long lasting effects.                       |  |  |

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.