

V - 9

Revision: 02.09.2016

SECTION	I 1: Identification	of the substance/mixture and of the company/undertaking	g			
· 1.1 Produ	uct identifier					
· Trade na	Trade name: Polo White Chain Spray					
· Article nu · 1.2 Relev	umber: 550601000 ant identified use	90, 55060100050, 55060100051 s of the substance or mixture and uses advised against V ce / the mixture Maintenance product	/oid			
Manufact Polo Moto Polostraß D - 41363 Tel.: +49 Fax: +49 www.polo	t urer/Supplier: prrad und Sportswe e 1	of the safety data sheet ar GmbH				
		able from: Zentrale, erreichbar werktags zwischen 8°° - 19°° number: +49 2165 / 8440-200	Uhr			
SECTION	l 2: Hazards ident	fication				
		bstance or mixture Regulation (EC) No 1272/2008				
GF	HS02 flame					
Aerosol 1	Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.					
GF	HS09 environment					
Aquatic C	hronic 2 H411	Toxic to aquatic life with long lasting effects.				
GF GF	HS07					
Skin Irrit.	2 H315	Causes skin irritation.				
STOT SE	3 H336	May cause drowsiness or dizziness.				
The produ • Hazard p	according to Reg	Julation (EC) No 1272/2008 Jabelled according to the CLP regulation. GHS07, GHS09				
Naphtha (• Hazard s a	(petroleum), hydrot tatements					
H222-H22 H315	29 Extremely flamm Causes skin irrit	able aerosol. Pressurised container: May burst if heated. ation.				
H336	May cause drow	siness or dizziness.				
H411 • Precautic	noxic to aquatic conary statements	life with long lasting effects.				
P101 P102	If medical advice Keep out of read	e is needed, have product container or label at hand. h of children				
P210 P251	Keep away from Do not pierce or	heat, hot surfaces, sparks, open flames and other ignition so burn, even after use.	ources. No smoking.			
P260 P211	Do not breathe s Do not spray on	spray. an open flame or other ignition source.				
P271		rs or in a well-ventilated area.				

(Contd. on page 2)

Printing date 02.09.2016

V - 9

Revision: 02.09.2016

Trade name: Polo White Chain Spray

(Contd. of page P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.		
3.2 Mixtures	/information on ingredients	
Dangerous components:		
CAS: 64742-49-0 EC number: 921-024-6 Reg.nr.: 01-2119475514-35	Naphtha (petroleum), hydrotreated light Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	25-50%
CAS: 106-97-8 EINECS: 203-448-7		20-<25%
	🚸 Flam. Gas 1, H220; Press. Gas C, H280	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

General information: Take affected persons out into the fresh air. If symptoms persist consult doctor.

- After inhalation: Supply fresh air. Seek medical treatment in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· Hazards If swallowed or in case of vomiting, danger of entering the lungs.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)

 ^{5.3} Advice for firefighters

Printing date 02.09.2016

V - 9

Revision: 02.09.2016

Trade name: Polo White Chain Spray

Additional information

Danger of bursting. Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. Ensure adequate ventilation Avoid contact with skin and eyes. · 6.2 Environmental precautions: Do not allow to penetrate the ground/soil. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Avoid contact with skin and eyes. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.

 Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location. Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Store away from foodstuffs.

 Further information about storage conditions: Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting. Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)





(Contd. of page 2)

polot

- EU -

Revision: 02.09.2016

Printing date 02.09.2016

V - 9

Trade name: Polo White Chain Spray

		(Contd. of page
DNELs		
64742-49-0 Naphtha (pe	troleum), hydrotreated light	
Inhalative DNEL system.	effects (long-term) 2035 mg/m ³ (Worker)	
Additional information:	The lists valid during the making were used as basis.	
Respiratory protection: Protection of hands: Preventive skin protection After each cleaning use tr	hygienic measures: is, beverages and feed. is and at the end of work. es and skin. xhaustion at the workplace. Not necessary if room is well-ventilated. by use of skin-protecting agents is recommended. eatment creams, for very dry skin greasy ointments.	
Penetration time of glov	e material Not required.	
Penetration time of glov Eye protection: Not requ	e material Not required. ired.	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information	e material Not required. ired.	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information	e material Not required. ired. d chemical properties	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information Appearance:	e material Not required. ired. d chemical properties e physical and chemical properties Aerosol Light brown	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information Appearance: Form: Colour: Odour:	<i>e material</i> Not required. ired. d chemical properties e physical and chemical properties Aerosol Light brown Characteristic	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information Appearance: Form: Colour: Odour:	e material Not required. ired. d chemical properties e physical and chemical properties Aerosol Light brown	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information Appearance: Form: Colour: Odour: Odour threshold:	<i>e material</i> Not required. ired. d chemical properties e physical and chemical properties Aerosol Light brown Characteristic	
Penetration time of glov Eye protection: Not requ SECTION 9: Physical an 9.1 Information on basic General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value:	e material Not required. ired. d chemical properties c physical and chemical properties Aerosol Light brown Characteristic Not determined Void range: Undetermined.	
General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/Melting r	e material Not required. ired. d chemical properties c physical and chemical properties Aerosol Light brown Characteristic Not determined Void range: Undetermined.	

· Ignition temperature:	365 °C	
· Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Heating may cause an explosion. In use, may form flammable/explosive vapour-air mixture.	
· Explosion limits:		
Lower:	1,5 Vol %	
Upper:	10,9 Vol %	
· Vapour pressure at 20 °C:	8300 hPa	
· Density:	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Viscosity:		
Dynamic:	Not determined	
Kinematic:	Not determined	
	(Contd. on	page 5

Printing date 02.09.2016

V - 9

Revision: 02.09.2016

(Contd. of page 4)

Trade name: Polo White Chain Spray

[•] 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• **10.4 Conditions to avoid** No further relevant information available.

• **10.5 Incompatible materials:** Store away from oxidising agents.

• **10.6 Hazardous decomposition products:** No decomposition if used and stored according to specifications. In case of fire, the following can be released: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

64742-49-0 Naphtha (petroleum), hydrotreated light

Oral LD50 >5840 mg/kg (rat)

106-97-8 butane

Inhalative LC50/4 h 658 mg/l (rat)

• Specific symptoms in biological assay: Not determined

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information: Vapours may cause drowsiness and dizziness.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:

• Remark: Toxic for fish

(Contd. on page 6)

Printing date 02.09.2016

V - 9

Revision: 02.09.2016

Trade name: Polo White Chain Spray

· Additional ecological information:

· General notes:

Toxic for aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **12.5 Results of PBT and vPvB assessment**

· 12.5 Results of PB1 and VPVB as

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

· European waste catalogue

16 05 04* gases in pressure containers (including halons) containing dangerous substances

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
IMDG	AEROSOLS (Naphtha (petroleum), hydrotreated light),
14 7 4	MARINE POLLUTANT
ΙΑΤΑ	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substances:
	Naphtha (petroleum), hydrotreated light
Marine pollutant:	Yes
	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMŠ Number:	F-D,S-U

(Contd. of page 5)



Revision: 02.09.2016

Printing date 02.09.2016

V - 9

Trade name: Polo White Chain Spray

	(Contd. of page 6
· Stowage Code · Segregation Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
 14.7 Transport in bulk according to Anno Marpol and the IBC Code 	ex II of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
 Transport category Tunnel restriction code 	2 D
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category

P3a FLAMMĂBLE AEROSOLS

E2 Hazardous to the Aquatic Environment

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.


H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 8)



V - 9

Revision: 02.09.2016

Trade name: Polo White Chain Spray

(Contd. of page 7)

EU

 Abbreviations and acronyms: Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas C: Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * * Data compared to the previous version altered.