ebi

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 03514 heavy duty grease Article number: 03514

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444

Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

Company +49 2333 911-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts. EUH208 May produce

an allergic reaction.

2.3 Other hazards

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards No particular hazards known.

ebi

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 2 / 9

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
1 - < 2,5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts
	CAS: 85940-28-9, EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61-XXXX
	GHS/CLP: Eye Irrit. 2: H319 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
0,1 - < 1	Benzenesulfonic acid, di-C10-14 alkyl derivs., calcium salts
	CAS: 1471316-72-9, EINECS/ELINCS: 939-603-7
	GHS/CLP: Skin Sens. 1: H317

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)
Not combusted hydrocarbons.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 3 / 9

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

6.2 **Environmental precautions**

Do not discharge into the drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace. Cloths contaminated with product should not be kept in trouser pockets.

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 4 / 9

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

general population, inhalative, Long-term - systemic effects: 1,67 mg/m³.

DNEL

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

Industrial, dermal, Long-term - systemic effects: 9,6 mg/kg bw/d.

Industrial, inhalative, Long-term - systemic effects: 6,6 mg/m³.

general population, oral, Long-term - systemic effects: 0,19 mg/kg bw/d.

general population, dermal, Long-term - systemic effects: 4,8 mg/kg bw/d.

PNEC

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
soil, 15,7 mg/kg dw.
sediment (seawater), 1,93 mg/kg dw.
sediment (freshwater), 19,3 mg/kg dw.
sewage treatment plants (STP), 100 mg/l (AF=100).
seawater, 0,0002 mg/l (AF=1000).
freshwater, 0,002 mg/l (AF=1000).

8.2 Exposure controls

Additional advice on system design

Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).> 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection No special measures necessary.

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 5 / 9

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

solid

pasty

Color green

Odor characteristic

Odour threshold No information available. pH-value No information available. pH-value [1%] No information available.

Boiling point [°C] not applicable Flash point [°C] not applicable

Flammability (solid, gas) [°C] No information available.

Lower explosion limit not applicable Upper explosion limit not applicable

Oxidising properties

Vapour pressure/gas pressure [kPa] No information available. Density [g/ml] 0,86 (25°C / 77,0°F) Bulk density [kg/m³] not applicable Solubility in water immiscible

Partition coefficient [n-octanol/water] No information available.

NLGI 000 Viscosity

Relative vapour density determined

in air

Form

No information available.

No information available. No information available.

Autoignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Other information

Evaporation speed Melting point [°C]

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent.

strong acids

Strong basic compounds

ebi

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 6 / 9

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LD50, oral, Rat: 3080 mg/kg bw.

LD50, dermal, Rabbit: > 20 000 mg/kg bw.

LC50, inhalation (vapour), Rat: > 2,3 mg/L/4h.

Serious eye damage/irritation Toxicological data of complete product are not available.

No classification.
Calculation method

Skin corrosion/irritation Toxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

MutagenicityBased on the available information, the classification criteria are not fulfilled.Reproduction toxicityBased on the available information, the classification criteria are not fulfilled.

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1 Toxicity

Substance

Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9

LL50, (96h), Oncorhynchus mykiss: 4,5 mg/l.

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

not determined

Behaviour in sewage plant Biological degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic

processes, e.g. mechanical separation.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 7 / 9

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

150102 150104

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

IMDG

NO DANGEROUS GOODS Inland navigation (ADN)

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 8 / 9

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

no

- VOC (2010/75/CE)

0%

15.2 Chemical safety assessment

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 28.10.2019, Revision 28.10.2019

Version 10. Supersedes version: 09

Page 9 / 9

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position none