Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 06161 hydraulic fluid Article number: 6161

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to	
Technical information	info@febi.com
Safety Data Sheet	info@febi.com

1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English)

Company

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

+49 2333 911-0

Acute Tox. 4: H332 Harmful if inhaled. Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictograms

Signal word Contains: Hazard statements

Precautionary statements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).



DANGER 1-Decene, Dimer, hydrogenated H332 Harmful if inhaled. H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor. P312 Call a POISON CENTER / doctor if you feel unwell. P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page

Page 2 / 11

2.3 Other hazards

Physico-chemical hazards	No particular hazards known.
Human health dangers	Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

Range [%]	Substance
50 - < 99	1-Decene, Dimer, hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
10 - < 20	Distillates (petroleum), hydrotreated light naphthenic
	CAS: 64742-53-6, EINECS/ELINCS: 265-156-6, EU-INDEX: 649-466-00-2, Reg-No.: 01-2119480375-34
	GHS/CLP: Asp. Tox. 1: H304
2,4 - < 5	Gas oils (petroleum), hydrodesulfurized
	CAS: 64742-79-6, EINECS/ELINCS: 265-182-8, EU-INDEX: 649-222-00-5, Reg-No.: 01-2119471311-49-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
0,25 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M = 1

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1	Description of first aid measures		
	General information	Change soaked clothing.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Get medical advice.	

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs. Treat symptomatically. Forward this sheet to the doctor.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 3 / 11

SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media Suitable extinguishing media Extinguishing media that must not be used	foam, dry powder, water spray jet, carbon dioxide Full water jet
5.2	Special hazards arising from the	substance or mixture
		Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)
5.3	Advice for firefighters	
		Use self-contained breathing apparatus. Do not inhale explosion and/or combustion gases.
		Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	res
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	ment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols. Use only in well-ventilated areas.
		The product is combustible.
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash face and/or hands before break and end of work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	Iding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.
		Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 4 / 11

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
2,6-di-tert-butyl-p-cresol
CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119555270-46-XXXX
Long-term exposure: 10 mg/m ³

DNEL

PNEC

Substance	
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6	
Industrial, inhalative, Long-term - local effects: 5,4 mg/m ³ .	
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6	
Industrial, inhalative, Acute - systemic effects: 60 mg/m ³ .	
general population, inhalative, Acute - systemic effects: 50 mg/m ³ .	
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0	
Industrial, dermal, Long-term - systemic effects: 8,3 mg/kg.	
Industrial, inhalative, Long-term - systemic effects: 5,8 mg/m ³ .	
general population, inhalative, Long-term - systemic effects: 1,74 mg/m	3 _.
general population, dermal, Long-term - systemic effects: 5 mg/kg.	
Substance	
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0	
sewage treatment plants (STP), 100 mg/l	

 2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

 sewage treatment plants (STP), 100 mg/l.

 seawater, 0,0004 mg/l.

 freshwater, 0,004 mg/l.

 oral (food), 16,7 mg/kg.

 sediment (freshwater), 1,29 mg/kg.

 soil, 1,04 mg/kg.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09

Page 5 / 11

8.2 Exposure controls Additional advice on system design Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. Eye protection If there is a risk of splashing: Safety glasses. (EN 166:2001) Hand protection The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3). Skin protection light protective clothing Other Personal protective equipment should be selected specifically for the working place

Other	depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the	See SECTION 6+7.

SECTION 9: Physical and chemical properties

environmental exposition

9.1 Information on basic physical and chemical properties

Form	liquid
Color	green
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	160
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,83
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	18,5 mm²/s (40° C)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 06161 hydraulic fluid Article number 6161

Ferdinand Bilstein GmbH + Co. KG

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 6 / 11

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents. Reactions with strong acids and alkalies.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

Strong basic compounds strong acids Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 15.10.2019, Revision 15.10.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled .:
oral, Based on the available information, the classification criteria are not fulfilled .:
ATE-mix, inhalation (vapour), 241,23 mg/l/4h.
ATE-mix, inhalativ (mist), 3,07 mg/l/4h.

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LD50, dermal, Rabbit: > 2000 mg/kg bw.
LD50, oral, Rat: > 5000 mg/kg bw.
LC50, inhalative, Rat: > 5,53 mg/l/4h (dust/mist).
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
LD50, dermal, Rabbit: > 3000 mg/l.
LD50, oral, Rat: > 5000 mg/l.
LC50, inhalative, Rat: >1,81 mg/l 4h.
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LD50, dermal, Rat: > 5000 mg/kg bw (OECD 402).
LD50, oral, Rat: > 5000 mg/kg bw (OECD 401).
NOEL, oral, Rat: 25 mg/kg/28d.

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are fulfilled.
General remarks	
	Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 8 / 11

SECTION 12: Ecological information

12.1 Toxicity

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, (96h), fish: > 100 mg/l.
IC50, (48h), Algae: > 100 mg/l.
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
EC50, (48h), Daphnia magna: > 1000 mg/l.
EL50, (72h), Algae: >1000 mg/l.
NOELR, (21d), Daphnia magna: 125 mg/l.
LL50, (96h), Oncorhynchus mykiss: >1000 mg/l.
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LC50, (96h), Danio rerio: > 0,57 mg/l.
EC50, (48h), Daphnia magna: > 0,17 mg/l.
IC50, (72h), Desmodesmus subspicatus: > 0,42 mg/l.
NOEC, (21d), Daphnia magna: > 0,39 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Ecological data of complete product are not available. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 9 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	In according to RoHS! Coordinate disposal with the disposal contractor/authorities if necessary. Dispose of as hazardous waste.	
Waste no. (recommended)	130111*	
Contaminated packaging		
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.	
Waste no. (recommended)	150102 150104 150110*	

SECTION 14: Transport information

14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page 10 / 11

14.4	Packing group Transport by land according to ADR/RID	not applicable	
	Inland navigation (ADN)	not applicable	
	Marine transport in accordance with IMDG	not applicable	
	Air transport in accordance with IATA	not applicable	
14.5	Environmental hazards		
	Transport by land according to ADR/RID	no	
	Inland navigation (ADN)	no	
	Marine transport in accordance with IMDG	no	
	Air transport in accordance with IATA	no	
14.6	Special precautions for user		
	not applicable		
	Relevant information under SECTION 6	to 8.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code		
	not applicable		
SEC	TION 15: Regulatory information		
15.1	.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
-	EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).	
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	

- VOC (2010/75/CE)

15.2 Chemical safety assessment

not applicable

0 %

SECTION 16: Other information

16.1 Hazard statements

(SECTION 03)

- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

- H411 Toxic to aquatic life with long lasting effects.
- H315 Causes skin irritation.
- H304 May be fatal if swallowed and enters airways.
- H332 Harmful if inhaled.

Date printed 15.10.2019, Revision 15.10.2019



Version 10. Supersedes version: 09 Page

Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Acute Tox. 4: H332 Harmful if inhaled. (Calculation method) Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Weight of evidence) Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

none